- 6:5

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

	Bilterten, Gregon (Maling addres)
tate of Bragon	, do hereby make application for a permit to appropriate th
llowing described	public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applica	nt is a corporation, give date and place of incorporation
1. The source	e of the proposed appropriation is Silver Greek
•••••••	, a tributary of Padding River
	nt of water which the applicant intends to apply to beneficial use is 0.0875
ubic feet per secon	d. (If water is to be used from more than one source, give quantity from each)
**3. The use to	which the water is to be applied is
	of diversion is located 160 ft. N and 2350 ft. E from the N L. Davis Dag #L
	(section of stipdishmon)
	(M preferable, give distance and bearing to section corner)
eing within the	(If preferable, give distance and bearing to section corner) there is more than one point of diversion, each must be described. Use separate sheet if necessary) Sw/4Nw/4 of Sec. 34 , Tp. 6 (Give smallest legal subdivision)
eing within the, W.	there is more than one point of diversion, each must be described. Use separate sheet if necessary) SU'4NW'Y of Sec. 34 , Tp. 65 (Give smallest legal subdivision) M., in the county of Maclon
eing within the, W.	there is more than one point of diversion, each must be described. Use separate sheet if necessary) SU'4NW'Y of Sec. 34 , Tp. 65 (Give smallest legal subdivision) M., in the county of Maclon
eing within the, W. (E. & W.) 5. The	there is more than one point of diversion, each must be described. Use separate sheet if necessary) SwinkAuwiy of Sec. 34 , Tp. 65 (Give smallest legal subdivision) M., in the county of Accord Portable irrigation pipe (Main ditch, canal or pipe line) (Milles or feet)
within the, W. (2. ex W.) 5. The	there is more than one point of diversion, each must be described. Use separate sheet if necessary) SU'ANU'Y of Sec. 34 , Tp. 65 (Give smallest legal subdivision) M., in the county of ACION Portable irrigation pipe (Main ditch, canal or pipe line) to be (Miles or feet) ng in the of Sec. , Tp. (N or S)
within the, W. (E. ew.) 5. The	there is more than one point of diversion, each must be described. Use separate sheet if necessary) SwinkAuwiy of Sec. 34 , Tp. 65 (Give smallest legal subdivision) M., in the county of Accord Portable irrigation pipe (Main ditch, canal or pipe line) (Milles or feet)
eing within the, W. (E. & W.) 5. The 1 length, termination (E. & W.)	there is more than one point of diversion, each must be described. Use separate sheet if necessary) SU'ANU'Y of Sec. 34 , Tp. 65 (Give smallest legal subdivision) M., in the county of ACION Portable irrigation pipe (Main ditch, canal or pipe line) to be (Miles or feet) ng in the of Sec. , Tp. (N or S)
ting within the, W. (E. ew.) 5. The	there is more than one point of diversion, each must be described. Use separate sheet if necessary) Su'/KNW'/Y (Give smallest legal subdivision) M., in the county of Marion Portable irrigation pipe (Main ditch, canal or pipe line) of Sec. 34, Tp. 65 (N or S) Milles or feet) ng in the of Sec. 7p. (N or S) W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS t of dam feet, length on top feet, length at bottom
ting within the, W. (E. ew.) 5. The	there is more than one point of diversion, each must be described. Use separate sheet if necessary) Su'/KNW'/Y (Give smallest legal subdivision) M., in the county of Marion Portable irrigation pipe (Main ditch, canal or pipe line) of Sec. 34, Tp. 65 (N or S) Milles or feet) ng in the of Sec. 7p. (N or S) W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS t of dam feet, length on top feet, length at bottom
ting within the	there is more than one point of diversion, each must be described. Use separate sheet if necessary) Sa'/AAW'/Y
teing within the	there is more than one point of diversion, each must be described. Use separate sheet if necessary) S. W. M. W'Y. of Sec. 3.4., Tp. (Nors) M., in the county of Maclon Portable irrigation pipe to be (Miles or feet) ng in the (Smallest legal subdivision) W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS t of dam feet, length on top feet, length at bottom et; material to be used and character of construction (Loose rock, concrete, masons) etc., wasteway over or around dam)
Deing within the	there is more than one point of diversion, each must be described. Use separate sheet if necessary) Sumaliset legal subdivision
teing within the	there is more than one point of diversion, each must be described. Use separate sheet if necessary) S. W. M. W'Y. of Sec. 3.4., Tp. (Nors) M., in the county of Maclon Portable irrigation pipe to be (Miles or feet) ng in the (Smallest legal subdivision) W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS t of dam feet, length on top feet, length at bottom et; material to be used and character of construction (Loose rock, concrete, masons) etc., wasteway over or around dam)

*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

^{*}A different form of application is provided where storage works are contemplated.

Canal System or	-		1	
7. (a) Git	re dimensions at a	each point of c	anal where materially chan	ged in size, stating mile: from
headgate. At hea	dgate: width on 1	op (at water l	ine)	feet; width on hottom
thousand feet.			feet; grade adgate: width on top (at wat	
			feet; depth of	
	feet fall			auter jerr,
		·		in ; size at ft
				ifference in elevation between
		ft. Is	grade uniform?	Estimated capacity,
8. Locatio	sec. ft. on of area to be in	rigated, or pla	sce of use	
Township	Range	Section	Parks and There	Number Acres To Be Irrigated
North or Routh	Will-motte Meridian		Porty-acre Trect	A
(c)	1h	34	Sn//4 - NW/	2
		-		
				- -
				-
				•
The state of the s				
		-		

			required, attach separate sheet)	
		d		
Power or Minin 9. (a) To		wer to be deve	eloped	theoretical horsepower.
	uantity of water t			sec. ft.
			feet.	ec. jt.
			(Head)	
(u) 1			s of which the power is to b	e developed
			(Legal subdivision)	of Sec.
	, R. (No. 1			
			eam?(Yes or No)	
(g) If			int of return	
		, Sec		, R. (No E or W.)
(h) T	he use to which p			(10 L 0 W V

(b) If for domestic use state number of families to be supplied (American contents). It is not uses 11. Estimated cost of proposed works, \$. ** 12. Construction work will begin on or before 13. Construction work will be completed on or before 14. The water will be completely applied to the proposed use on or before (Semantic Spaintant) (Construction work will be completely applied to the proposed use on or before (Semantic Spaintant) (Construction work will be completely applied to the proposed use on or before (Semantic Spaintant) (en estimated population of	in 19	
12. Construction work will be completed on or before 13. Construction work will be completely applied to the proposed use on or before 14. The water will be completely applied to the proposed use on or before 15. Construction work will be completely applied to the proposed use on or before 16. Construction work will be completely applied to the proposed use on or before 17. Construction work will be completely applied to the proposed use on or before 18. Construction work will be completely applied to the proposed use on or before 19. Construction work will be completely applied to the proposed use on or before 19. Construction work will be completely applied to the proposed use on or before 19. Construction work will be completely applied to the proposed use on or before 19. Construction work will be completely applied to the proposed use on or before 19. Construction work will be completely applied to the proposed use on or before 19. Construction work will be completely applied to the proposed use on or before 19. Construction work will be completely applied to the proposed use on or before 19. Construction work will be completely applied to the proposed use on or before 19. Construction work will be completely applied to the proposed use on or before 19. Construction work will be completely applied to the proposed use on or before 19. Construction work will be completely applied to the proposed use on or before 19. Construction will be completely applied to the proposed use on or before 19. Construction will be completely applied to the proposed use on or before 19. Construction will be completely applied to the proposed use on or before 19. Construction will be completely applied to the proposed use on or before 19. Construction will be completely applied to the proposed use on or before 19. Construction will be completely applied to the proposed use on or before 19. Construction will be completely applied to the proposed use on or before 19. Construction will be completely applied	(b) If for domestic use sta	ste number of families to be suppl	ied
12. Construction work will be completed on or before 13. Construction work will be completely applied to the proposed use on or before 14. The water will be completely applied to the proposed use on or before 15. Construction work will be completely applied to the proposed use on or before 16. Construction work will be completely applied to the proposed use on or before 17. Construction work will be completely applied to the proposed use on or before 18. Construction work will be completely applied to the proposed use on or before 19. Construction work will be completely applied to the proposed use on or before 19. Construction work will be completely applied to the proposed use on or before 19. Construction work will be completely applied to the proposed use on or before 19. Construction work will be completely applied to the proposed use on or before 19. Construction work will be completely applied to the proposed use on or before 19. Construction work will be completely applied to the proposed use on or before 19. Construction work will be completely applied to the proposed use on or before 19. Construction work will be completely applied to the proposed use on or before 19. Construction work will be completely applied to the proposed use on or before 19. Construction work will be completely applied to the proposed use on or before 19. Construction work will be completely applied to the proposed use on or before 19. Construction will be completely applied to the proposed use on or before 19. Construction will be completely applied to the proposed use on or before 19. Construction will be completely applied to the proposed use on or before 19. Construction will be completely applied to the proposed use on or before 19. Construction will be completely applied to the proposed use on or before 19. Construction will be completely applied to the proposed use on or before 19. Construction will be completely applied to the proposed use on or before 19. Construction will be completely applied		Amourer questions 11, 12, 12, and 14 in all cases)	•
14. The water will be completely applied to the proposed use on or before ATE OF OREGON. SS. County of Marion. SS. This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with second or the state of the state Engineer, with second or the state of	11. Estimated cost of proposed	works, \$ 400_	Calif
ATE OF OREGON. County of Marion. This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with the International County of Marion.	12. Construction work will beg	gin on or before 15	Garges fly hilly is
ATE OF OREGON. County of Marion. This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with the accompany process.	13. Construction work will be	completed on or before	a terne 1, 17
Remarks: ATE OF OREGON. Ss. County of Marion. This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with the accompany ps and data and return the same for	14. The water will be complete	ly applied to the proposed use on o	r before Spinis 1, 12
Remarks: ATE OF OREGON, Ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engagery, with sec-		·	
Remarks: ATE OF OREGON, ss. County of Marion, ss. This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with sec-		(; ()	h. Li
ATE OF OREGON, ss. County of Marion, ss. This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with sec-		Layle	(Signature of poplicant)
ATE OF OREGON. Ss. County of Marion. This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with so-	Romarke		The second secon
ATE OF OREGON, (ss.) County of Marion, (ss.) This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with over	166 1100 1 166		•
ATE OF OREGON, ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for the			···· ·································
ATE OF OREGON, (ss.) County of Marion, (ss.) This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with over			
ATE OF OREGON, (ss.) County of Marion, (ss.) This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with over			
ATE OF OREGON, ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for the		······································	······································
ATE OF OREGON, (ss.) County of Marion, (ss.) This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with over			
ATE OF OREGON, ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for the			······································
ATE OF OREGON, ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for the			
ATE OF OREGON, ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for the			
ATE OF OREGON, ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for the			
ATE OF OREGON, ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for the			
ATE OF OREGON, ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for the			······································
ATE OF OREGON, ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for the			······································
ATE OF OREGON, ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for the			······································
County of Marion, Ss. This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with over			
County of Marion, This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with now	ATE OF OREGON.		
ps and data, and return the same for	County of Marion, ss.		
ps and data, and return the same for	This is to certify that I have	e examined the foregoing application	on, together with the accompany
In order to retain its priority, this application must be returned to the State Engineer, with some			•
In order to retain its priority, this application must be returned to the State Engineer, with some			
	the state of the s		Length Const Theory
ns on or before	In audau sa masain isa mainnisa		
			cto the state Engineer, with 1965

STATE OF OREGON, County of Marion,

on the 24 day of Mex

1957, at 4:10 o'clock

Returned to applicant:

office of the State Engineer

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed							
stream, or	its equivalent in	case of rotation with (other water	users, from	Silver Cre	ek	
The		water is to be applied					
•••••••••••••							
If fo	r irrigation, this a	ppropriation shall be	limited to	1/80	of (one cubic fo	ot per
second or i	ts equivalent for e	each acre irrigated ADS	d shall b	e further l	imited to a	diversio	n.of
not to e	xceed 23 acre	feet per acre for	.each acr	e irrigated	during the	irrigati	
SORSON.O	f each year.				····· ·		
•							
•							

***************************************					••••		

and shall	be subject to such	reasonable rotation sy	jstem as ma	y be ordered	by the proper	state office	r .
The	priority date of the	his permit is	May	24, 1957	········		
Act	ual construction u	vork shall begin on or	before	August 20,	1958	and	d shall
thereafter	be prosecuted wi	ith reasonable diligend	re and be co	ompleted on o	r before Octob	er 1, 19 59	
		of the water to the pr					196C .
WI:	INESS my hand t	his 20th day	of	August		. •	
			•••••••			STATE ING	NEER
Application No. 31.5%/	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the fice of the State Engineer at Salem, Oregon, the 2 f day of Mss.	turned to applicant:	proved:	Recorded in book No. 66 of rmits on paye 24968	CTANLEY STATE ENGINE	ainage Basin No. 2 page 38 X 1500

Drainage Basin No.

Fees 1500

August 20, 1957

Approved:

Permits on page

State Printing 98137