

RECEIVED
JUN 7 1957
STATE ENGINEER
SALEM

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Kenneth R. and Helen Moore
(Name of applicant)

of Rt. 1, Box 50 B, Lebanon
(Mailing address)

State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Santiam River
(Name of stream)

, a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is .1225
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located N. 66° 45' W. 17.97 chains
ft. and ft. from the NE
(N. or S.) (E. or W.)
corner of George W. Klum DLC 39, T. 12 S., R. 1 W.
(Section or subdivision)
(Reference monument is a 3/4" pipe 5 feet east of pumping point)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 of SE 1/4 of Sec. 19, Tp. 12 S
(Give smallest legal subdivision) (N or S)

R. 1 W., W. M., in the county of Linn
(E. or W.)

5. The main line pipe to be 1100 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NE 1/4 of NE 1/4 of Sec. 30, Tp. 12 S
(Smallest legal subdivision) (N or S)

R. 1 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction
(Loose rock, concrete masonry)

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2 1/2" centrifugal pump powered by
(Size and type of pump)
5 H. P. electric motor, Ten foot lift. Will use 32 six gallon sprinklers.
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line

7. (a) Give dimensions at each point of canal where water all, etc.

headgate At headgate: width on top (at water line)

feet, depth of water

feet, grade

thousand feet

(b) At miles from headgate: width on top (at water line)

feet, width on bottom

feet, depth of water

grade feet fall per one thousand feet

(c) Length of pipe 1440 (d) size at intake 5

flow intake 4 in size at place of use 3

intake and place of use 20 (e) Is grade uniform? 20

see ft.

8. Location of area to be irrigated or place of use 4. 11 31. 30,

Twisted Steel	Pipe Steel Standard Weight	Section	Feet Length	Notes
12 1/2	1 X	19	14 1/2	5. 0. 25
12 1/2	1 X	30	14 1/2	3. 0. 18

Beginning at the corner of an iron pipe which is South 130.0 feet and West 25.74 feet to the northeast corner of the George W. Klur Donation land. From this point go South, hence West of the Willerette Survey line, then East, thence South 59° 09' West 262.10 feet to the northeast corner of the property described in the plat of the estate of J. B. Sexton as recorded in Vol. 11, Page 120, of the records of the County Clerk; thence South 0° 12' West 297.81 feet to an iron pipe which marks the Northeast corner of the R. T. Klur Donation land. From this point go West, hence North 72° 34' East 312.14 feet to the northeast corner of the same property, thence South 60° 49' East 152.15 feet to the northeast corner of the same property, thence South 0° 07' 30" East 152.15 feet to the point of beginning. - - - - -

(a) Register of soil

(b) The field engineer's title

(c) Name of the owner

(d) Name of the contractor

(e) Name of the engineer

(f) Name of the surveyor

(g) Name of the witness

(h) Name of the witness

(i) Name of the witness

(j) Name of the witness

10. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1500.00
- 12. Construction work will begin on or before June 10, 1958
- 13. Construction work will be completed on or before October 1, 1959
- 14. The water will be completely applied to the proposed use on or before October 1, 1960

Kenneth R. Mason
Valery Mearns
 By Kenneth R. Mason

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON,
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.12 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Santiam River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 7, 1957

Actual construction work shall begin on or before August 1, 1958 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 1st day of August, 1957.

Lewis A. Stanley
STATE ENGINEER

Application No. 31618
Permit No. 24973

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7th day of June 1957, at 8 o'clock: A M.

Returned to applicant:

Approved:

August 1, 1957

Recorded in book No. 66 of 24973
Permits on page

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 2 page 40A

Fees 15.00