

RECEIVED
JUL 17 1957

Permit No. 25014

STATE ENGINEER
SALEM, OREGON

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Clarence J. Waibel
(Name of applicant)

of Route 3 Box 125, Hillsboro
(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Dairy Cr.
(Name of stream)
a tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is 0.11
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 6 Ch. ft. S and 43 Ch. ft. W from the Section
(N. or S.) (E. or W.)
corner common to Sections 25, 26, 35 and 36, T 1 N, R 3 W
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 NW 1/4 of Sec. 35, Tp. 1 N
(Give smallest legal subdivision) (N or S)

R. 3 W, W. M., in the county of Washington

5. The Portable Pipe to be
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the of Sec. , Tp.
(Smallest legal subdivision) (N or S)

R. , W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction
(Loose rock, concrete, masonry rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 20 HP direct- Centrifugal
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of)
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....
- 12. Construction work will begin on or before
- 13. Construction work will be completed on or before
- 14. The water will be completely applied to the proposed use on or before Completed

X i cc
Clarence J. Waibel
(Signature of applicant)

Remarks: The land described by this application was mapped as irrigated during the final proof survey in connection with Permits Nos. 20106 and 21795 (both in the name of C. J. Waibel) but not covered by the permits.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19

WITNESS my hand this _____ day of _____, 19

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.11 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Dairy Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 19, 1957

Actual construction work shall begin on or before August 20, 1958 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 20th day of August, 1957.

Lewis A. Stanley
STATE ENGINEER

Application No. 31732
Permit No. 2501A

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 19th day of July, 1957, at 11 o'clock P. M.

Returned to applicant:

Approved:

August 20, 1957

Recorded in book No. 66 of 2501A
Permits on page

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 2 page 62 A 13

Fees 15.00