

\*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Claude Pilcher
of Route 1 Box 100-A Jefferson
State of Oregon

do hereby apply for a permit to appropriate the following described public waters of the State of Oregon: SUBJECT TO PERMIT

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Keesneck Lake

located on the Willamette River

2. The amount of water which the applicant intends to appropriate is 0.91 cubic feet per second which is 409.5 gallons per minute

\*\*3. The use to which the water is to be applied is Irrigation

4. The point of diversion is at the corner of

Two Points of Diversion

No. 1 - N 44°16'W a distance of 967.0 ft

No. 2 - N 68°30'W a distance of 430.0 ft

both with reference to the N W corner of the William Kordyke DIC

Both being sections NE 1/4 of the SW 1/4 13 9 S

R. 4 W W. M. Marion

for the purpose of using Portable Sprinkler Equipment

in length to be used for the purpose of

R. W. M. Marion

Diversions will be

located at the following points

feet east of the north-south line

and the following

feet east of the north-south line

(c) If water is to be used for general domestic use

one 300 GPM Centrifugal Pump driven by a 15 HP Electric Motor

one 375 GPM Centrifugal Pump driven by a 20 HP Electric Motor

\*Application for permit to appropriate public waters of the State of Oregon.
\*\*Not to be construed as a guarantee of the accuracy of the information furnished to the Hydrographic Commission. Either of the above mentioned points may be located on the ground.

Canal System or Pipe Line

7. (a) Give dimensions at each point of canal where materially change in cross section, width, or

headgate. At headgate: width on top (at water line) feet, depth on bottom feet

feet, depth of water feet, grade feet per one thousand feet

(b) At miles from headgate: width on top (at water line) feet, depth on bottom feet

feet, depth of water feet, grade feet per one thousand feet

feet fall per one thousand feet

(c) Length of pipe miles at state

from table miles from place of issue

miles and place of issue feet in grade, spot or

feet

feet

feet

9 S	4 W	13	SE $\frac{1}{4}$ NW $\frac{1}{4}$	0.10
			NE $\frac{1}{4}$ SW $\frac{1}{4}$	29.21
			NW $\frac{1}{4}$ SW $\frac{1}{4}$	1.55
			NE $\frac{1}{4}$ SE $\frac{1}{4}$	0.50
			NW $\frac{1}{4}$ SE $\frac{1}{4}$	12.01
			SW $\frac{1}{4}$ SE $\frac{1}{4}$	1.17
			SE $\frac{1}{4}$ SE $\frac{1}{4}$	15.52
	3 W	18	SW $\frac{1}{4}$ SW $\frac{1}{4}$	2.85

TOTAL 62.92 acres

Silty Clay

Mint and Berries

For

of

of

of

of

(b) The nature of the water to be served

Municipal or Domestic Supply

10. (a) To supply the city of

(Name of) County, having a present population of

and an estimated population of in 19

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases.)

11. Estimated cost of proposed works, \$ 9,500.00

12. Construction work will begin on or before

13. Construction work will be completed on or before Completed

14. The water will be completely applied to the proposed use on or before Completed

*Claude Filcher*  
Claude Filcher

Remarks:

STATE OF OREGON  
County of Marion.

This is to certify that I have examined the foregoing application, site plan, maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer's office on or before June 3, 19 57

WITNESS my hand this 1 day of April, 19 57

LEWIS A. STANLEY  
STATE ENGINEER

By *Chris L. Wheeler*  
Chris L. Wheeler ASSISTANT

PERMIT

STATE OF OREGON, )  
County of Marion, ) ss.

This is to certify that I have examined the foregoing application and permit, and the same is **SUBJECT TO EXISTING RIGHTS** and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be diverted from the **stream, or its equivalent in case of rotation with other water users from Keesneck Lake** and shall not exceed **0.91** cubic feet per second measured at the point of diversion.

The use to which this water is to be applied is **irrigation**

If for irrigation, this appropriation shall be limited to **1/80** second or its equivalent for each acre irrigated and shall be further limited to a diversion of **not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.**

and shall be available to the applicant from **March 20, 1957** to **September 20, 1957** and shall be available to the applicant from **September 20th** to **September 20th** of each year.

Application No. **31417**  
Permit No. **25019**

**PERMIT**

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE

TO THE **March** 19**57** - **10 30** A.M.

September 20, 19**57** **25019**

**2** **70A1/2**  
**21 45**