To Appropriate the Public Waters of the State of Oregon

I,	Kate Eberly		····	
of	Box 103	Banks	of applicant)	
	(Mailing addr	oes)		
			by make application for a permit to appropri	iate the
Jollowin	g described public wat	ers of the State of Ore	gon, SUBJECT TO EXISTING RIGHTS:	
If	the applicant is a corpo	oration, give date and p	place of incorporation	
1.	The source of the prop	osed appropriation is	A stream (unnamed)	
***********		, a tributa	(Name of stream)	
2.			ends to apply to beneficial use is 0.01	
cubic fee	et per second			
**3		(If water is to be used: water is to be applied is	from more than one source, give quantity from each)	
•	ine use to which the t	water is to be applied is	(Irrigation, power, mining, manufacturing, domestic supplie	s, etc.)
4.	The point of diversion	is located 595 ft	N and 2903 ft. E from the	W3
corner o	Section 28, T	2 N, R 4 W, W.M.	(N. or S.) (E. or W.)	
		(Section	on or subdivision)	
hoing sui	(If there is more than	(If preferable, give distance and	it be described. The senarate sheet if named	
being wi	(G	ive smallest legal subdivision)	of Sec. 28 , Tp. 2 N	r S)
		unty of Washington		
5 .	The Pipeline	ain ditch canal as ains line)	to be 462 ft.	
in length	, terminating in the	Mi Sei Swi Nei	(Miles or feet) of Sec. 28 , Tp. 2 N (N or	
R. 4 W	W M the	(Smallest legal subdivision	n) (N or	· S)
(E. or W.)	proposed location being	g shown throughout on the accompanying ma	p.
Diversion	n Works—	DESCRIPTION	OF WORKS	
		feet. ler	ngth on top feet, length at i	hottom
***********	jeet, nateriat	to be used and characte	er of construction(Loose rock concrete	тазолгу,
rock and bru	sh, timber crib, etc., wasteway ov	er or around dam)		••••
(b	_	ate a box of time	imber, concrete, etc., number and size of openings;	
***************************************	Intake: A 2" p	ipe, Outlet: 12 pi	ipe	
(c)			ption (Size and type of pump)	
***************************************		*************************************	d. total head water is to be lifted etc :	
•				

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem.

eadgate. At head	iga te: width on t	top (at water	line)	feet; width on bottom
iousand feet.				feet fall per on
			eadgate: width on top (at u	
	feet; with on b	ottom	feet; depth	of water feet
rade	feet fall	per one thou	sand feet.	
(c) Lengtl	of pipe, 4	52 ft.;	size at intake, 2"	in.; size at ft
rom intake	in.;	size at place	of use 18 in.	difference in elevation between
ntake and place	of use,	.55 ft. 1	s grade uniform? Jes	Estimated capacity
	sec. ft.	•		
8. Locatio	n of area to be i	rrigated, or p	lace of use (house) Swan	E1, Sec. 28, T2N, RLW.
Township North or South	Range E. er G. ef Willemette Merselan	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 N	4 W	28	SWA NEA	domestic
	,			
	1	(If more space	required, attach separate sheet)	
(a) Ch	aracter of soil.		······································	
		d		or a second
Power or Mining	_	a 4. l J		
				theoretical horsepower
			power	•
(c) To	ital fall to be uti	lized	feet.	
(d) T	he nature of the	works by mea	ns of which the power is to	be developed
•••••		·····	······································	
(e) Si	ich works to be l	ocated in	(Legal subdivision)	of Sec.
Tp.	, R	, W.	M .	
			tream?(Yes or No)	
			oint of return	
		r		
*****		., Sec	, Tp.	, R , W.

	25073
20. (a) To supply the city of	•••••••••••••••••••••••••••••••••••••••
County, having a present population of	
nd an estimated population of in 19 in 19	
(b) If for domestic use state number of families to be supplied	
(Answer questions II, 48, 13, and 14 in all quest)	
11. Estimated cost of proposed works, \$ 130.00	
12. Construction work will begin on or before	
13. Construction work will be completed on or before	
14. The water will be completely applied to the proposed use on or before	pleted
Katherena (Kate) 6 best	
Remarks: Assistance in application by Mr. Donald Pryor, a fore	ster.
All distances and bearings by staff compass and chain.	***************************************
<u> </u>	
· · · · · · · · · · · · · · · · · · ·	··· ······· · · · · · · · · · · · · ·
	··· ··································
······································	
TATE OF OREGON,	
County of Marion,	
This is to certify that I have examined the foregoing application, together with	the accompanyin
aps and data, and return the same for	
In order to retain its priority, this application must be returned to the State Eng	ineer with correc
ons on or before, 19	incer, with correc
WITNESS my hand this day of	, 19
	STATE ENGINEER
Ru	

ASSISTANT

STATE OF OREGON, County of Marion

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

and a			herein gran									
			ceedQ.									
•	·····		<u>-</u>		······································	•••••						
***************************************	The	use to	which this	water is	to be a	pplied	is dome	stic use.	for 1	family		
		••••••	•••••••••••••••••••••••••••••••••••••••	••••••	•••••	•••••	•••••					
	If fo	r irrig	ation, this a	ppropria	tion sh	all be l	imited to	-		of (one cubic	foot per
secon	nd or i	its equ	ivalent for	each acre	i rr igat	ed						
**********	*******	·····	••••••	• • • • • • • • • • • • • • • • • • • •		•••••••	······································					· • .
•												
•			** **	.,,,,,,	•••••							•••
•••••												
*****										***		
•								······································				
****	· • • • • • • • • • • • • • • • • • • •			······				·····				
and:	shall i	be sub	ject to su ch	reasonab	le rota	tion sy	stem as m o	ay be order	red by th	е рторет	state offi	icer.
	The	priori	ity date of t	his permi	t is			May 13. 1	.957			
	Act	ual co	nstruction 1	vork shal	l begin	on or	before	Octobe	n 25, i	1958	(and shall
ther	eafter	be pr	osecuted w	th reason	able d	iligenc	e and be co	ompleted o	n or befo	o r e Octob	рет 1, 19	59.
•			application									1, 19 60
	WI'	TNES!	S my hand t	his	.25.th.	day	of .Oc	tober	in the second	, 19 <i>5</i> 7	1	
									KNY 29.	2 gh e 🔻	STATE E	NGINEER
						u					. 0	
			U	in the	regon					B.	NEER	page 62A/3
2			UBLI TE	rived	Ę,	M.			:	ج چ	STATE ENGINEER	je 6 ż
3/557	25073	F	HE P STA N	it reco	May	γ. Υ.			:	25073	STA) pd
5	25	MI	APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	as firs	neer .	450			1957		NLEY	7
Application No.	0.	PERMI	OPRIA RS OF OF OF	int we	e Eng lay of	B.O. O'clock	icant:		25.	ook N	LEWIS A. STANLET	Vo.
licatie	Permit No.		PRO ATER	trume	3. d	8.00	appli		poor	d in b page	IS A.	asin I
App	Per		TO AF	This instrument was first received in the	office of the State Engineer at Salem, Oregon, on the 13 day of May	, at	Returned to applicant:	wed:	October 25 1957	Recorded in book No. Permits on page	Ã,	Drainage Basin No. Fees 2000
			r .	Th	ognice on the	19.52, at	Retur	Approved		Re Perm		Drain Fees

State Printing

Fees 2000