

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Floyd E. Fowler, of 2515 S. E. 51st St., (Apartment 23) Portland 15, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Stream and Reservoir, a tributary of Abernathy Cr.

2. The amount of water which the applicant intends to apply to beneficial use is 0.02 cubic feet per second.

**3. The use to which the water is to be applied is Fish Propagation

4. The point of diversion is located ft. and ft. from the corner of S 55°39'W, 676 ft. from the Re-entrant Corner on the northeast line of the Charles Walker D.L.C.

being within the NW 1/4 SW 1/4 of Sec. 2, Tp. 3 S, R. 2 E, W. M., in the county of Clackamas

5. The in length, terminating in the of Sec. , Tp. , R. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description All Gravity Flow

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Williams Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
3 S	2 E	2	NW $\frac{1}{4}$ SW $\frac{1}{4}$	Fish Culture in off-channel Reservoir

(If more space required, attach separate sheet)

(a) Character of soil
 (b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
 (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
 (Legal subdivision)

Tp., R., W. M.
 (No N or S) (No E or W)

(f) Is water to be returned to any stream? (Yes or No)
 (g) If so, name stream and locate point of return

..... Sec., Tp., R., W. M.
 (No N or S) (No E or W)


(h) The use to which power is to be applied is
 (i) The nature of the mines to be served

8. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 2,500
- 12. Construction work will begin on or before Started
- 13. Construction work will be completed on or before Fall 1957
- 14. The water will be completely applied to the proposed use on or before Summer of 1958

x 
Floyd E. Fowler (Printed)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed stream and reservoir to be constructed under Application No. R-31814, Permit No. R-2068

The use to which this water is to be applied is fish propagation

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 22, 1957

Actual construction work shall begin on or before October 25, 1958 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959.

Complete application of the water to the proposed use shall be made on or before October 1, 1960.

WITNESS my hand this 25th day of October 1957.

Lewis A. Stanley
STATE ENGINEER

Application No. 31815

Permit No. R2094

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22 day of August 1957, at 2:58 o'clock P. M.

Returned to applicant:

Approved:

October 25, 1957

Recorded in book No. 67 of

25094

Permits on page

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 2 page 76 A 17

Fees 20 00