

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, H. R. TOBIASON, of P. R. # Box 299 Grants Pass, Oregon State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is GREYS CREEK Routed to ROSEYDIE (A-31834) abt. 250' (Name of stream), a tributary of APPELEGATE RIVER

2. The amount of water which the applicant intends to apply to beneficial use is 0.2 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is IRRIGATION (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1550 ft. N. and 50 ft. E. from the S. 1/4 corner of SEC. 29 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SE 1/4 of Sec. 29, Tp. 37 S. R. 5 W., W. M., in the county of JOSEPHINE

5. The MAIN DITCH to be 1350 FEET in length, terminating in the NW 1/4 SE 1/4 of Sec. 29, Tp. 37 S. R. 5 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 10 feet, length on top 10 feet, length at bottom 10 feet; material to be used and character of construction CONCRETE

rock and brush timber crib, etc., wasteway over or around dam

(b) Description of headgate Concrete, with gated pipe to a point above high water, thence by open ditch

(c) If water is to be pumped give general description

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

25104

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 6" pipe, 9.5 feet; width on bottom 1 feet; depth of water 1 feet; grade 10 feet fall per one thousand feet.

(b) At 100 Feet miles from headgate: width on top (at water line) 4 feet; width on bottom 1 feet; depth of water 0.5 feet; grade 5 feet fall per one thousand feet.

(c) Length of pipe, 100 ft.; size at intake, 6 in.; size at 100 ft. from intake 6 in.; size at place of use ditch; difference in elevation between intake and place of use, 1.75 ft. Is grade uniform? 1:75 on Pipe Estimated capacity, 1.08 sec. ft. 0.54000 Ditch

8. Location of area to be irrigated, or place of use

Township North or South	Range E or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
37 S	5 W	29	NW ⁴ SE ⁴	9.3
37 S	5 W	29	NE ⁴ SW ⁴	0.7
37 S	5 W	29	SE ⁴ NW ⁴	6.0

(If more space required, attach separate sheet)

(a) Character of soil Heavy to medium texture, Medium depth.

(b) Kind of crops raised Pasture, hay, and specialty crops

Power or Mining Purposes—

1. (a) Total amount of power to be developed theoretical horsepower

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized (Head) feet

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in _____ of Sec _____

Tp. _____, R. _____, W. M. _____

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

Sec. _____, Tp. _____, R. _____, W. M. _____

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 500.
- 12. Construction work will begin on or before October 1957
- 13. Construction work will be completed on or before October 1959
- 14. The water will be completely applied to the proposed use on or before October 1960

H. R. Robinson
(Signature of applicant)

Remarks:

Dear Sir:

Would you please let me if you would consider these applications to you approved. I have just moved on this 63 acre place and it's really a fire hazard. With this water stored close to the buildings I would keep it green and raise enough for a firing. You will find enclosed money order for thirty dollars. I will greatly appreciate a reply.

*Thanking you
I am
Yours respectfully
H. R. Robinson*

STATE OF OREGON,)
) ss.
County of Marion.)

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____ completion

In order to retain its priority, this application must be returned to the State Engineer with corrections on or before November 25 1957

WITNESS my hand this 24th day of September 1957

LEWIS A. STANLEY

STATE ENGINEER

By

James W. Carver, Jr.
James W. Carver, Jr.

ASSISTANT

PERMIT

STATE OF OREGON,
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.20 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Grays Creek and Reservoir to be constructed under Application No. R-31834, Permit No. R-2070.

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, from direct flow and storage from reservoir to be constructed under Permit No. R-2070.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 3, 1957

Actual construction work shall begin on or before October 25, 1958 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959.

Complete application of the water to the proposed use shall be made on or before October 25, 1958

WITNESS my hand this 25th day of October

Lewis A. Stanley
STATE ENGINEER

Application No. 31835

Permit No. R-2070

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 25th day of October, 1957, at
10:00 A.M.

Returned to applicant

Approved

October 25, 1957

Permit No. R-2070

25104

LEWIS A. STANLEY
STATE ENGINEER

Duplicate Book No. 16

File