

RECEIVED  
MAR 23 1955

Permit No. 25135

STATE ENGINEER  
SALEM, OREGON

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, RICKINI LUMBER COMPANY  
(Name of applicant)  
of (Saginaw) Box 426 Cottage Grove,  
(Mailing address)  
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Partnership

1. The source of the proposed appropriation is Coots Fork AND RICKINI MILL  
(Name of stream)  
River, a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.50  
cubic feet per second. One intake. (See remarks)  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Sawmill log pond AND MILL USE  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)  
SEE REMARKS

4. The point of diversion is located 1409.8 ft. S and 1527.4 ft. - from the SE  
(N. or S) (E. or W)  
corner of Sections 10 and 15  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the N. 1/4 of S. 1/4 of the N. 1/4 of Sec. 15, Twp. 36  
(Give smallest legal subdivision) (N. or S)

R. 3 W. W. M., in the county of Clatsop  
(E. or W.)

5. The Pipe line to be 2.2  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the SE 1/4 of Sec. 15 of Sec. 15, Twp. 36  
(Smallest legal subdivision) (N. or S)

R. 3 W., W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dike 27 feet, length on top 21 feet, length at bottom  
5150 feet; material to be used and character of construction slip loam and gravel surface  
(Loose rock, concrete, etc.)  
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate See Remarks  
(Lumber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description See Remarks  
(Size and type of jump)  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.  
\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.  
5-53-4M

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(b) At \_\_\_\_\_ miles from headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(c) Length of pipe, 75 ft.; size at intake, 6 in.; size at \_\_\_\_\_ ft. from intake 3 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 16 ft. Is grade uniform? yes Estimated capacity, 0.508 sec. ft.

8. Location of area to be irrigated, or place of use \_\_\_\_\_

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	
20 South	3 West	15	W $\frac{1}{2}$ of NE $\frac{1}{4}$ of NW $\frac{1}{4}$	3.91	1.10
" "	" "	15	E $\frac{1}{2}$ of NW $\frac{1}{4}$ of NW $\frac{1}{4}$	10.17	112.00
" "	" "	15	NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of NW $\frac{1}{4}$	.31	1.10
" "	" "	15	SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of NW $\frac{1}{4}$	.11	.
Total Section 15				14.50	114.20
20 South	3 West	10	SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of SW $\frac{1}{4}$	1.41	1.10
Total Pond				15.91	115.30

(If more space required, attach separate sheet)

(a) Character of soil \_\_\_\_\_

(b) Kind of crops raised \_\_\_\_\_

Power or Mining Purposes—

9. (a) Total amount of power to be developed \_\_\_\_\_ theoretical horsepower.

(b) Quantity of water to be used for power \_\_\_\_\_ sec. ft.

(c) Total fall to be utilized \_\_\_\_\_ feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed \_\_\_\_\_

(e) Such works to be located in \_\_\_\_\_ of Sec. \_\_\_\_\_  
(Legal subdivision)

Tp. \_\_\_\_\_, R. \_\_\_\_\_, W. M. \_\_\_\_\_  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? \_\_\_\_\_  
(Yes or No)

(g) If so, name stream and locate point of return \_\_\_\_\_

\_\_\_\_\_, Sec. \_\_\_\_\_, Tp. \_\_\_\_\_, R. \_\_\_\_\_, W. M. \_\_\_\_\_  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is \_\_\_\_\_

(i) The nature of the mines to be served \_\_\_\_\_

10. (a) To supply the city of \_\_\_\_\_

(Name of) \_\_\_\_\_ County, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_.

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 10,000.00

12. Construction work will begin on or before April 1, 1954

13. Construction work will be completed on or before December 31, 1955

14. The water will be completely applied to the proposed use on or before Dec, 31, 1955

*Leo L. Rickard*  
(Signature of applicant)

Remarks: 2. Computed on the Army Engineers' evaluation of one (1) foot per month for the three summer months to cover seepage and evaporation loss gives a total of 48 acrefeet. This together with an estimated 15 acre feet for mill usage during the three summer months, would give a daily demand of 1.18 acre feet, or of 0.59 cu.ft. per sec.

6 C. A 20 H.P. Pacific 3,500 rpm. with a 6" intake, 2" discharge, 16 ft. lift has a direct discharge of 330 gal per min. or 0.41 cu.ft. per sec. direct into pond. This can be augmented when necessary by an 8" intake 25 H.P. Fairbank & Morse to stage 3,500 rpm. 6" intake, 2" discharge, 16 ft. lift has a capacity of 225 gal per min. and a 15 H.P. American Marsh 3,500 rpm. 6" intake, 2" discharge, 16 ft. lift has a capacity of 230 gal per min. The latter pumps are used to maintain automatic pressure for fire protection and mill use but can be diverted to the pond.

This application covers a pond which has been in existence for 50 yrs. Together with proposed addition. Report consists of plan view and cross water and maps showing lumber plant and pond, pond cross section and plan view of above pond.

STATE OF OREGON }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion by attaching thereto engineering report and soil analysis.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 7, 19 57.

WITNESS my hand this 4th day of October, 19 57.

LEWIS A. STANLEY  
By *Fred D. Gustafson* STATE ENGINEER  
Fred D. Gustafson, Engineer

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.59 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Coast Fork Willamette River

The use to which this water is to be applied is mill use and maintenance of log pond to be constructed under Application No. 29827, Permit No. R-2077, being 0.35 c.f.s. for mill use and 0.24 c.f.s. for maintenance of log pond.

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state authority.

The priority date of this permit is March 23, 1955

Actual construction work shall begin on or before November 29, 1957 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959.

Complete application of the water to the proposed use shall be made on or before October 1, 1960.

WITNESS my hand this 29th day of November, 1957.

*Lewis A. Stanley*  
STATE ENGINEER

Application No. 29827  
Permit No. 25135

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23rd day of March 1955 at 8:00 o'clock A. M.

Return to applicant

Approved

November 29, 1957

Recorded in book No. 67 of

25135

Permits on file

LEWIS A. STANLEY  
STATE ENGINEER

Drainage Basin No. 2

State Printing Office  
420 600