

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Mr. Rudy Lumber Co. (Name of applicant) of Box 337 Yoncalla (Mailing address) State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Oregon

1. The source of the proposed appropriation is Yoncalla Creek & Mt. Rudy Lumber Co. Mill Pond (Name of stream) a tributary of Fall Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.4 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Log Storage (Irrigation, power, mining, manufacturing, domestic supplies, etc)

4. The point of diversion is located ... ft. and ... ft. from the corner of N 73° 22' E A DISTANCE OF 524.0' FROM THE SOUTH 1/4 CORNER OF SECTION 21 (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW 1/4 S 2 1/4 of Sec. 21, Tp. 22 S

R. SW, W. M., in the county of Douglas

5. The Pipe Line (Main ditch, canal or pipe line) to be 200 ft. (Miles or feet) in length, terminating in the NW 1/4 NE 1/4 of Sec. 28, Tp. 22 S

R. SW, W. M., the proposed location being shown throughout on the accompanying map

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 5 H.P. CENTRIFUGAL PUMP, ELECTRIC (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of
..... County, having a present population of
(Name of) and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$..... 2400 00
- 12. Construction work will begin on or before COMPLETED
- 13. Construction work will be completed on or before COMPLETED
- 14. The water will be completely applied to the proposed use on or before COMPLETELY APPLIED

Mr. BARD LUMBER Co
(Signature of applicant)
by Chas. J. Tamm

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for signature

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 30, 19 57.

WITNESS my hand this 30th day of August, 19 57.

LEWIS A. STANLEY
STATE ENGINEER

By Chris L. Wheeler
Chris L. Wheeler, ASSISTANT
ld

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.60 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Yoncalla Creek

The use to which this water is to be applied is maintenance of log pond to be constructed under Application No. R-31726, Permit No. R-2078.

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 18, 1957

Actual construction work shall begin on or before November 29, 1958 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 29th day of November 19 57

Lewis A. Stanley
STATE ENGINEER

Application No. 31727
Permit No. 25143

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29th day of Nov 1957 at 2:00 o'clock A M.

Returned to applicant:

Approved:

November 29, 1957

Recorded in book No. 67 of

Permits on page 25143

LEWIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 16 page 208

Fees \$ 20.00