

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Harold L. Broussard
(Name of applicant)
of Rt. 3 Box 977 Salem
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is (Croisan Cr.) Stored Water only - HCB
(Name of stream)
from Reservoir on creek, a tributary of Williamson.

2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located about ft. about and ft. about from the
(N or S) (E or W)
corner of Lot 24 of Maple Glen addition to Salem
(Section or subdivision)

0.5 Ch. N & 1.0 Ch. E from most westerly corner of Lot 24 of
(If preferable, give distance and bearing to section corner)
Maple Glen addition to Salem
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)

being within the NE 1/4 SW 1/4 of Sec. 33 Tp. 33
(Give smallest legal subdivision)
R. 3 W. W. M., in the county of Marion
(E. or W.)

5. The main ditch to be about miles or feet
(Main ditch, canal or pipe line)
in length, terminating in the about of Sec. 33 Tp. 33
(Smallest legal subdivision)
R. 3 W. W. M., the proposed location being shown throughout on the accompanying map
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 8 feet, length on top 21 feet, length at bottom 6 feet; material to be used and character of construction Concrete and Timber
(Large rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Timber dam with concrete apron
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 6 feet; width on bottom 6 feet; depth of water 6 feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe. ft.; size at intake, in.; size at from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use Maple Glen Add'n to Salem

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T 7 S	R 3 W	33	Lot No. 20	1.02 Ac
			" 21	1.05 Ac
			" 22	1.06
			" 23	1.12
			" 24	1.12
			Total	5.37 Ac
			all being within	
			the NE 1/4 SW 1/4	

(If more space required, attach separate sheet)

(a) Character of soil
(b) Kind of crops raised Pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horse power
(b) Quantity of water to be used for power sec. ft.
(c) Total fall to be utilized (Head) feet.
(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in (Legal subdivision) of Sec.

Tp. (No N or S), R. (No E or W), W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

, Sec. , Tp. (No N or S), R. (No E or W), W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of _____
 _____ County, having a present population of _____
 and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 700⁰⁰
12. Construction work will begin on or before Nov. 1, 1957
13. Construction work will be completed on or before Nov. 1, 1958
14. The water will be completely applied to the proposed use on or before Nov. 1, 1957

Harold E. [Signature]
 (Signature of applicant)

Remarks: _____

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same.
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 2.5 acre feet stored water only
~~substantially~~ measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from reservoir to be constructed
under Application No. R-31888, Permit No. R-2081.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to a diversion of 2.5 acre feet
~~of the water~~ of the water for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer

The priority date of this permit is September 23, 1957

Actual construction work shall begin on or before November 29, 1958 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 29th day of November, 1957

STATE ENGINEER

Application No. 31889

Permit No. 25152

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 23 day of September
1957, at 9:15 o'clock A. M.

Returned to applicant.

Approved:

November 29, 1957

Recorded in book No. 67 of

Permits on page 25152

LEWIS A. STANLEY

STATE ENGINEER

2-76417

State Printing

4-00