

RECEIVED

SEP 1957
STATE ENGINEER
SALEM OREGON

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, William E. Dames
(Name of applicant)
of Richfield RT-1
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Reservoir + w.e.d. Goodwin Branch
(Name of stream)

a tributary of Mana
2. The amount of water which the applicant intends to apply to beneficial use is 0.03
cubic feet per second.

Stock - 0.01 - MAINTAIN Pond - 0.02
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Stock & Puck Pond
(Irrigation, power, mining, manufacturing domestic supplies, etc.)

4. The point of diversion is located 1320 ft. S and 231 ft. E from the SW corner of Sec 15, T 7 S, R 4 W, W.M. Polk County Ore
(Section or subdivision)
the center of the dam and 940 ft. south and 13 ft. E to the upper end of a diversion ditch which carries the water from Goodwin Branch to the dam reservoir
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described Use separate sheet if necessary)

being within the W 1/2 of NW 1/4 of Sec. 15 Tp. 7 S
(Give smallest legal subdivision) (N. or S.)
R. 4 W, W. M., in the county of Polk
(E. or W.)

5. The main ditch to be 200 ft. E
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the W 1/2 of NW 1/4 of Sec. 15 Tp. 7 S
(Smallest legal subdivision) (N. or S.)
R. 4 W, W. M., the proposed location being shown throughout on the accompanying map
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 6 feet, length on top 276 feet, length at bottom 250 ± feet; material to be used and character of construction 2 1/2 ft. diam - 3
(Loose rock, concrete, masonry)
Wapato silt masonry
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate No gate - diss cut pipe 12" diam - 12
(Timber, concrete, etc. Number and size of openings)
of 15' concrete form tile

(c) If water is to be pumped give general description

(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At 30 FT miles from headgate: width on top (at water line) 3' feet; width on bottom 2' feet; depth of water 1/2 feet; grade feet fall per one thousand feet.

(c) Length of pipe. 30'± ft.; size at intake. 15" in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use ft. Is grade uniform? Estimated capacity sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Williams Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
7S	4W	15	NW 1/4 of NW 1/4	Stock & Pond.
7S	4W	15	SW 1/4 of NW 1/4	Stock & Pond.

(if more space required, attach separate sheet)

(a) Character of soil. Wapato silt loam

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No N or S) (No E or W)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

..... Sec., Tp., R., W. M.

(No N or S) (No E or W)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of _____

_____ County, having a present population of _____

(State of)

and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ Completed

12. Construction work will begin on or before _____

13. Construction work will be completed on or before _____

14. The water will be completely applied to the proposed use on or before _____

William E. Davis
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Goodwin Branch and reservoir to be constructed under Application No. R-31907, Permit No. R-2083.

The use to which this water is to be applied is stock and maintenance of duck pond, being 0.01 c.f.s. for stock and 0.02 c.f.s. for maintenance of duck pond.

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second or its equivalent for each acre irrigated.

The diversion of water as allowed herein for the maintenance of the duck pond shall be limited to the period of October 15 to April 30, and shall be subordinate to and inferior to all future appropriations on Goodwin Branch and its tributaries for domestic, stock, municipal, irrigation or industrial uses and for storage for such uses.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 30, 1957

Actual construction work shall begin on or before November 29, 1958 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 29th day of November 1957

Lewis J. Stanley
STATE ENGINEER

Application No. 51908
Permit No. 25160

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 30th day of September 1957, at 10:33 o'clock A. M.

Returned to applicant:

Approved:

November 29, 1957

Recorded in book No. 67 of 25160 Permits on page

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. page 26A17

Fees \$ 20.00