

* Permit No. 2518

CERTIFICATE NO. 45738

APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, C A Smith Lumber and Manufacturing Co. (Name of Applicant)

of Marshfield (Postoffice), County of Coos

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation. July 15th, 1907, State of Minnesota

1. The source of the proposed appropriation is C A Smith Storage Reservoir located in Archer Gulch, tributary of Isthmus Slough

2. The amount of water which the applicant intends to apply to beneficial use is three cubic feet per second.

3. The use to which the water is to be applied is Manufacturing (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located at the north end of the dam from which the SE cor. of Lot 1, Sec. 1, T 26 S R 13 W.W.M. bears S 65. 16 E, a distance of 915 feet, being within Lot 1, Sec. 1 T 26 S R 13 W.W.M.

being within the of Sec. of Tp. (Give smallest legal subdivision) (No. N. or S.)

R. Coos, W. M., in the county of (No. E. or W.)

5. The main pipe line to be 2000 feet miles in length, terminating in the Lot 4 of Sec. 36, Tp. 25 S R. 13 W (Smallest legal subdivision) (No. N. or S.) (No. E. or W.)

W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the ditch, canal or other works is C A Smith Storage Reservoir

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam 10 feet, length on top 1200 feet, length at bottom 1150 feet; material to be used and character of construction (Loose rock, concrete,

Earth, Waste weir over dam, operating under 6" head, 16 ft. long masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate No outlet, pump only (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured, without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

MUNICIPAL SUPPLY—

11. To supply the city of.....
.....County, having a present population of....., and an
(Name of)
estimated population of..... in 191....

(Answer questions 12, 13, 14, and 15 in all cases)

12. Estimated cost of proposed works, \$ 2000.....

13. Construction work will begin on or before

14. Construction work will be completed on or before August 1st, 1915.....

15. The water will be completely applied to the proposed use on or before August 1st, 1915.....

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Water Board, accompany this application.

C A Smith Lumber & Manufacturing Co.

(Name of applicant)

by David Nelson,

Cashier

Signed in the presence of us as witnesses:

- (1) A F Lagerstrom Marshfield, Oregon
(Name) (Address of witness)
- (2) J S Hanson Marshfield, Oregon
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion }ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows:.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before....., 191....

WITNESS my hand this..... day of....., 191....

State Engineer.

Application No. 4357

Permit No. 2518

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. 1 District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 30 day of June, 1915 at 8:30 o'clock A. m.

Returned to applicant for correction

Corrected application received

Approved: Jul 14 1915

Recorded in Book No. 10 of Permits, on Page 2518

John H Lewis

1 map State Engineer.

RS \$8.00

STATE OF OREGON,

County of Marion

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper State officer.

The use of the water under this permit is limited to water for manufacturing purposes stored in the C A Smith, Storage Reservoir under Application No. 4356, Permit No. R. 328.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 3.0 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is June 30, 1915

Actual construction work shall begin on or before July 14, 1916 and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1917

Complete application of the water to the proposed use shall be made on or before October 1, 1918

WITNESS my hand this 14th day of July, 1915

John H Lewis

State Engineer.

Permits for power development are subject to the limitation of franchise as provided in Sec. 6633, Lord's Oregon Laws, and the payment of annual fees as provided in Chapter 248, Laws of 1915.