

RECEIVED
 1956
 STATE ENGINEER

APPLICATION FOR PERMIT*To appropriate the Public Waters of the State of Oregon**I, **Wayne D. Neuber**

(Name of applicant)

of **P. O. Box 512, Roseburg, Oregon**

(Mailing address)

State of **OREGON**do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is **Unnamed Creek - - Seasonal**

(Name of stream)

Reservoir, a tributary of **Chehalem Creek**

2. The amount of water which the applicant intends to apply to beneficial use is

cubic feet per second **0.1**

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is

Irrigation

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located **940.56 ft. South** and **234.3 ft. East** from the **S. E.**

(N. or S.)

(E. or W.)

corner of **John Williams D. L. C.**

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the **SW $\frac{1}{4}$ NE $\frac{1}{4}$** of Sec. **23**

(Give smallest legal subdivision)

, Tp. **3 S.**

(N. or S.)

R. **3 W.**, W. M., in the county of **Yamhill**

(E. or W.)

5. The **portable pipe line for irrigation**

(Main ditch, canal or pipe line)

(Miles or feet)

in length, terminating in the

(Smallest legal subdivision)

of Sec.

, Tp.

, R.

W. M., the proposed location being shown throughout on the accompanying map

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam **5** feet, length on top **30** feet, length at bottom**15** feet; material to be used and character of construction **earth fill**

(Loose rock is not to be used)

wasteway is a 6" iron pipe through the dam.

(rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate

(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description

(Size and type of pump)

1 $\frac{1}{2}$ h.p., single phase electric motor. Water to be lifted 25 feet.

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 760' portable; size at intake, 3 in.; size at 520 ft. from intake 3 in.; size at place of use 2 in.; difference in elevation between intake and place of use, 15 to 25 ft. Is grade uniform? no Estimated capacity, 0.1 sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
3 S	3W	23	NE 1/4 NE 1/4	5.76
3 S	3 W	23	NW 1/4 NE 1/4	2.70
3 S	3 W	23	SW 1/4 NE 1/4	3.16
3 S	3 W	23	SE 1/4 NE 1/4	5.87
Total			Total	17.49

"Being a part of the original Donation Land Claim of Malinda Hall, a widow, and the heirs at law of Matthew Hall deceased, Claim No. 72, Notification No. 1775, parts of Section 13, 14, 23 and 24 in Township 3 South, Range 3 West of the Willamette Meridian, in Yamhill County, Oregon, said part being bounded and particularly described as follows, to wit:

Beginning at a point 7.15 chains South of the Southeast corner of the Original Donation Land Claim of John Williamson and Susan O. Williamson, his wife, Claim No. 46 in said Township and Range, and running thence South 1°25'E 12.64 chains thence East 13.08 chains; thence North 12.64 chains; thence West 14.00 chains to the place of beginning, containing 17.49 acres more or less "

(If more space required, attach separate sheet)

(a) Character of soil Carlton loam

(b) Kind of crops raised Strawberries - pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No N or S) (No E or W)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No N or S) (No E or W)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 200,00
- 12. Construction work will begin on or before May 1956
- 13. Construction work will be completed on or before December 1956
- 14. The water will be completely applied to the proposed use on or before June 1957

Wayne H. Hirsch
(Signature of applicant)

Remarks: It is planned to use water for irrigation on different areas in different years because of rotation of crops.

~~Storage is obtained by digging out with a back-hoe behind a very small dam in the old creek bed. The original dam stored about a three foot depth of water behind it in an area about ten feet wide and 40 to 50 feet long. This was then dug out with a back-hoe to a depth of about 10 feet at the dam and 20 feet wide for a length of 200 feet. The depth at the upper end is about three feet. The capacity of storage is approximately 0.55 acre feet of water.~~

Storage is obtained by digging out with a back-hoe behind a very small dam in the old creek bed. The original dam stored about a three foot depth of water behind it in an area about ten feet wide and 40 to 50 feet long. This was then dug out with a back-hoe to a depth of about 10 feet at the dam and 20 feet wide for a length of 200 feet. The depth at the upper end is about three feet. The capacity of storage is approximately 0.55 acre feet of water.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before March 11, 1957
January 8, 1958

WITNESS my hand this 10th day of January, 1957

STATE OF OREGON
COUNTY OF MARION

LEWIS R. STANLEY

STATE ENGINEER

Chris L. Wheeler

Chris L. Wheeler, Assistant

SALEM, OREGON

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.1 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed stream and reservoir to be constructed under Application No. R-31964, Permit No. R-2090

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, from direct flow and storage from reservoir to be constructed under Permit No. R-2090.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 14, 1957

Actual construction work shall begin on or before December 30, 1958 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 59.

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 30th day of December 19 57.

Lewis A. Stanley
STATE ENGINEER

Application No. 31241

Permit No. 25190

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 5th day of December 1956, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

December 30, 1957

Recorded in book No. 67 of

Permits on page 25190

LEWIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 2 page 76A/5

Fees 15