

RECEIVED
JUN 11 1957
STATE ENGINEER
SALEM, OREGON

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Frank Junior Eckley (Name of applicant)
of 798 N. 20th. St., Salem (Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Ellendale Cr. and Rickreall Cr. (Name of stream)
a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.02 cubic feet per second.
Rickreall Cr. - 0.01 cfs for the irrigation of 1.0 acre
Ellendale Cr. - 0.01 cfs for Domestic use
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic and Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the S.E. corner of S 25, T 7 S, R 6 W WM (Section or subdivision)

Ellendale Cr.- (Dom.) 3.1 ft N. and 1811.3 ft S 89° 54 1/2' W, thence N 52° W 106 ft

Rickreall Cr.- (Irr.) thence S 82° W 190 ft (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
Both being within the SW 1/4 SE 1/4 of Sec. 25, Tp. 7 S (N or S)

R. 6 W W. M., in the county of Polk (E or W) Irrigation - Portable equipment
5. The Domestic Pipeline to be 75 ft (Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the SW 1/4 SE 1/4 of Sec. 25, Tp. 7 S (Smallest legal subdivision) (N or S)

R. 6 W W. M., the proposed location being shown throughout on the accompanying map. (E or W)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 350 GPH Household Pump driven by a 1/2 HP Electric Motor (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

20. (a) To supply the city of
..... County, having a present population of
(State of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 150,000
- 12. Construction work will begin on or before Started Irrigation - Summer 1959
- 13. Construction work will be completed on or before Domestic - Completed Irrigation - Fall 1960
- 14. The water will be completely applied to the proposed use on or before Domestic - Completed

x *Frank Junior Eckley*
(Signature of applicant)
Frank Junior Eckley

Remarks:

STATE OF OREGON,)
County of Marion,) ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19.....

WITNESS my hand this day of 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Rickreall Creek and Ellendale Creek, being 0.01 c.f.s. from Rickreall Creek for irrigation and 0.01 c.f.s. from Ellendale Creek for domestic use.

The use to which this water is to be applied is irrigation and domestic use for one family

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 3, 1957

Actual construction work shall begin on or before December 30, 1958 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959.

Complete application of the water to the proposed use shall be made on or before October 1, 1960.

WITNESS my hand this 30th day of December 1957

STATE ENGINEER

Application No. 31842

Permit No. 25200

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 3 day of September

1957, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

December 30, 1957

Recorded in book No. 67 of

Permits on page 25200

LEWIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 2 page 76 A 17

Fees \$ 25.00