327

## \*APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

I, Harold Clark, E. W. Hoagland and Dale R. Ziniker
of Creevell
State of . Oregon . do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS
If the applicant is a corporation, give date and place of incorporation
1 Whater the same of the support of the same of the sa
1. The source of the proposed appropriation is Coast Fork Willamette River
and Creswell Slough . a tributary of Willamette River
2. The amount of water which the applicant intends to apply to beneficial use is 23.0
cubic feet per second, being 22 c.f.s. from Coast Fork Willamette R. and 1 c.f.s. from Creswell Slough. (If water is to be used from more than one source, give quantity from each)
••3. The use to which the water is to be applied is 21 c.f.s. for irrigation and 2 c.f.s.
for manufacturing
4. The point of diversion is located N. 71° E. 2623 ftand ft from the SN
corner of Section 35, being within the SH SE Section 35, T.19S., E.3W., W.Y.
From Creswell Slough — by portable pum; ing in the El MYA, Sec.23; What SEL;
E2 NE2, Sec. 14; 525W2; NE2 SV2; NW2 S 2 Sec.12, NW2, NW2, Sec. 13.
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if peressary)
being within the of Sec. Tp. 19 3
R. 3 W. M., in the county of Lane
5. The Main ditch to be 3 miles (Main ditch, canal or pipe line)
in length, terminating in the SE2 NV2 of Sec. 12 Tp. 19 S (Smallest legal subdivision)
R. 3 W W. M., the proposed location being shown throughout on the accompanying map
DESCRIPTION OF WORKS
6. (a) Height of dam feet, length on top feet, length at harry
feet; material to be used and character of construction
rock and brush timber crib etc. wasteway over or around dam!
(b) Description of headgate (Timber concrete etc. number and size of opening)
(c) If water is to be pumped give general description water is to be pumped from the
ditch and channel of Creswell Slough by individual sprinkling systems. (Size and type of engine or motor to be used stotal head water is to be if the size

## Canal System or Pipe Line -

Canal System of	ripe Line -			
7. (a) G	ive dimensions at each point of c	anal where materially chance	jed in size stating nales from	
headgate. At he	eadgate: width on top (at water i	line)	feet, width on bottom	
thousand toat	feet; depth of water	feet; grade	feet fall per one	
thousand feet. (b) At	miles from headgate: width on top (at water line)			

grade feet fall per one thousand feet.

feet, width on bottom

(c) Length of pipe.

ft.; size at intake.

from intake

in.; size at place of use

in , deference in aleration between

feet; depth of water

intake and place of use.

ft. Is grade uniform?

Estimated expensive

 $i_{t't'},$ 

8. Location of area to be irrigated, or place of use

Township Services of	Range Row W. of W. C.	Section	Forty-acre Tract	Number Acres To the Solgens Co.
19 S	3 W	_11	NE SE	21.0
		12	SE4 SE4 Nri Nri	29.0 40.0
		<b>16</b>	NAT NET	30.0
	1		SWA NEA	<b>μο.</b> 0
•	i		SEA NE	34.0
v		. 1	Sni nni	20.0
		!	SEI NWI	36.0
•			ME SW	24.2
			MW SW	40.0
			SWa SWa	. 39•0
		ļ	SEA SWA	35.0
	•	13	NW4 SE4 NE2 NW4	37.0 33.0
		1,7	NW NW	. 39.0
		• • • •	SW NW	F0.0
	:		MY SW	38.0
			SW2 SW2	40.0
	!	14	NE NE	32.0
		i	NW NE	<b>39.</b> 0
4	•	•	SW NE	: 31.0
	i	•	SE NE	32.0
	•	ill more made	required, attach separate sheet	5.0 % Mfg.
(a) (	Tharacter of soil	Chehalis	required, assured beparate siles (	(Continused under remarks)
	·			
	Kind of crops raise	d Alfalfa a	nd row crops	
Power or Mini	ng Purposes			
9. (a) 7	Total amount of p	theoretical horsepower.		
(b) (	Quantity of water	sec ft.		
(-) 7	Fotal fall to be uti	• <i>t</i>		

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

Tp. , R. , W. M

(f) Is water to be returned to any stream? (Yes or No.

(g) If so, name stream and locate point of return

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

<b>10</b> .	(a)	To supply the	city of		*** *** ****
-------------	-----	---------------	---------	--	--------------

County, having a present population of

and an estimated population of .

.... in 19

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 12, and 14 in all cases)

- 11. Estimated cost of proposed works, \$
- 12. Construction work will begin on or before
- 13. Construction work will be completed on or before
- 14. The water will be completely applied to the proposed use on or before

(Signature of applicant)

Remarks:

(Continued from item 3)

T. R. Sec. 10 A. tract No.Acres  19 9 3 W 11 NE SE		Remu	UTKS:		(Contin	med from item	3)	
19 5 3 W 14 NE; SE; 36.0	-	7.				No.Acres	T.   R.	Sec. 10 A. tractino
NW SE 30.0  SW SW SW 28.0  SE SR 10.0  23 NE NE 38.0  NW NE 30.0  SE NE 30.0  SE NE 30.0  NW NE 30.0  SE NE 30.0  NW NW SE 30.0  NW NW SE 30.0  NW SE 38.0  NW SE 30.0  SW SW 20.0  SE SE 30.0  NW SE 37.0  HT NE 32.0  SE SE 30.0  NW SE 37.0  HT NE 32.0  SE SE 30.0  NW SE 30.0		19 3	"3 W	14	NE 352	36.0	10 S 3 W	
SW SE					NW SE			
SE SE LO.0  NET NEC 38.0  NET NEC 32.0  SE NEC 36.0  NEL 36.0  NEL SE 38.0  NEL SE 30.0  SE SE SE 30.0  NEL SE 37.0  NEL SE 37.0  NEL SE 37.0  NEL SE 30.0  SE SE SE 30.0  NEL SE 30.0  SE SE 30.0  SE SE SE 30.0  SE SE SE 30.0  SE SE SE 30.0  SE SE SE SE 30.0	·							
23 NE NE 38.0 NW NE 30.0 SW NE 32.0 SE NE 38.0 NW NE 8.0 SW 11.0 SE 3W 11.0 NE 5E 38.0 NW SE 26.0 SW 5E 26.0 SW 5E 30.0 NW NE 30.0 NW NE 32.0 SE 3E 30.0 NW NE 32.0 SE 3E 30.0 NW NE 32.0 SE SE 34.0 NW NE 32.0 SE SE 34.0 NW SE 34.0 NW SE 36.0 NW SE 36.0 NW SE 36.0 NW NW NW SE 36.0 SE 35.0 SE 35.								564 504 50.0
NW NE 32.0 SEA NE 32.0 SEA NE 32.0 SEA NE 32.0 NN NE NE 5.0 SW 11.0 NE SE 5W 11.0 NE SE 26.0 SW SE 26.0 SW SE 26.0 SW 32.0 SE 33.0 26 NE NE 37.0 HT NE 32.0 SE NE 37.0 HT NE 32.0 SE SE 30.0 NE SE 30.0 NE SE 30.0 SE SE 30.0 SE SE 30.0 SE SE 30.0 NE SE 30.0 NE SE 30.0 NE SE 30.0 NE SE 30.0 SE SE 30.0 SE SE 30.0 SW SW S				23	NET NEX			
SWI NEI 32.0  SE NEI 36.0  NUI								
SEA NET 38.0  NUL NW 8.0  SW 10.0  NE SW 11.0  SEA SW 11.0  NE SE 38.0  NW SE 26.0  SW 21.0  SEA SE 21.0  SEA SE 30.0  NE NE 37.0  IN NE 32.0  SEA NE 37.0  IN NE 32.0  SEA NE 37.0  IN SEA 36.0  NE SEA 34.0  NE SEA 36.0  NE SEA	•	•		• • • •	SWI NRI			
NET NATE   10.0   NET NATE   10.0   NET NATE   11.0   NET NATE					SEI NEI	38.0		
NE   SW   14.0   SE   SW   14.0   SE   SW   14.0   NE   SE   38.0   NW   SE   26.0   SW   SE   30.0   SE   SE   30.0   SE   SE   30.0   SE   SE   30.0   SW   NE   37.0   NW   NE   37.0   NE   SW   6.0   SE   SW   6.0   SE   SW   6.0   SE   SW   36.0   NE   SE   34.0   NW   SE   30.0   SW   SW   SW   SW   SW   SW   SW   S					NIX NA			
NE					SW NA			
SEL SW					NE SW			
NEL SE					SEL SWI			
NW SE 26.0  SW SE 32.0  SE SE 30.0  26 NE NE 37.0  NW NE 32.0  SE NE 37.0  NE SW 6.0  SE SW 30.0  NW SE 30.0  NW SE 30.0  SW NW SE 30.0  SW NW NW SE 30.0  SE SE 28.0  SW NW NW SE 30.0			,		NET SET	38.0		
26 NE NE 37.0  NW NE 32.0  SW NE 37.0  NE SW 6.0  SE 34.0  NW SE 30.0  SW SE 32.0  SW SE 32.0  SW SE 32.0  SW SE 30.0  NW SE 30.0  NW SE 30.0  NW SE 30.0  NW NW SE 30.0  NW NW SE 30.0  SW SE 30.0  NW NW SE 21.0  NW NW S.0  SW NW 9.0					NW SE	26.0		
26 NE NE 37.0  NW NE 32.0  SW NE 37.0  NE SW 6.0  SE 34.0  NW SE 30.0  SW SE 32.0  SW SE 32.0  SW SE 32.0  SW SE 30.0  NW SE 30.0  NW SE 30.0  NW SE 30.0  NW NW SE 30.0  NW NW SE 30.0  SW SE 30.0  NW NW SE 21.0  NW NW S.0  SW NW 9.0					SWI SEI	24.0	<b>v</b> • • • • • • •	
					SE SE	<b>3</b> ა•0		
SW: NET 32.0  SE: NET 37.0  NET SW: 6.0  SE: SW: 36.0  NW: SE: 30.0  SW: SE: 32.0  SE: S E: 28.0  35 NW: NET 21.0  NET NW: 36.0  NW: NW: 5.0  SW: NW: 14.0  SE: NW: 9.0				26				
SE NE 37.0  NE SW 6.0  SE 34.0  NE SE 34.0  NW SE 30.0  SW SE 32.0  SE SE 28.0  35 NW NE 21.0  NE NW 36.0  NW NW 5.0  SW NW 14.0  SE NW 9.0								
ME SW 6.0  SE SW 36.0  NE SE 34.0  NW SE 30.0  SW SE 28.0  SE SE 28.0  NW NE 21.0  NE NW 36.0  NW NW 5.0  SW NW 5.0  SW NW 9.0					7 7			
SE SW 36.0  NE SE 34.0  NW SE 30.0  SW SE 32.0  SE SE 28.0  35 NW NE 21.0  NE NW 36.0  NW NW 5.0  SW NW 9.0	_							
NE; SE; 34.0 NW; SE; 30.0 SW; SE; 32.0 SE; SE; 28.0 35 NW; NE; 21.0 NE; NW; 36.0 NW; NW; 5.0 SW; NW; 14.0 SE; NW; 9.0								
NW2 SE2 30.0  SW2 SE2 32.0  SE2 SE2 28.0  35 NW2 NE2 21.0  NE2 NW2 36.0  NW3 NW2 5.0  SW4 NW2 14.0  SE2 NW2 9.0								
SW SE 32.0  SE SE 28.0  35 NW NE 21.0  NE NW 36.0  NW NW 5.0  SW NW 14.0  SE NW 9.0			•	-				
SEA SEA 28.0  35 NWA NEA 21.0  NEA NWA 36.0  NWA NWA 14.0  SEA NWA 9.0					7 7			
35 NN NE 21.0 NE NW 36.0 NW NW 5.0 SW NW 14.0 SE NW 9.0								
NE NE 36.0 NE NE 5.0 SE NE 9.0				25				
NW; NW; 5.0 SW; NW; 14.0 SE; NW; 9.0					NAS NES			
SW NW 14.0 SE NW 9.0								
55 NW 9.0								
NE SW 21.0								
NEA SWA 21.0					SET NW			
					NET SHE	21.0		

STATE OF OREGON.

County of Marion.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before

WITNESS my hand this

day of

. 19

STATE OF OREGON. County of Marion

This is to certify that I have examined the foregoing application and do hereby grant the same. SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use 23,0 cubic feet per second measured at the point of diversion from the and shall not exceed stream, or its equivalent in case of rotation with other water users, from Goast Fork Willamette River and Creswell Slough, being first c.f.s. from Coast Fork Willamette River and 2.0 c.f.s. from Creswell Slough

The use to which this water is to be applied is irrigation and manufacturing, being 21.0 . c.f.s. for irrigation and 2.0 c.f.s. for manufacturing

If for irrigation, this appropriation shall be limited to .... 1/80of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 21 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is

... April 18, 1947

and shall Actual construction work shall begin on or before Jamuary 27, 1959 thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19-59.

Complete application of the water to the proposed use shall be made on or before October 1. 19  $\mathfrak{CC}$ .

WITNESS my hand this

27th day of J Application No. Permit No. TO APPROPRIATI WATERS OF 1 OF ORE

PERN

office of the State Engineer at Salem, Oregon first received in thu This instrument was

M. on the 18th day of

1947, at 1.00 o'cloc

Returned to applicant:

January 27, 1 Recorded in book No.

Approved:

Permits on page

LITTO V STITT

0 to 6.5 State Printil