

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Fred and Maye McAllaster of P. O. Box 371, Dallas, Oregon State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS.

If the applicant is a corporation, give date and place of incorporation

- 1. The source of the proposed appropriation is Unnamed Stream and Salt Cr. a tributary of Yamhill River
2. The amount of water which the applicant intends to apply to beneficial use is 0.01 cubic feet per second. Being 1/2 from each source
3. The use to which the water is to be applied is Domestic incl. 1/2 a. of lawn and garden
4. The point of diversion is located ... from the corner of Section 11

Both being within the NW 1/4 SW 1/4 of Sec. 11 Tp. 7 S R. 6 W W. M., in the county of Polk
5. The Domestic Pipeline to be About 400 ft in length, terminating in the NW 1/4 SW 1/4 of Sec. 11 Tp. 7 S R. 6 W W. M., the proposed location being shown throughout on the accompanying map

DESCRIPTION OF WORKS

- 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction
(b) Description of headgate
(c) If water is to be pumped give general description Two shallow well pumps. 1-1/3 HP Motor and 1- 1/2 HP Motor

*A different form of application is provided where storage works are contemplated
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe. ft.; size at intake. in.; size at from intake in.; size at place of use in.; difference in elevation between intake and place of use. ft. Is grade uniform? Estimated capacity.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township North or South, Range E or W of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 7 S, 6 W, 11, NW 1/4 SW 1/4, Domestic incl. 1/2 A. of Lawn and Garden.

(If more space required, attach separate sheet)

(a) Character of soil (b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower. (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp. , R. , W. M.

(f) Is water to be returned to any stream? (g) If so, name stream and locate point of return

Sec. , Tp. , R. , W. M.

(h) The use to which power is to be applied is (i) The nature of the mines to be served

20. (a) To supply the city of

..... County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied..... One

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 450.00

12. Construction work will begin on or before

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before Completed

Fred M. Albert
(Signature of applicant)

Remarks:

STATE OF OREGON,)
County of Marion,) ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before , 19

WITNESS my hand this day of, 19

STATE ENGINEER

By

ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed stream and Salt Creek, being 0.005 c.f.s. from each

The use to which this water is to be applied is domestic use for one family including irrigation of not to exceed $\frac{1}{2}$ acre lawn and garden.

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 6, 1957

Actual construction work shall begin on or before January 27, 1959 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959.

Complete application of the water to the proposed use shall be made on or before October 1, 1959.

WITNESS my hand this 27th day of January, 1958.

Lewis A. Stanley
STATE ENGINEER

Application No. 32010
Permit No. 25254

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6 day of December, 1957, at 4:00 o'clock P. M.

Returned to applicant:

Approved:

January 27, 1958
Recorded in book No. 68 of
Permits on page 25254

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 2 page 90Z
Fees \$ 20.00