

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, WE, WALTER A. + MAHEL OLSON v Byron Ross + RENE C. Olson
(Name of applicant)
of Route - 2 - Box 299 - Forest Grove
(Mailing address)

State of OREGON do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is UNNAMED STREAM
(Name of stream)
SAD CREEK a tributary of WEST FORK of DAIRY CREEK

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is DOMESTIC
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1938 ft. S. and 711 ft. E. from the N.W. corner of THE N.E 1/4 of SECTION 28 - T.P. 2 N. of RANGE 4 W. N.M.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)

being within the S.W. 1/4 of the N.E 1/4 of Sec. 28 Tp. 2 N.
(Give smallest legal subdivision) (N. or S.)

R. 4 W. W. M., in the county of WASHINGTON
(E. or W.)

5. The PIPE LINE to be 1042 FEET
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the N.E 1/4 of SW 1/4 of N.E 1/4 of Sec. 28 Tp. 2 N.
(Smallest legal subdivision) (N. or S.)

R. 4 W. W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 5 feet, length on top 8 feet, length at bottom 4 feet; material to be used and character of construction CLAY DIRT - WITH 1" PIPE
from JAM to A-4 X 6 X 5 WOOD BOX, TAKING BY PIPE AS DESCRIBED ON MAP TO BOTH HOUSES.
(Loose rock, concrete, masonry)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)

(Size and type of engine or motor to be used to take out water is to be appropriated)

*A different form of application is provided where storage works are contemplated
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____

_____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____

_____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, 1042 ft.; size at intake, 1-inch in.; size at 560 ft. ft.

from intake 3/4 inch in.; size at place of use 3/4 inch in.; difference in elevation between

intake and place of use, 105 ft. Is grade uniform? YES Estimated capacity,

3965 per M. approx 3/4 sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E or W of White-meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
2N	4W	28	SW 1/4 of NE 1/4	domestic

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed _____ theoretical horsepower.

(b) Quantity of water to be used for power _____ sec. ft.

(c) Total fall to be utilized _____ feet.

(d) The nature of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ of Sec. _____

Tp. _____, R. _____, W. M. _____

(f) Is water to be returned to any stream? _____ (Yes or No)

(g) If so, name stream and locate point of return _____

_____ Sec. _____, Tp. _____, R. _____, W. M. _____

(h) The use to which power is to be applied is _____

(i) The nature of the mines to be served _____

Municipal or Domestic Supply—

2527(1)

12. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19 _____

(b) If for domestic use state number of families to be supplied Two families

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 483⁰⁰
- 12. Construction work will begin on or before In the year of 1939
- 13. Construction work will be completed on or before work completed 1952
- 14. The water will be completely applied to the proposed use on or before was applied 1952
partly in 1939

Walter A. Olson and Mabel Olson
Byron A. Olson & James C. Olson
(Signature of applicant)

Remarks: In 1952 a pipe was run from the dam to the box
to conserve water and hold it from disappearing into ground
during the dry part of the year.

STATE OF OREGON, |
County of Marion, | ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

in order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19 _____

WITNESS my hand this _____ day of _____, 19 _____

STATE ENGINEER

By

ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is ~~irrigation~~ domestic use for two families

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 23, 1957

Actual construction work shall begin on or before January 27, 1959 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959.

Complete application of the water to the proposed use shall be made on or before October 1, 1960.

WITNESS my hand this 27th day of January 1958

Lewis A. Stanley
STATE ENGINEER

Application No. 32038

Permit No. 25270

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23 day of December 1957, at 6:00 o'clock A. M.

Returned to applicant:

Approved:

January 27, 1958 of 68
Recorded in book No. 25270
Permits on page

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 2 page 62 A/4

Fees \$ 20.00