## 'APPLICATION FOR PERSON

## To Appropriate the Public Waters of the State of Oregon

States of Continue advisors  Continue advisors  Continue advisors  As hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is Fillamette River  (Name of cream)  2. The amount of water which the applicant intends to apply to beneficial use is 1,21  cubic feet per second.  (If water is to be used from more than see source, give quantity from each)  **3. The use to which the water is to be applied is Irrigation & supplemental irrigation (fireation, source manage, summittening, demonsts applied, etc.)  4. The point of diversion is located 3800 ft. S. and 450 ft. Es from the NE corner of Sec. 17, T. 6. S., R. 3 N. (Section or subdivision)  Scaled from final proof. survey. Applications 29870 & 27065  (If preferable, give distance and bearing to section corner)  (If there is more than as real of direction, such sout be described. Use separate sheet if necessary)  being within the Lot 6 (MI SML) of Sec. 16 Tp. 6. S. (No or S.)  Clear with a provident legal subdivision)  5. The Fortable to China distal, count or plus line)  (If there is more than a real of direction and the distance of the country of the countr	I, Prant 3. Mindows	Manak
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is		
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is Willamette River  Office of the source of the proposed appropriation is Willamette River  Office of the source of the proposed appropriation is Willamette River  Office of the source of the proposed appropriation is Williamette River  Office of the source of the proposed appropriation is the source of the	State of Orogan do hereby s	nake annication for a normit to annualist at the
1. The source of the proposed appropriation is Willamette River , a tributary of		
1. The source of the proposed appropriation is    1. The source of the proposed appropriation is    1. The amount of water which the applicant intends to apply to beneficial use is 1,21    1. The amount of water which the applicant intends to apply to beneficial use is 1,21    1. The amount of water which the applicant intends to apply to beneficial use is 1,21    1. The use to which the water is to be applied is    1. Trigation & supplimential irrigation (trigation & supplimential irrigation (trigation power mining, manufacturing, demonstrative regulars, etc.)  1. The point of diversion is located 3800    1. S. and 450    1. S. from the NE corner of Sec. 17, T. 5. S., R. 3. N. (Bection or subdivision)  1. Scaled from final proof survey Applications 29870 & 27065  (If preferable, give divinous and beating to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if secessary)  being within the Lot 6 (ME 384)    (Give mailest legal subdivision)    1. The source of the proposed location being shown throughout on the accompanying map.  1. The source of the proposed location being shown throughout on the accompanying map.  1. DESCRIPTION OF WORKS  1. The supplies of the proposed location being shown throughout on the accompanying map.  2. The amount of water which is a subdivision of the proposed location being shown throughout on the accompanying map.  2. The supplies of the proposed location being shown throughout on the accompanying map.  2. The supplies of the proposed location of the proposed		
	If the applicant is a corporation, give date and place	e of incorporation
	1. The source of the proposed appropriation is	
2. The amount of water which the applicant intends to apply to beneficial use is 1,21  cubic feet per second.  (It water is to be used from more than one source, give quantity from each)  **3. The use to which the water is to be applied is Irrigation & supplemental irrigation  (Breather, power, mining, manufacturing, domestic supplies, ect.)  4. The point of diversion is located 3800 ft. S., and 450 ft. E. from the NE  corner of Sec. 17, T. 6 S., R. 3. N.  (Bection or middivision)  Scaled from final proof survey Applications 29870 & 27065  (It there is more than one point of diversion, each must be described. Use separate sheet it necessary)  being within the Lot 6 (NE S.)  (Cive smallest logal middivision) of Sec. 16 , Tp. 6 S.  (Nors.)  The Portable (Martin)  S. The Portable (Maintest logal middivision)  (At every)  (At the proposed location being shown throughout on the accompanying map.  (Bection or experiments)  (Cive was a more than one possed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, contents and brush, umber cith, etc. waterway over or around dam)  (b) Description of headquite.	, a tributary	• • • • • • • • • • • • • • • • • • • •
Cubic feet per second.  (If water is to be used from more than one source, give quantity from each)  **3. The use to which the water is to be applied is     Irrigation & supplemental irrigation (Brigation, power, manning, manufacturing, densetic supplies, etc.)  4. The point of diversion is located 3800 ft. S. and 450 ft. R. from the NE (K. or W.)  4. The point of diversion is located 3800 ft. S. and 450 ft. R. from the NE (K. or W.)    Sec. 17, T. 6. S., R. 3. W. (Section or subdivision)    Scaled from final proof survey Applications 29870 & 27065    (If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)    Section or subdivision of Sec. 16	2. The amount of water which the applicant intends	to apply to beneficial use is 1,21
4. The point of diversion is located 3800 ft. S. and 450 ft. E. from the NE corner of Sec. 17. T. 6. S. R. 3. N. (Bection or subdivision)  Scaled from final proof survey Applications 29870 & 27065  (If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, such must be described. Use separate sheet if necessary)  being within the Lot 6 (NE SE) (Or or s.)  (If or mallest legal subdivision)  5. The Portable  (Main ditch, canal or pipe line)  (In a corn.)  (In a corn.)		
(Bection or subdivision)  4. The point of diversion is located 3800 ft. S. and 450 ft. E. from the NE (K. or W.)  See 17. T. 6. S. R. 3. W. (Bection or subdivision)  Scaled from final proof survey Applications 29870 & 27065  (B preferable, five distance and bearing to section corpus)  (B there is more than one point of diversion, each must be described. Use separate sheet U necessary)  being within the Lot 6 (NE SE) Office smallest legal subdivision)  7. The Nortable (Nors)  5. The Portable to be (Main ditch, canal or pipe line)  (In or W.)  6. (Main ditch, canal or pipe line)  (Because of Sec. The (Main ditc		
Scaled from final proof survey Applications 29870 & 27065  (If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  being within the Lot 6 (NI SNI) of Sec. 16 , Tp. 6.5. (Core smallest legal subdivision)  7. The Portable to be (Main ditch, canal or pipe line)  in length, terminating in the (Smallest legal subdivision) of Sec. , Tp. 6.5.  (Rown) (Smallest legal subdivision)  The Portable (Main ditch, canal or pipe line) of Sec. , Tp. 6.5.  (Rown) (Smallest legal subdivision)  The Corner of Sec. , Tp. 6.5.  (Nors)  The Portable (Main ditch, canal or pipe line) of Sec. , Tp. 6.5.  (Smallest legal subdivision)  For the proposed location being shown throughout on the accompanying map.  (E. or W.)  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, tumber crib, etc., wasteway over or around dam)  (b) Description of headgate	The use to which the water is to be applied is	Tigation & supplemental irrigation (Errigation, power, mining, manufacturing, domestic supplies, etc.)
Scaled from final proof survey Applications 29870 & 27065  (If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  being within the Lot 6 (New smallest legal subdivision) of Sec. 16 , Tp. 6.5. (Nors)  R. 3 W., W. M., in the county of Marion  (E. or W.)  5. The Portable (Main ditch, canal or pipe line) (Miles or feet)  in length, terminating in the (Smallest legal subdivision) of Sec. , Tp. 6.8.  (Results and proposed location being shown throughout on the accompanying map.  (E. or W.)  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, meck and brush, tumber crib, etc., wasteway over of around dam)  (b) Description of headgate	4 The point of dissersion is located 3800 # S	
Scaled from final proof survey Applications 29870 & 27065  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the Lot 6 (W2 SW2) of Sec. 16 , Tp. 6 S (N or S)  R. 3 W , W. M., in the county of Marion  5. The Portable (Mailes or feet) in length, terminating in the (Smallest legal subdivision)  R	2. The point of diversion is occured when jt.	ors.) (E. or W)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  being within the Lot 6 (W1 SW1) of Sec. 16 , Tp. 6.S (N or S)  (Give smallest legal subdivision)  5. The Portable (Main disch, canal or pipe line) (Main disch, canal or pipe line) (Miles or feet)  in length, terminating in the (Smallest legal subdivision)  R	corner of Sec. 17, T. 6 S., R. 3 W. (Section or	rubdivision)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  being within the Lot 6 (W1 SW1) of Sec. 16 , Tp. 6.S (N or S)  (Give smallest legal subdivision)  5. The Portable (Main disch, canal or pipe line) (Main disch, canal or pipe line) (Miles or feet)  in length, terminating in the (Smallest legal subdivision)  R		
being within the Lot 6 (NW1 SW1) of Sec. 16 , Tp. 6 S (N or S)  R. 3 W , W. M., in the county of Marion  (E. or W.)  5. The Portable (Main ditch, canal or pipe line) (Males or feet)  in length, terminating in the (Smallest legal subdivision) of Sec. , Tp. (N or S)  R	Scaled from final proof survey Appl	ications 29870 & 27065
being within the Lot 6 (NW1 SW1) of Sec. 16 , Tp. 6 S (N or S)  R. 3 W , W. M., in the county of Marion  (E. or W.)  5. The Portable (Main ditch, canal or pipe line) (Males or feet)  in length, terminating in the (Smallest legal subdivision) of Sec. , Tp. (N or S)  R		
being within the Lot 6 (NW1 SW1) of Sec. 16 , Tp. 6 S (Rive smallest legal subdivision) of Sec. 16 , Tp. 6 S (N or S)  R. 3 W , W. M., in the county of Marion  5. The Portable (Main ditch, canal or pipe line) (Miles or feet)  in length, terminating in the (Smallest legal subdivision) of Sec. , Tp. (N or S)  R	(If preferable, give distance and bear	ing to section corner)
R		
R	being within the LOV O (May Sm2) (Give smallest legal subdivision)	of Sec. 16 , Tp. 6 S
(Main ditch, canal or pipe line)  in length, terminating in the	R. 3 W, W. M., in the county of Marion	
in length, terminating in the	5. The Portable	to be
DESCRIPTION OF WORKS  Of the set with the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  Of the set was a set was a set was a set with the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  Of the set was a set was a set was a set was a set with the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  Of the set was a set was a set was a set with the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  Of the set was a set was a set was a set with the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  Of the set was a set was a set was a set with the proposed location being shown throughout on the accompanying map.		
DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom  feet; material to be used and character of construction  (Loose rock, concrete, masonry, cock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate	•	
Diversion Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate	(E. or W.)	own throughout on the accompanying map.
6. (a) Height of dam feet, length on top feet, length at bottom  feet; material to be used and character of construction  (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate		WORKS
rock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate		
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate		
(b) Description of headgate	feet; material to be used and character of	construction . (Loose rock, concrete, masonry
(b) Description of headgate	reck and brush, timber crib, etc., wasteway over or around dam)	
(Timber, concrete, etc., number and size of openings)	(b) Description of headgate	
	(Timber	, concrete, etc., number and size of openings)
(a) If system is to be symmed sing	(a) If another is to be suggested as	77 h. 2 M l
(c) If water is to be pumped give general description 75 hp. F.W. Lx5 cent. elect.	(c) is water is to be pumped give general description	(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	(Size and type of engine or motor to be used, tota	il head water is to be lifted, etc.)

<sup>&</sup>quot;Application for permits to appropriate water for the generation of electric, with the exception of municipalities, must be made to the driven commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem eagon.

- Market	System	-	

25331				•
anal System or	Pipe Line			•
7. (a) Gib	e dimensions at	each point of	canal where materially change	ed in size, stating miles from
radgate. At hea	dgate: width on	top (at water	line)	feet; width on bottom
ousand feet.	feet; depth of u	oater	feet; grade	feet fall per one
(b) At		miles from he	adgate: width on top (at wate	r line)
•	feet; width on b	ottom	feet; depth of u	pater feet;
rade	feet fal	l per one thou	sand feet.	
(c) Lengti	h of pipe,	ft.;	size at intake,	. in.; size at ft.
rom intake	in.;	size at place o	of use in.; dij	ference in elevation between
take and place	e of use,	ft. It	grade uniform?	Estimated capacity
	sec. ft.		man of sun	•
	Range	rrigatea, or pu	ace of use	
Township North or Rosth	R. or W. of Will-mette Meridien	Section	Forty-acre Tract	Number Acres To Be Irrigated
		•		Primary
6.8	3 ₩	16	MAT MAT	0.7.
			SW NW	6.9
<del></del>			NW 4 SW 4	2.0
			SW4 SW4	6,3
		17	Lot 1 (NE 1 NE 1)	0.3
			SE 4 NE 4	20.1
			Lot 3 (NE <sup>1</sup> / <sub>4</sub> SE <sup>1</sup> / <sub>4</sub> )	0.8
			Lot 4 (SE <sup>1</sup> / <sub>4</sub> SE <sup>1</sup> / <sub>4</sub> )	6.3
		17	NE NE NE	) Suppl. to 18.0) Permit No.
			NW1 NE1	27.0 )
				88.4
(a) Ch	haracter of soil	*	required, attach separate sheet)	
Power or Minin				
9. (a) To	otal amount of po	ower to be dev	eloped	theoretical horsepower
(b) Q	uantity of water	to be used for	power se	ec. ft.
(c) To	otal fall to be uti	lized	feet.	
(d) T	he nature of the	works by mear	<b>is of which the power</b> is to be	developed
			······································	·····
(e) St	uch works to be l	ocated in	(Legal subdivision)	of Sec.
Tp(No. N. or	, R (No.	, W. A		:
	water to be retu			
(g) If	so, name strean	and locate po	oint of return	
*****		. Sec	, Tp(No. N or S )	, R , W. M
			applied is	
(i) T	he nature of the	mines to be se	rved	

	<b>25331</b>
The field the regions that shopping in the con-	Address of the second s
County, Jackey or pr	vient population of
	<b>4.1</b>
	aria de la companya
	of families to be supplied
	p St. Ct. 15, and 16 in all cases
12. Estimated east of proposed works, \$	ander son on an deduce a son or one enquery
12. Constituction work will begin on or be	elane
	•
13. Construction work will be completed	
14. The water will be completely applied	to the proposed use on or beforecompleted
3	
	Frank B. Window
	(Signature of applicant)
Remarks: This land has been irr	igated along with that under
Permit 21295 & 23578 b	ut not covered by those Permits
	urce for those lands described
	and the most little described
as supplemental,	
•	
STATE OF OREGON,	
County of Marion,	
	he foregoing application, together with the accompanying
maps and data, and return the same for	
	•
	ration must be returned to the State Engineer, with correc-
tions on or before	, 19
•	
WITNESS my hand this day of	
duy of	
	STATE ENGINEER
	D
	By

icial us
on
······
oot pe
ion gatio
gatio
ands
ands
· · · · · · · · · · · · · · · · · · ·
 <b>7</b> .
<b>r</b> .
i shali
i shali
1960
1960
NEER
5
page 640
page
}
9 2 101
23 85
ğ 0

on the day of 1 c. Luch office of the State Engineer at Sa 19 24, at . . . . . o'clock . /-)

Returned to applicant:

March 25, 1958 Approved:

25.83 Recorded in book No. Permits on page

LEWIS A. STANLEY

Drainage Basin No. Fees 23 85 State Printing 96137