STATE ENGINEER SALEH OREGON TO Appropriate the Public Waters of the State of Oregon

I, Brook Brokhern			
of	a of applicant)	,	
(Charles)		*****	
State of	eby make application ;	or a permit to a	ppropriate the
following described public waters of the State of Or	egon, SUBJECT TO E	XISTING RIGH:	TS:
If the applicant is a corporation, give date and	place of incorporation		
	•		
1. The source of the proposed appropriation is	ON	arms of streem)	•••••••••
, a tribu	tary of #111am	otto	***************************************
2. The amount of water which the applicant in	tends to apply to bene	ficial use is 0.	⊾ 875
		•	
cubic feet per second. (If water is to be use	f from more than one source, giv	e quantity from each)	***************************************
**3. The use to which the water is to be applied	is Irrigation, power, minin	OD g, manufacturing, domés	tic supplies, etc.)
	•	Ĵ	
4. The point of diversion is located	ft and	ft. from	m the
corner of	(N. or 5.)	(E. or W.)	
(Bed	tion or subdivision)	*******	*******
(If there is more than one point of diversion, each mobeing within the S.A. Of M.E.\$	-		16.9
(Give smallest legal subdivision)	of Sec	, Tp	(N or S)
R		-	
5. The Pips line (Main ditch, canal or pipe line)	to be	1400 fe	et
in length, terminating in the S.S. t Of M.W.t	of Sec	(Miles or fee	™ 16 S
4 740			
R	ig shown throughout o	n the accompany	ing map.
DESCRIPTION	N OF WORKS		
Diversion Works—			
6. (a) Height of dam feet, b			
feet; material to be used and charact	er of construction	(Loose rock	t, concrete, masonry
rock and brush, timber crib, etc., wasteway over or around dam)	••••••		
(b) Description of headgate			
	Timber, concrete, etc., number a	nd size of openings)	

(c) If water is to be pumped give general description	iption 4. X. 3	Centrifu	real
400 g.p.m. 3 Phase electric	water is li	fted 6 feet	
ve and me at manual to De na	, orat water is to be lifte	u. eic)	

gate. At head	gate: width on t	op (et toete	r line)	feet; width on bo
	feet:.depth of to	der.	fest; grade	feet fall per
			readgate: width on top (at wate	
			feet; depth of t	
- * 5 w	feet fall			Datet
		_	·	1000
	•	-	.; size at intake,	
			of usein.; di	
ke and place	of use,	ft. `	Is grade uniform? Yes	Estimated capa
8. Location	•	rigated, or 1	place of use	
Township	Range 2. or V. of	Section	Forty-acre Tract	Number Acres To Be Irrigate
North or South	Willemette Mertiffen		surry-acre iraci	Number Actes to be fright
T.16.8.	R.4.W.	25	8.W. t of M.E. t	11.0
T.16.8.	R.4.W.	25	S.E.t of N.W.t	15.5
T.16.s.	R.4.W.	25	n.B. t of S.W.t	6.3
T.16.S.	R.4.W.	25	N.W.1 of S.R.1	6.2
	·			•
-				
(a) Ch	gracter of soil	-	ce required, attach separate sheet)	
wer or Mining		IROW.	crop	
		wer to be de	eveloped	theoretical horsep
(b) Qu	antity of water t	o be used fo	r power so	ec. ft.
(c) To	tal fall to be utili	zed		
			ans of which the power is to be	e developed
	*** ***********************************		-	
(e) Su	ch works to be lo		(Legal subdivision)	
	, R. (No. E			· ·
			stream?(Yes or No)	
			point of return, Tp (No. N or S)	

LEWIS A. STANLEY

STATE ENGINEER

MAR 4 1953B

STATE ENGINEER

CARVOR, Jr.

ASSISTANT

SALVAL CARCON

This is to certify that I have exemi SUBJECT TO EXISTING RIGHTS and th

and shall s stream, or	not exceed	2cubic feet 1	oer second	neasured at the point of diversity from Makensia Ri	resion from the
	use to which this	water is to be applied	ie "Arrig	ation	
	4			1/80 · of on	
	•	-		be further limited to a acre irrigated during t	
			•		
			-	y be ordered by the proper st	••
		-		March 25, 1959	
•	-			ompleted on or before October shall be made on or before O	
		•	-	March 19 58	
Application No. 32.1.10	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the L' nay of CLE MALLY 19X, at CCC o'clock: A M.	Returned to applicant:	Approved: March 25, 1958 Recorded in hook No. 68 of Permits on page 25333	LEGIS A. STAUEY STATE ENGINEER Drainage Basin No. 2 page 24A Fees 16 3.5