The Appropriate the Pablic Waters of the State of Oregon In The source of the proposed appropriation is If the applicant is a corporation, give date and place of incorporation I. The source of the proposed appropriation is I. The amount of voter which the applicant intends to apply to beneficial use is . O. 77 Table feet per second. If were is in a water is to be applied is If the use to which the voter is to be applied is If the point' of discersion is located 1825. I	(其)를 성용하는 지하철 전환 전환 사람들은 위치를 하지만 하는 사람들은 사람들이 되었다.	Permit No. 25343
A The point of discersion is located 1835. A The use to which the water to to be applied is discersion. (If there is is many than any many and of discersion. (If year and the water to be applied is discersion. (If year and the water to be applied to any the water to be apply to beneficial to	The state of the s	· • · · · · · · · · · · · · · · · · · ·
A The point of discersion is located 1835. A The use to which the water to to be applied is discersion. (If there is is many than any many and of discersion. (If year and the water to be applied is discersion. (If year and the water to be applied to any the water to be apply to beneficial to	A Committee of the Comm	
A The point of discersion is located 1835. A The use to which the water to to be applied is discersion. (If there is is many than any many and of discersion. (If year and the water to be applied is discersion. (If year and the water to be applied to any the water to be apply to beneficial to	To Augustian the Public Waters of	the State of Oregon
do hereby make application for a permit to appropriate the application of the application of the application of the application is a tributery of the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is a tributery of the applicant intends to apply to beneficial use is 0.277 and feet feet by the applicant intends to apply to beneficial use is 0.277 and feet feet by the sent true may than an assure, the squatty from such) 2. The amount of water which the applicant intends to apply to beneficial use is 0.277 and feet feet by the sent true may than an applicant intends to apply to beneficial use is 0.277 and feet feet by the sent true may than an applicant of applicant intends to apply to beneficial use is 0.277 and feet feet by the sent true may be sent of the sent true may be sent of the sent true may be sent of applied is a feet feet feet feet feet feet feet fe		/ / Orogon
The source of the proposed appropriation is a tributery of 2. The amount of water which the applicant intends to apply to beneficial use is 0.77. (If the source of the proposed appropriation is a tributery of 2. The amount of water which the applicant intends to apply to beneficial use is 0.77. (If were to be used true may had an access, the update two materials, week, along manuscrimes, demants supplies, ex.) 4. The point of diocretion is located 18:15. (If were to be used true may had an access, the update manuscrimes, demants supplies, ex.) 4. The point of diocretion is located 18:15. (If we make the point of diocretion is located 18:15. (If we make the manuscrimes, demants supplies, ex.) (If there is many had non-point of diversion, such many to described. One superior should it accessory) (If there is many had non-point of diversion, such many to described. One superior should it accessory) (If there is many had non-point of diversion, such many to described. One superior should it accessory) (If there is many had non-point of diversion, such many to described. One superior should it accessory) (If there is many had non-point of diversion, such many to described. One superior should it accessory) (If there is many had non-point of diversion, such many to described. One superior should it accessory) (If there is many had non-point of diversion, such many to described. One superior should it accessory) (If there is many had non-point of diversion and had been such to the such accessory. (If there is many had non-point of diversion and had been such to the such accessory. (If there is many had non-point of diversion and had been such to the such accessors. (If there is no many had non-point of diversion and had been such to the such accessors. (If there is no many had non-point of diversion and had been such accessors. (If there is no many had non-point of diversion and had been such accessors. (If there is no which the such accessors are applied to the such accessors. (If there is n	Willes F. and (19	nest Heyer-
The source of the proposed appropriation is a tributery of 2. The amount of water which the applicant intends to apply to beneficial use is 0.77. (If the source of the proposed appropriation is a tributery of 2. The amount of water which the applicant intends to apply to beneficial use is 0.77. (If were to be used true may had an access, the update two materials, week, along manuscrimes, demants supplies, ex.) 4. The point of diocretion is located 18:15. (If were to be used true may had an access, the update manuscrimes, demants supplies, ex.) 4. The point of diocretion is located 18:15. (If we make the point of diocretion is located 18:15. (If we make the manuscrimes, demants supplies, ex.) (If there is many had non-point of diversion, such many to described. One superior should it accessory) (If there is many had non-point of diversion, such many to described. One superior should it accessory) (If there is many had non-point of diversion, such many to described. One superior should it accessory) (If there is many had non-point of diversion, such many to described. One superior should it accessory) (If there is many had non-point of diversion, such many to described. One superior should it accessory) (If there is many had non-point of diversion, such many to described. One superior should it accessory) (If there is many had non-point of diversion, such many to described. One superior should it accessory) (If there is many had non-point of diversion and had been such to the such accessory. (If there is many had non-point of diversion and had been such to the such accessory. (If there is many had non-point of diversion and had been such to the such accessors. (If there is no many had non-point of diversion and had been such to the such accessors. (If there is no many had non-point of diversion and had been such accessors. (If there is no many had non-point of diversion and had been such accessors. (If there is no which the such accessors are applied to the such accessors. (If there is n	873- Box 849 D	Land (June
The applicant is a corporation, give date and place of incorporation	(Photong authority)	
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is 2. The amount of water which the applicant intends to apply to beneficial use is . O. 77. 1. The amount of water which the applicant intends to apply to beneficial use is . O. 77. 1. The use to which the water is to be applied is	where T is a M in the first T . The T	• '
2. The amount of water which the applicant intends to apply to beneficial use is C.77. **Dic feet per second. **G water to be be used from much than one more, three quantity from each) **3. The use to which the water is to be applied is	ollowing described public waters of the State of Oregon, SUBJE(TT TO EXISTING RIGHTS:
2. The amount of water which the applicant intends to apply to beneficial use is 0.277. ***Bible feet per second. ***3. The use to which the water is to be applied is dramatic properties of the point of diversion is located 1835. ***3. The use to which the water is to be applied is dramatic properties. 4. The point of diversion is located 1835. ***3. The use to which the water is to be applied is dramatic properties. ***3. The point of diversion is located 1835. ***3. The properties of the properties of the point of the properties of the properties of the point of the properties of the prope	If the applicant is a corporation, give date and place of inco	rporation
2. The amount of water which the applicant intends to apply to beneficial use is 0.277. ***Bible feet per second. ***3. The use to which the water is to be applied is dramatic properties of the point of diversion is located 1835. ***3. The use to which the water is to be applied is dramatic properties. 4. The point of diversion is located 1835. ***3. The use to which the water is to be applied is dramatic properties. ***3. The point of diversion is located 1835. ***3. The properties of the properties of the point of the properties of the properties of the point of the properties of the prope		
2. The amount of water which the applicant intends to apply to beneficial use is 0.277. ***Bible feet per second. ***3. The use to which the water is to be applied is dramatic properties of the point of diversion is located 1835. ***3. The use to which the water is to be applied is dramatic properties. 4. The point of diversion is located 1835. ***3. The use to which the water is to be applied is dramatic properties. ***3. The point of diversion is located 1835. ***3. The properties of the properties of the point of the properties of the properties of the point of the properties of the prope	1. The source of the proposed appropriation is	Land
2. The amount of water which the applicant intends to apply to beneficial use is Ca77. Table feet per second. Greater's to be used from more than one source, tive quintity from each fertigation, provide mining, manufacturing, demantic nuplies, etc.) 4. The point of diversion is located 1835. It. If. and 130 if. E. (If there is more than one paint of diversion, each must be described. Use separate short if secondary) (If there is more than one paint of diversion, each must be described. Use separate short if secondary) (If there is more than one paint of diversion, each must be described. Use separate short if secondary) (If there is more than one paint of diversion, each must be described. Use separate short if secondary) (If there is more than one paint of diversion, each must be described. Use separate short if secondary) (If there is more than one paint of diversion, each must be described. Use separate short if secondary) (If there is more than one paint of diversion, each must be described. Use separate short if secondary) (If there is more than one paint of diversion, each must be described. Use separate short if secondary) (If there is more than one paint of diversion of Sec. 23 , Tp. 5 3 (N or 8) (N or 8) (If there is makes than one paint of diversion, each must be described. Use separate short if secondary) (If there is makes than one paint of diversion of Sec. 23 , Tp. 6 3 (N or 8) (If there is the makes than one paint of diversion of sect. (Allies of tect) (If there is makes than one paint of diversion of paint of the control of the control of sect. (If the control of paint of the con	- PMグ	
The use to which the water is to be applied is dragation, power, mining, manufacturing, demostic supplies, etc.) 4. The point of diversion is located 1835. ft. N. and 130. ft. E. from the Sti. (Rection of substitution) (If production) (If there is more than one point of diversion, each must be described. The apparate sheet if necessary) (If there is more than one point of diversion, each must be described. The apparate sheet if necessary) (If there is more than one point of diversion, each must be described. The apparate sheet if necessary) (If there is more than one point of diversion, each must be described. The apparate sheet if necessary) (If there is more than one point of diversion, each must be described. The apparate sheet if necessary) (If there is more than one point of diversion, each must be described. The apparate sheet if necessary) (If there is more than one point of diversion, each must be described. The apparate sheet if necessary) (If there is more than one point of diversion, each must be described. The apparate sheet if necessary) (If there is more than one point of diversion, each must be described. The apparate sheet if necessary) (If there is more than one point of the apparate sheet if necessary) (If there is more than one point of described. The apparate sheet if necessary) (If there is more than one point of the apparate sheet if necessary) (If there is more than one point of the apparate sheet if necessary) (If there is more than one point of the apparate sheet if necessary) (If there is necessary) (If there is necessary) (If there is necessary) (If there is necessary) (If the is		
(If there is name that one point of diversion is located 1835		to beneficial use is
4. The point of diversion is located 1835. ft. N. and 130 ft. E. from the Chi. (R. or W.) (W. prederable, give distance and bearing to median corner) (W. bear is more than our public of diversion, each must be described. Use separate sheet if secretary) being within the N. S. S. Office smallest lagal substration) R. A. W. M., in the county of 1. (See ww.) (Main diver, caugh or pipe line) (Miles or feet)	table feet per second. (It water is to be used from major than or	se source, give quantity from each)
(If preferable, give distance and hearing to section corner) (If there is more than one point of diversion, each must be described. Use separate short if necessary) being within the NW SW (Give smalless logal subdivision) R. A. W. W. M., in the country of (Give smalless logal subdivision) 5. The main pipe line (Main dish, count or pipe line) in length, terminating in the (Smallest logal subdivision) R. W. M., the proposed location being shown throughout on the accompanying map. CE or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at botton feet; material to be used and character of construction (Loose rock, concrete, material and brush, tumber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc. number and size of openings)	**3. The use to which the water is to be applied is derivation.	power, mining, manufacturing, domestic supplies, etc.)
(If preferable, give distance and hearing to section corner) (If there is more than one point of diversion, each must be described. Use separate short if necessary) being within the NW SW (Give smalless logal subdivision) R. A. W. W. M., in the country of (Give smalless logal subdivision) 5. The main pipe line (Main dish, count or pipe line) in length, terminating in the (Smallest logal subdivision) R. W. M., the proposed location being shown throughout on the accompanying map. CE or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at botton feet; material to be used and character of construction (Loose rock, concrete, material and brush, tumber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc. number and size of openings)		
(If preferable, give distance and hearing to section corner) (If there is more than one point of diversion, each must be described. Use separate short if necessary) being within the NW SW (Give smalless logal subdivision) R. A. W. W. M., in the country of (Give smalless logal subdivision) 5. The main pipe line (Main dish, count or pipe line) in length, terminating in the (Smallest logal subdivision) R. W. M., the proposed location being shown throughout on the accompanying map. CE or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at botton feet; material to be used and character of construction (Loose rock, concrete, material and brush, tumber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc. number and size of openings)	4. The point of diversion is located 1825 ft ar	d 130 jt E from the Si.
(If there is more than one point of diversion, each must be described. Described there is necessary) (If there is more than one point of diversion, each must be described. Described there if necessary) being within the	<u>-</u>	(E. or W.)
Desing within the NW SW (Give smallest legal subdivision) of Sec. 23 , Tp. & 3 (N or S) R	(Section or subdivision)	
Desing within the NW SW (Give smallest legal subdivision) of Sec. 23 , Tp. & 3 (N or S) R		
Desing within the NW SW (Give smallest legal subdivision) of Sec. 23 , Tp. & 3 (N or S) R		
Desing within the NW SW (Give smallest legal subdivision) of Sec. 23 , Tp. & 3 (N or S) R		
(Give smallest legal subdivision) R	. (H preferable, give distance and bearing to section	n corner)
R	(If there is more than one point of diversion, each must be described. U	n corner)
(Record) 5. The	hoing enithin the NWT SWT	Sec. 23 , Tp. & 3
In length, terminating in the	being within the NW SW Of (Give smallest legal subdivision)	Sec. 23 , Tp. 23 (N or S)
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at botto feet; material to be used and character of construction (Loose rock, concrete, mason rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	being within the NW SW (Give smallest legal subdivision) of R. 4 W , W. M., in the county of L	Sec. 23, Tp. & 3
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top fcet, length at botto feet; material to be used and character of construction (Loose rock, concrete, masor rock and brush, timber crib, etc., wasteway ever or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	being within the NW± SW± (Give smallest legal subdivision) of R. 4 M , W. M., in the county of / (R or W.) 5. The main pipe line (Main ditch, carpi or pipe line)	Sec. 23. , Tp. 8 3 (N or 8)
Diversion Works— 6. (a) Height of dam feet, length on top fcet, length at botto feet; material to be used and character of construction	being within the NW± SW± (Give smallest legal subdivision) of R. 4 M , W. M., in the county of / (R or W.) 5. The main pipe line (Main ditch, carpi or pipe line)	Sec. 23. , Tp. 8 3 (N or 8)
Diversion Works— 6. (a) Height of dam feet, length on top fcet, length at botto feet; material to be used and character of construction	being within the NW SW (Give smallest legal subdivision) of R. 4 M , W. M., in the county of / (E. or W.) 5. The main pipe line (Main ditch, canal or pipe line) in length, terminating in the (Smallest legal subdivision)	to be 1800 ft. (Nors) Sec. , Tp. 5 3 (Nors)
feet; material to be used and character of construction (Loose rock, concrete, mason rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate	being within the NW SW Of (Give smallest legal subdivision) R	to be 1800 ft. (Nors) Sec. , Tp. & 3 (Nors) to be 1800 ft. (Nilsen or feet) Sec. , Tp. (Nors) oughout on the accompanying map.
(b) Description of headgate	being within the NW SW Of (Give smallest legal subdivision) R	to be 1800 ft. (Nors) Sec. , Tp. & 3 (Nors) (Nors)
(b) Description of headgate	being within the NW SW (Give smallest legal subdivision) of R W. M., in the county of /	to be 1800 ft
(b) Description of headgate	being within the NW SW (Give smallest legal subdivision) of R W. M., in the county of /	to be 1800 ft
(c) If water is to be pumped give general description	being within the NW SW (Give smallest legal subdivision) R	to be 1800 ft. (Nors) to be 1800 ft. (Miles or feet) Sec. , Tp. Nors) oughout on the accompanying map. IS feet, length at bottom (Loose rock, concrete, mason
	being within the NW SW (Give smallest legal subdivision) R	to be 1800 ft. (Nors) to be 1800 ft. (Nors) Sec. , Tp. (Nors) sughout on the accompanying map. SS feet, length at bottomic (Loose rock, concrete, mason.
	being within the NW SW (Give smallest legal subdivision) R	to be 1800 ft. (Nors) to be 1800 ft. (Nors) Sec. , Tp. (Nors) sughout on the accompanying map. SS feet, length at bottomic (Loose rock, concrete, mason.
(filtre and type of engine or mater to be used total head water is to be lifted at a)	being within the NW SW (Give smalless legal subdivision) R	to be 1800 ft. (Miles or feet) Sec. , Tp. Nors) oughout on the accompanying map. SS feet, length at bottom (Loose rock, concrete, masons
	being within the NW SW (Give smallest legal subdivision) R	to be 1800 ft. (Miles or feet) Sec. , Tp. Nors) oughout on the accompanying map. SS feet, length at bottom (Loose rock, concrete, masons
	being within the NW SW (Give smallest legal subdivision) R	Sec. 23 , Tp. E 3 (N or S) to be 1800 ft. (Miles or feet) Sec. , Tp. (N or S) bughout on the accompanying map. SS feet, length at botto (Loose rock, concrete, maso tet. number and size of openings)

25	3	13			
Cia	18,		(4)		

md feet.	fogt; depth of wo	der	feet; grade	feet fall per
	La Silva de la valor de la	niles from heady	ule: width on lop (at tout	n' like)
************	feet; width on bo	ttom	feet; depth of t	vater
	feet fall	per one thousand	l feet.	
(c) Lengt	h of pipe,	ft.; size	et intake,	in.; size at
intake	in.;	rize at place of w	e in.; di	fference in elevation bett
e and place	e of use,	ft. Is gr	ade uniform?	Estimated capa
	sec. ft.	riaated or nlese	of use	
Township	Range B. of W. of			Number Acres To Be Irrigate
forth or South	Willemette Meridian	Section	Forty-acre Tract	Number Acres 10 De Imgate
8 S	4 W	22	Ne‡ Se‡	1.4
·		22	SE† SE‡	10.0
		23	NET SWI	6.9
		23	NW: SW:	15.0
		23	SW: SW:	27.5
		23	SEI SWI	0.2
			Tot	al 61.0
·-·				
		(If more space requ	ired, attach separate sheet)	
(a) C	haracter of soil		the Late street was	••••••••••
(b) K	lind of crops raise	1./		
	ng Purposes—		3	11
				theoretical horsep
			<i>per</i> s	ec. jt.
			(Head)	
(d) T	he nature of the t	vork s by means o	f which the power is to b	e developed
			(Legal subdivision)	of Sec.
	, R. (No. 1	_		
	s water to be retu			
(g) I	f so, name stream	and locate point	of return	

		25349
· · · · · · · · · · · · · · · · · · ·		
	I papellation of	
	& #	
" NOT IN BEAUTY IN A SECOND OF	fundies to be supplied	
	CK M KE B and	
12 Between and of proposed world, \$:: \$420	0.00	
15. Countricision work will hopen on or defere	- Completed	
13. Construction work will be completed on a	r beforeCompleted	
14. The water will be completely applied to th	e proposed use on or beforeOct1	, 1960
<u> </u>		-
	Milton & Hoyser	***************************************
	Marie Hayes	
Remarks:	/	
1800* A" main line		•••••
400' 2" laterel		
400° le lateral		
	,	

***************************************	••••	
•	••••	••••••••••••
		•••••••••••••••••••••••••••••••••••••••
· .		***************************************
		•••••
CTATE OF ORECOV		
STATE OF OREGON, County of Marion,		
This is to certify that I have examined the	foregoing application, together with t	the accompanying
maps and data, and return the same for		
In order to retain its priority, this application		
tions on or before		
	,	
WITNESS my hand this day of		10
·		······· • •• • ··· •
		STATE ENGINEER
· .	By	
	-y	ASSISTANT

	water which can be applied to beneficial us
d shall not exceed	I measured at the point of diversion from th
som, or its equivalent in case of rotation with other wat	ter users, from Willamette River
The use to which this water is to be applied is	
If for irrigation, this appropriation shall be limited to	1/80 of one cubic foot pe
cond or its equivalent for each acre irrigated and shall	be further limited to a diversion
not to exceed 24 acre feet per acre for each	n acre irrigated during the irrigation
eason of each year,	
d shall be subject to such reasonable rotation system as n	
The priority date of this permit is	
Actual construction work shall begin on or before	March 25, 1959 and that
ereafter be prosecuted with reasonable diligence and be	completed on or before October 1, 19 59
. Complete application of the water to the proposed us	e shall be made on or before October 1, 19 60
	Warran 20 50
WITNESS my hand this 25th day of	

Application No. 321.2.2

Permit No. 25343

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

office of the State Engineer at Salem, Oregon, This instrument was first received in the

on the 13th day of February

ď.

13.58, at 1:25 o'clock

Returned to applicant:

Approved:

March 25, 1958

Recorded in book No. 68

25345 Permits on page

LEVIS A. STANLEY

STATE ENGINEER

Fees 1965

Drainage Basin No.

page 646