

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, JOHN M. HOWARD (Name of applicant)

of Nyssa (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is ... a tributary of ...

2. The amount of water which the applicant intends to apply to beneficial use is 0.55 cubic feet per second.

**3. The use to which the water is to be applied is ...

4. The point of diversion is located ... from the ... corner of ... Sec. ... T. ... R. ...

being within the ... of Sec. ... Tp. ... R. ... W. M., in the county of ...

5. The ... ditch ... to be ... in length, terminating in the ... of Sec. ... Tp. ... R. ... W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction

(b) Description of headgate ...

(c) If water is to be pumped give general description ... motor ...

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity...

Canal System or Pipe Line--

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 1 1/4 feet; width on bottom 1 1/4 feet; depth of water 3 feet; grade about two feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, 50 ft.; size at intake, 4 in.; size at 20 ft. from intake 10 in.; size at place of use 12 in.; difference in elevation between intake and place of use, 17 ft. Is grade uniform? Yes Estimated capacity, 0.55 cubic sec. ft.

8. Location of area to be irrigated, or place of use _____

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
20 S	46 E	25	SW 1/4	
20 S	46 E	25	NW 1/4	

(If more space required, attach separate sheet)

(a) Character of soil _____

(b) Kind of crops raised _____

Power or Mining Purposes--

9. (a) Total amount of power to be developed _____ theoretical horsepower.

(b) Quantity of water to be used for power _____ sec. ft.

(c) Total fall to be utilized _____ feet.

(Head)

(d) The nature of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ of Sec. _____

(Legal subdivision)

Tp. _____, R. _____, W. M. _____

(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? _____ (Yes or No)

(g) If so, name stream and locate point of return _____

_____ Sec. _____ Tp. _____, R. _____, W. M. _____

(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is _____

(i) The nature of the mines to be served _____

10. (a) To supply the city of _____

_____ County, having a present population of _____

and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$300,00 to \$1,000,00

12. Construction work will begin on or before present

13. Construction work will be completed on or before present

14. The water will be completely applied to the proposed use on or before 33.5.1915 possible

John M. Starard (Signature of applicant)

Remarks: Since the completion of Cwyhee Dam there has been a large volume of seepage water draining into the Cwyhee River for miles and this extra water is flowing down the Cwyhee River past the real property lands above mentioned and is being used for any other purpose. Such water is not to be used in the Cwyhee River as waste water.

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON,
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.55 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Oryhee River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/60 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 31, 1958

Actual construction work shall begin on or before April 25, 1959 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 25th day of April, 1958

Lewis A. Stanley
STATE ENGINEER

Application No. 22097
Permit No. 25362

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 31 day of April, 1958, at 6 o'clock: A M.

Returned to applicant:

Approved:

April 25, 1958

Recorded in book No. 68 of

Permits on page 25362

LEWIS A. STANLEY

STATE ENGINEER

Drainage Basin No. // page 16

Fees 17.00