To Appropriate the Public Waters of the State of Oregon

I,	Edith Lentolle Sound Common of Street
	Rt. 1. Box 276, Cave Junction Oregon
State of	Origon do hereby make application for a permit to appropriate the
	bed public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
	icant is a corporation, give date and place of incorporation
	incorporation
1. The sou	Tree of the proposed appropriation is I one law Slough Falls Co. Same Co.
Sawyer Slou	irce of the proposed appropriation is Looslay Blough, Kelly Cr., Sawyer Sl. (Name of stream) 18h#4, Typer Gr., a tributary of
	ount of water which the applicant intends to apply to beneficial use is 2.0
cubic feet per sec	ond
**3. The use	to which the water is to be applied isIrrigation & aupplemental (Brigation, power, mining, manufacturing, domestic supplies, etc.)
irrigati	on.
4. The poi	nt of diversion is located
corner of	See attached sheet. (Rection or subdivision)
	(Section or subdivision)

	•
•••••	(If preferable, give distance and bearing to section corner)
	(If there is more than one point of diversion, each must be described. Use separate sheet if nacessary)
being within the .	(Give smallest legal subdivision) of Sec, Tp
	W. M., in the county of
	(Miles or feet)
	ating in the
(E. or W.)	, W. M., the proposed location being shown throughout on the accompanying map.
.	DESCRIPTION OF WORKS
Diversion Works-	
0. (a) neig	ght of dam feet, length on top feet, length at bottom
	feet; material to be used and character of construction
····	tb. etc., wasteway over or around dem)
(b) Descrip	ption of headgate(Timber, concrete, etc., number and size of openings)
•••••	
(c) If wate	r is to be pumped give general description 6 " Contrifugal Pump
·····	25 H.P. Electric Motor (Size and type of engine or meter to be used, total head water is to be lifted, etc.)
	30 ft. Elevation Head
'A different for	rm of application is provided where storage works are contemplated.

endonte. At hen	doate: midth or	L ton (at mater N	40)	
				.2 feet fall per one
housand feet.			dgate: width on top (at wa	•
		•	feet; depth of	
				water feet;
		ill per one thouse	•	
			ize at intake, E	·
•				difference in elevation between
		50 ft. Is	grade uniform? no	Estimated capacity
2.0 8. Locatio	oec. je.	irrigated, or place	ce of use	•
Township North or Smath	Range E. er W. ef Will-mette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
39 8.	8 w.	26	mpl ovl	PRI S
11	n	26	NE2 SV2	1Q Acres 10
n		H	NV2 SK2	32 " 32
. 11	11	11	SW2 SE2	33 " /5
H	11	7.0	SET SET	39 "
		35	NW1 NE1	5 "
· · · · · · · · · · · · · · · · · · ·				
				
		-		
		(If more more r	equired, attach separate sheet)	
(a) Ch	aracter of soil			
(b) Ki	nd of crops rais	ed Alfalfa	, Clover , Pastu	re
Power or Mining	•	•		
9. (a) To	tal amount of 1	power to be deve	loped	theoretical horsepowe
(b) Qt	uantity of water	r to be used for p	ower	sec. ft.
(c) To	tal fall to be u	tilized	feet.	
(d) Ti	ie nature of the	works by means	of which the power is to l	be developed
***************************************	•••••••••••••••••••••••••••••••••••••••	·····		····
(e) Su	ich works to be	located in	(Legal mubdivision)	of Sec.
		, W. M.		•
			eam?	
(f) Is			(Tes er No)	
	so, name strea	m and locate poi	nt of return	

micipal or Domestic Supply-	25404
M. (c) To supply the city of	-
County, having a present popula	tion of
nd an estimated population of in 19	
(b) If for domestic use state number of families	to be supplied
(Almo analishing, at the part of	••
11. Estimated cost of proposed works, \$10,000.00	
12. Construction work will begin on or before Upon	
13. Construction work will be completed on or before	
14. The water will be completely applied to the propos	ed use on or before FAIL 1959
	· · · · · · · · · · · · · · · · · · ·
##	(Signature of applicant)
Remarks:	
Diversion Point No. 1.	Loosley Slough, - 0.1 cfs.
Located: N 68° 56'W, 230. of Sec. 36 being within the NE ¹ / ₄	4ft. from the N 1/16 corner NW1 Sec.36, T.39S, R.8W.
Diversion Point No. 2. Located: N 05° 10'W, 1000 of Sec. 36 being within the NE2	Kelly Creek, - 0.4 cfslft. from the N 1/16 corner NW2, Sec. 36, T.39S. R8W.
Diversion Point No.3. Located: S 82° 53' E , 15 of Sec.36 being within the NE2 N	Sawyer Slough , - 0.5 cfs. 57.5 ft. ffom the NW corner Wa Sec.36, T.#(S, R.'W.
Diversion Point No.4. Located: N 53º 18'E, 449 of Sec. 36, being Within the SW	Sawyer Slough, - 0.5 cfs. 1 ft. from the NW corner SW2, Sec. 25, T.39S, R.8W.
Diversion Point No.5. Located: N 21 17'W 1068 Being within the SEZ SEZ , Sec.	Tycer Creek, - c.5 cfs0 ft. from the NW corner of Se 26, T. 395, R.8W.
	·
STATE OF OREGON,	
County of Marion,	
This is to certify that I have examined the foregoin	
maps and data, and return the same for corre	
	•
In order to retain its priority, this application must	be returned to the State Engineer, with correc-
tions on or before November 27 , 19 57	
WITNESS my hand this 27th day of	September 19 57
,	
	LEWIS A. STANIEY

By Janus M. Carver, Jr. ASSISTANT

to certify that I have examined the foregoing application and do hereby grant the same,

SUBJECT	TO EXISTING	RIGHTS and the fo	ollowing limite	ations and	conditions:	
The	right herein gra	nted is limited to t	re amount of	water whic	h can be applied	l to beneficial use
and shall	not exceed2	LOcubic fe	et per second	measured	at the point of d	liversion from the
Mo. B-30	lenyer 510ugh, 1320, permit ik	case of rotation w Typer Creek and R-2116 ; bei C.f.s. from San	reservoir ng 0.10 c.1	to be con	estructed under Localey Slow	r application
The	use to which this	water is to be app	lied isIFFIG	pation and	l supplemental	irrigation.
If fo	or irrigation, this	appropriation shall	he limited to	1/50		one cubic foot per
		each acre irrigated	from direct	flow	•	•
		re feet per acr				
		rom direct flow				
under pe	rmit No. R- 21	18 ; provide	d further t	hat the	mount of wate	er allowed
herein,	together with	the amount sec	ured under	any other	right exist	ing for the
same la	unds shall not	exceed the limi	tation allo	med here	in,	
					•••••	
*						*****
•	·· ·····				•••••	
and shall	be subject to such	reasonable rotation	n system as mi	ay be order	ed by the proper	state officer.
The	priority date of t	No his permit isI1	vember 27, ine 28 19			
Act	ual construction 1	work shall begin or	or before	May 26,	1959	and shall
thereafter	be prosecuted w	ith reasonable dilig	ence and be co	ompleted or	n or before Octob	er 1, 19 60
Cor	mplete application	of the water to the	: pтoposed use	shall be m	ide on or before	October 1, 19 61 .
	TNESS my hand t	2642	day of	May /		
			***************************************	A). 1958 UTA (1. 67	anley
				7-40		STATE ENGINEER
i	i i	ت تہ ہو ا	ä	4	. •	: 11
	ပ္	in th bregoi			68 of	NEER C &
7 *	UBLI	rived em, O	Σ			page SG E
3032	IE P STA	t rece t Sal			68 104	pag
2.	PERMIT APPROPRIATE THE PUB WATERS OF THE STATE OF OREGON	s first	2		25.4	2
No.	RIAT OF OR	t was Engin y of	o'cloc rat:		k No	4
ation t No.	ROP YERS OF	tate la da	oplica		958 n boo ge	rtani n No
Application No. 30321. Permit No. 45404	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23 day of Septanber	Returned to applicant:	red:	May 26, 1958 Recorded in book No. 68. Permits on page 25.10.4	IEMIS A. STANIET STATE WOINER Drainage Basin No. 15 page 56 E
A 9'	OT	This is	rned	Approved:	y 26 lecore	MIS nage
		office on ti	Retu	App	E. H.	IEMI Drama Fees