STATE ENGINEER
SALEM OREGON
TO Appropriate the Public Waters of the State of Oregon

I. Wayne E. & Margey Bowers	
P. O. Box 172 Creswell	
State of	
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:	opiate the
If the applicant is a corporation, give date and place of incorporation	
1. The source of the proposed appropriation is Unn. Cr. f' Slaugh of Coast F. (Name of atreem)	Torle of
Willamette River , a tributary of Willamette River	*
2. The amount of water which the applicant intends to apply to beneficial use is	30
cubic feet per second. Unn, Cr. 0.42 Cfs - Slaugh 0.38 cfs. (It water to to be used from more than one source, give quantity from each)	
(If water to to be used from more than one source, give quantity from each)	******************
**3. The use to which the water is to be applied is	ipplies, etc.)
4. The point of diversion is located ft and to	
4. The point of diversion is located ft. and ft. from the corner of Sec. 18, T. 195, R. 2 W. W.M.  (Bestlem or subdivision)	ie // /4
Div. Pl. #1 (Unn.Cr.) 300's & 1500'W, being with the NW!H NW!H of Se	······
Div Pt. #2 (Unn. Cr.) 800'S & 1450'W	4/8
Div. Ph.#3 (Sloygh) 550'S & 2640' W  (If preferable, give distance and bearing to section corner)	· · · · · · · · · · · · · · · · · · ·
	***************************************
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)	*****************
being within the	9 5 (N. or S.)
R. 2 W., W. M., in the county of Lanc	
5. The Portable Pipe to be (Miles or feet)	
in length, terminating in the of Sec, Tp	
R, W. M., the proposed location being shown throughout on the accompanying	
DESCRIPTION OF WORKS	•
Diversion Works—	
6. (a) Height of dam feet, length on top feet, length	at bottom
feet; material to be used and character of construction	
rock and brush, timber crib, etc., wasteway over or ground dam)	rete, masonry,
(b) Description of headgate	
	••••••••••••••••••••••••••••••••••••••
(c) If water is to be pumped give general description  (Slice and type of pump)  350 GPM Centrifued Pumps devices by PTO and	
350 GPM Centrifugal Pump driven by P.T.O. on  (Bise and type of engine or motor to be used, total head water is to be lifted, etc.)  #520 John Decre Tractor.	***************************************
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	

eadgate. At he	adgate: width on	top (at water	line)	feet; width on botto
• • • • • • • • • • • • • • • • • • •	feet fall per or			
			radgate: width on top (at wate	
			feet; depth of u	
	feet fall			pater fee
			•	
			size at intake,	
			f use in.; dif	
ntake and place	of use.	ft. Is	grade uniform?	Estimated capacit
8. Locatio		rigated or nle	ace of use	
Township	Range		ace of use	
North or South	R. or W. of Williamotto Meridian	Section	Forty-scre Tract	Number Acres To Be Irrigated
Uno	. Creck			
195	zw	18	NE'14 NW'14	297
			NW14 NW14	3 6
			•	
5/0	ugh			
19 s	zw	18	NW 1/4 NW 1/4	
		<u> </u>	NW 74 NW 74	3/2
				3
			Total	64 <sup>3</sup> acres
		(If more space re	equired, attach separate sheet)	
(a) Ch	aracter of soil	5//	+ clay & Clay	·······
(b) Ki	nd of c <del>r</del> ops raised	Rou	crops & Pasture	•
ower or Mining	Purposes—			
			loped	
			owersec	. ft.
(c) Tot	tal fall to be utiliz	ed	(Head)	
(d) The	e nature of the wo	orks by means	of which the power is to be d	eveloped
	······			
(e) Suc	ch works to be loc	ated in	(Legal subdivision)	of Sec.
P(No. N. or E.	, R(No. 12. c	, W. M.	(regal subdivision)	
			am?(Yes or No)	
			(Yes or No) at of return	
(h) TL	o uea ta mhish =		(Ne. M. or S.)	, K, W. M
1.7 2.00	to winch pot	ver to to be ap	plied is	

Mandaipel or Domostic Supply	. H	5426
M. (a) To supply the city of	***************************************	
	nt population of	
and an estimated population of		***************************************
(b) If for domestic use state number of	•	
	dt. tt. and M h off cases)	
11. Estimated cost of proposed works, \$5.		
12. Construction work will begin on or befor		
13. Construction work will be completed on	· ·	
14. The water will be completely applied to the	he proposed use on or before Eall 1966	2
•		
	8 Vague & Druces (Signature of explicant)	
	* Manage Bours	
Remarks:	00	
		•••••
-		*****************************
		•
		******
		***************************************
		-**************************************
		***************************************
		******
		`
STATE OF OREGON,		
County of Marion,		
This is to certify that I have examined the	foregoing application, together with the acco	mpanying
maps and data, and return the same for		
In order to retain its priority, this application	on must be returned to the State Engineer, wi	th correc-
tions on or before		
	•	
WITNESS my hand this day of	, 19	
•		
	STATE	ENGINEER
	Ву	

-

## STATE OF OREGON,

County of Merion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed								
***************************************	······································	s water is to be applied			***************************************			
If f	for irrigation, this	appropriation shall be	limited to	1/80	of c	ne cubic foot per		
		each acre irrigated	,					
		reasonable rotation s						
		work shall begin on o						
		ith reasonable diligend of the water to the pr						
	TNESS my hand t	- 4		٠	. or dejore c			
			·•	Siwa	11 Tha	STATE ENGINEER		
Application No. A.S. 42.6	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the with the colock of the state of the sta	Returned to applicant:	Approved:	Recorded in book No. 68 of Permits on page 25426	LEMIS A. STANLET STATE ENGINEER  Drainage Basin No. 2 page 80 E  Fees 20 25		