

## To Appropriate the Public Waters of the State of Oregon

I. Gardon W. Tripp & June I. Tripp  P. O. Box 235, Springfield  Charlest advanced  As the proposed of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is Unnamed Stream in ald bad of Middle Of Miss will be proposed appropriation is Unnamed Stream in ald bad of Middle Of Miss Willamette River , a tributary of Killamette River.  2. The amount of water which the applicant intends to apply to beneficial use is 1,39  whice feet per second.  (If water is to be used from more than one source, are quantity from such)  **3. The use to which the water is to be applied is Irrigation of the Charlest applies.  4. The point of diversion is located 900 ft. S. and 50 ft. If from the care of the John C. Looney D. L.C. No. 59 T. 18 S. 127 W. W.  Greeting within the N. W. S. SW. Of the John C. Looney D. L.C. No. 59 T. 18 S. 127 W. W.  (If there is more than one point of diversion, such must be described. Use separate sheet it necessary cing within the N. W. S. SW. SW.  (If there is more than one point of diversion, such must be described. Use separate sheet it necessary cing within the N. W. S. SW. SW.  (If there is more than one point of diversion, such must be described. Use separate sheet it necessary cing within the N. W. S. SW. SW.  (If there is more than one point of diversion, such must be described. Use separate sheet it necessary cing within the N. W. S. SW. SW.  (If there is more than one point of diversion, such must be described. Use separate sheet it necessary cing within the N. W. W. M., in the country of Lane  (If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion section corner)  (If there is more than one point of diversion section corner)  (If there is more than one point of diversion section corner)  (If there is more than one point of diversion section corner)  (If there is more than one point of diversion section corner)  (If there i	
Neete of	
of the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is Unnamed Stream in old bad of Middle Ottom of the Millamette River.  2. The amount of water which the applicant intends to apply to beneficial use is 1.99 ubic feet per second.  (If water is to be used from more than one source, give quantity from each)  **3. The use to which the water is to be applied is Unrigation (treation, polyon, middle, manufacturing, decastic supplies, of the profession is located 900 ft. S. and 50 ft. Z from the C. or w.)  4. The point of diversion is located 900 ft. S. and 50 ft. Z from the corner of N.W. Cor., of the John C Looney D.L.C. No. 59 T. 18 S. H2N W.K.  Geodelin or middly successful.  (If preferable, give distances and bearing to section corner)  (If preferable, give distances and bearing to section corner)  (If there is more than one point of divertion, each must be described. Use separate theet if necessary; eing within the N.W. S.	
If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is Unnamed. Stream in old. bad. of Middle of Millanette River.  2. The amount of water which the applicant intends to apply to beneficial use is 1.99 while feet per second.  (If water is to be used from more than one source, give quantity from each)  **3. The use to which the water is to be applied is Invitation (Invanion, power, mining, manufacturing, deceases supplied.  4. The point of diversion is located 900 ft. S. and 50 ft. T. from the of each feeting or mining, manufacturing, deceases supplied.  (If there is more than one point of diversion, each must be described. Use separate these if necessary:  (If there is more than one point of diversion, each must be described. Use separate these if necessary:  (If there is more than one point of diversion, each must be described. Use separate these if necessary:  (If there is more than one point of diversion, each must be described. Use separate these if necessary:  (If there is more than one point of diversion, each must be described. Use separate these if necessary:  (If there is more than one point of diversion, each must be described. Use separate these if necessary:  (If there is more than one point of diversion, each must be described. Use separate these if necessary:  (If there is more than one point of diversion, each must be described. Use separate these if necessary:  (If there is more than one point of diversion, each must be described. Use separate these if necessary:  (If there is more than one point of diversion, each must be described. Use separate these if necessary:  (If there is more than one point of diversion, each must be described. Use separate these if necessary:  (If there is more than one point of diversion each must be described. Use separate these if necessary:  (If there is more than one point of diversion each must be described. Use separate these if necessary:  (If	
1. The source of the proposed appropriation is Unnamed Stream in ald bed of Middle Chance of diverse)  of this Will smette. River , a tributary of Will smette. River.  2. The amount of water which the applicant intends to apply to beneficial use is 1.99 ubic feet per second.  (If water is to be used from more than one source, give quantity from each)  **3. The use to which the water is to be applied is	
1. The source of the proposed appropriation is Unnamed Stream in ald bad of Middle of the Millanette River	
of the Willemette River , a tributary of Willemette River.  2. The amount of water which the applicant intends to apply to beneficial use is 1.99.  whice feet per second.  (If water is to be used from more than one source, three quantity from sech)  **3. The use to which the water is to be applied is	
2. The amount of water which the applicant intends to apply to beneficial use is 1.99.  which feet per second.  (If water is to be used from more than one source, give quantity from such)  **3. The use to which the water is to be applied is  Irrigation (brightion, power, mining, manufacturing, domestic supplies,  4. The point of diversion is located	
4. The point of diversion is located	
4. The point of diversion is located	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  cing within the NoWe - SW (Give smallest legal subdivision)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  cing within the NoWe - SW (Give smallest legal subdivision)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  cing within the NoWe - SW (Give smallest legal subdivision)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of Sec. 10 , Tp. 13.5  (If there is more than	etc.)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  ing within the Now - SW (Give smallest legal subdivision)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  ing within the Now - SW (Give smallest legal subdivision)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  ing within the Now - SW (Give smallest legal subdivision)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of diversion is excited to necessary)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of described. Use separate sheet if necessary)  (If there is more than one point of described.  (If there is more than one point of described.  (If there	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  ring within the N.W	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  ring within the N.W SW (Give smallest legal subdivision) of Sec. 10 , Tp. 13 S.  (R. or W.) (R. or W.	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  eing within the N.W SW (Give smallest legal subdivision) of Sec. 10 , Tp. 13 S. (N or S. 2 W, W. M., in the county of Lane  5. The St Fipe Line to be 11,000 st.  [Record of Sec. 10 , 000 st.  [Record of Sec. 10 , Tp. 15 S	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  eing within theN.M. = SW (Give smallest legal subdivision) of Sec. 10 , Tp. 13 S (N or S)  2. W, W. M., in the county ofLane  5. The	
(Give smallest legal subdivision)  Of Sec. 10 , Tp. 13 S (N or S)  Of Sec. 10 , Tp. 13 S (N or S)  Of Sec. 10 , Tp. 13 S (N or S)  The Still Fipe Line to be 1 , 000 st.  (Minute of Sec. 10 , Tp. 15 S (Miles or feet) 13	
5. The Stipe Line to be 1.,000 st.  (Minus) 3 (Miles or seet) 135  length, terminating in the SE-NE SE-SE of Sec. 10 , Tp. 155 R 2-W (Smallest legal subdivision)  1. 2-W (Minus) W. M. the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  iversion Works—  6. (a) Height of dam feet, length on top feet, length at be feet; material to be used and character of construction	
5. The Stripe Line to be 1.,000 st.  (Minute of Lane)  5. The Stripe Line to be 1.,000 st.  (Minute of Stripe Line)  1.,000 st.  (Minute of Stripe Line)  3 (Miles of Sect. 133)  (No of Sect. 10 Tp. 155  (No of Sect. 12)  (No of Sect. 133)  (N	··,
5. The Si Fipe Line to be 17,000 st.    Main dich. canal or pipe line) 3 (Miles or feet) 135   Length, terminating in the SE-ME SE-SE of Sec. 10 , Tp. 188   R 2-W (Smallest legal subdivision)   R 2-W (Smallest legal subdivision)     R 2-W (Smallest leg	
R 2-W (Smallest legal subdivision) of Sec. 10 , Tp. 105 (Nors 2-W)	
R 2-W (Smallest legal subdivision) of Sec. 10 , Tp. 105 (Nors 2-W)	
DESCRIPTION OF WORKS  version Works—  6. (a) Height of dam feet; material to be used and character of construction	
DESCRIPTION OF WORKS  6. (a) Height of dam feet, length on top feet, length at bo	
version Works—  6. (a) Height of dam feet, length on top feet, length at bo	•
version Works—  6. (a) Height of damfeet, length on top feet, length at bo	
feet; material to be used and character of construction	
feet; material to be used and character of construction	
, Comment, Control of the Control of	nasonry
k and brush, timber crib, etc., wasteway over or around dam)	
(b) Description of headgate	****
(c) If water is to be pumped give general description30 HP Turbine Pump at Liversic	an Le
(Size and type of pump)	M+E-Q)
F.D.H. 82! 70 HP Booster Pinn In Main Line T.D.H. 190! (Size and type of engine or refotor to be used, total head water is to be lifted, etc.)	

gate. At hea	idgate: width on t	op (at water lin	e)	feet; width on bo
* .	feet; depth of we	rter	feet; arade	feet fall per
sand feet			gate: width on top (a	. , .
			•	
***************************************	feet; width on bo	ttom	feet; dep	th of water
e	feet fall	per one thousan	<b>d</b> feet.	
(c) Lengt	th of pipe 15,	000 ft.; siz	e at intake, 10	in.; size at 250
intake	8 in.;	size at place of u	se i	in.; difference in elevation bet
				© Estimated cape
	* .		auc unijormi 1	Datimateu eupi
	sec. ft. on of area to be it	rigated, or place	of use	atron
Township	Range			
North or South	Wilfrantio Meridian	Section Cornell	Forty-acre Tract	Number Acres To Be Irrigate
18 S	291	10	SW - NE	2.2
11	19	*	SE - NE	21,.
11	"	11	NE - SE	32.8
"	,,	,		
	1		SE - SE	3.2
11	"		TW - SE	1.2
**	n	11	SW - W	2.7
11	11	11	Nu - Sw	
11	,,	Crusen Fa	97 <b>m</b> 97 <u> </u>	, ,
11	n	11	NI CD	
			<u> </u>	
71	"	"	<u> 51 - 33</u>	2.6
2	"	3	SW - NW	10.7
19	"	11	: 77 - SX	35.0
(a) Cl	haracter of soil		sired, attach separate sheet)	(continued under remar
	g Purposes—	2000.0		
		ner to he develo	ned	theoretical horsep
				-
			ver	•
(c) To	otal fall to be utili	zed	(Head)	et.
(d) T	he nature of the w	orks by means o	f which the power is	to be developed
••••••				
			(Legal subdivision)	of Sec.
	, R. (No. E.			
(f) Is	water to be retur	ned to any strea	m?(Yes or No)	
				· · · · · · · · · · · · · · · · · · ·
				, R, 1

i i i			in 19 r of families to be supplied	
		(Annual quant	no 11, 46, 15, and 54 in all spens)	
11. Estimate	ed cost of prope	seed works, \$	22,500.00	
12. Constru	ction work wil	I begin on or b	efore	
13. Constru	ction work wil	l be completed	on or before April 1	, 1960
14. The wat	er will be com	pletely applied	to the proposed use on or be	fore April 1, 1960
	1		Gordon W. Tripp	pufif sine K
Remarks:				:/
(00	entimed from	n item 8)		
2	*	3	SW - MW	10.7
# #	M	n	NY - SW	<b>3</b> 9•0
11	71	#	S::: 🕳 974	28.₹
r	**	Ħ	SE - SW	10. <i>6</i>
11	11	Ħ	CE - SW	₹•3
·	<del></del>		in tel	<u> 1965</u>
•••••		••	······	
•••••	·····	••		
•••••		***************************************		
•••••	·····	•••••••••••••••••••••••••••••••••••••••		
TE OF OR	EGON,			
ounty of Ma	rion,			
This is to	certify that I h	nave examined	the foregoing application, to	ogether with the accompo
e and data a	ind return the s	ame for		***************************************

STATE ENGINEER

UBJECT	TO EXISTING R	IGHTS and the follow	ing limitat	ions and conditio	RS:		
The	right herein grant	ted is limited to the ar	nount of w	ater which can b	e applied to	o beneficial us	1e
md shall n	ot exceed	l.99 cubic feet po	er second n	reasured at the p	oint of div	ersion from th	ıe
		case of rotation with o					
		water is to be applied		,			
_		ppropriation shall be l					
second or i	ts equivalent for e	ach acre irrigatedA	nd shall	be further liv	nited to a	diversion	
of not t	o exceed 21 ac	re feet par acre	for each	acre irrigates	i_during_t	he irrigati	on.
.20880DC	of each year.		······································	· ·			
•					***************		
<b></b>	•••••		••••••			······································	
••••						******************************	
******************							
••••							
••••••			•••••				
		reasonable rotation sy					
		his permit is					
		vork shall begin on or				_	all
		th reasonable diligend				_	_
. Con	nplete application	of the water to the pr	oposed use	shall be made on	or before C	ctober 1, 19 61	1
WI	TNESS my hand t	his 26th day	of	Mary	1958	4	
				NUVIA	u ou	STATE ENGINEER	R
					•		
		the gon,			8	Ĕ	
	, ILIC	ed in ,, Ore f.				ENGIN	
47	PUE	eceiv Salem			<b>25</b>	STATE ENGINEER	
Application No. 32247 Permit No. — 25.438	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the Fill day of April 1922, at Colock Alm.		Approved: May. 26. 1958.	Recorded in book No. 68 Permits on page ZAISS	υ	
0.	PERMIT PPRIATE THI RS OF THE S OF OREGON	was f ugine ugine of A	ين		S CN	IBMIS A. STANLEY 2-84C	State Printing
ion A	PE OPRI RS C OF C	tent the Endage of Sala	lican	8	book	7. AM	State 1
plical mit	PPR(	e Sta	da o	61,	ed in 1 pag	₩ .	
A Per	<b>₹</b> ≱	of th of th	ned 1	oved: y 26	ecord	KIS	
		Th office m the	Returned to applicant:	, Approved: May 26, 1958	RePerm	13	
•	- '		. ~		_		

Bute Printing