

RECEIVED  
MAR 11 1958  
STATE ENGINEER  
SALEM OREGON

Permit No. 25469

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, ROBERT E. CARROLL AND KYLENE CARROLL  
(Name of applicant)  
of 1801 11th Street Tillamook, Oregon  
(Mailing address)  
State of \_\_\_\_\_, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation \_\_\_\_\_

- 1. The source of the proposed appropriation is Ryan Creek and Rain Cr. reservoir and Wilson River, a tributary of Wilson River. (Name of stream)
- 2. The amount of water which the applicant intends to apply to beneficial use is .13125 c.f.s. from each source or .2625 cubic feet per second. between two pumps used for irrigation purposes. (If water is to be used from more than one source, give quantity from each)
- \*\*3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located \_\_\_\_\_ ft. and \_\_\_\_\_ ft. from the corner of the two points of diversion for irrigation are located 387 feet N. 89° W. from S. E. corner of Sec. 24 and 2390 ft. N. 31° 30' W. from SE corner of Sec. 24. (Section of subdivision)  
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  
being within the SE 1/4; NE 1/4 of Sec. 24 Tp. 1 N. R. 8 W., W. M., in the county of Tillamook (Give smallest legal subdivision) (N or S) (E or W)

5. The pipe line to be 3870 feet including laterals in length, terminating in the NE 1/4; SE 1/4 of Sec. 24 Tp. 1 N. R. 8 W., W. M., the proposed location being shown throughout on the accompanying map. (Main ditch, canal or pipe line) (Miles or feet) (Smallest legal subdivision) (N or S) (E or W)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 6 feet, length on top 80 feet, length at bottom 80 feet; material to be used and character of construction built of loose rock & soil with portion of dam constructed with concrete blocks; wasteway built over dam. (Loose rock, concrete, masonry) (rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Headgate built of 4 x 12 timbers laid vertical. Cribbing of same material extends 25 feet on each side of headgate and kept in place by foot bridge well anchored. Maximum headgate opening 4 feet wide. (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Two pumps used in irrigation, both being identical pumps are Model 2L.B. put out by Pacific Pumping Co. Pump at reservoir stationary with a 10 H.P. Westinghouse motor. Pump at Wilson River site portable with 15 H.P. motor. (Size and type of pump) (Size and type of motor to be used at head gate to be used)

\*A different form of application is provided where storage works are contemplated.  
\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

(d) Approximately 75 sprinklers used mounted on 1/2" stand pipes.

25469

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom

..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe. 3870 ft.; size at intake. 3 in.; size at 20 ft. from intake 2 in.; size at place of use 1/2 in.; difference in elevation between intake and place of use. 30 ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use for irrigation use.

Township North or South	Range E or W. of Williamsite Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 N.	8 W.	24	SE SE 1/4	14
1 N.	8 W.	24	NE SE 1/4	7

(If more space required, attach separate sheet)

(a) Character of soil Suitable for reforestation but not crops  
 (b) Kind of crops raised grass for existing golf course, orchard, garden and lawns.

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.  
 (b) Quantity of water to be used for power ..... sec. ft.  
 (c) Total fall to be utilized ..... (Head) feet.  
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ..... (Legal subdivision) of Sec

Tp. .... R. .... W. M.  
 (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? yes (Yes or No)  
 (g) If so, name stream and locate point of return Wilson River

SE SE 1/4 Sec. 24 Tp. 1 N. R. 8 W. W. M.  
 (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is  
 (i) The nature of the mines to be served



PERMIT

STATE OF OREGON, }  
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.26 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Ryan Cr. & Reservoir to be constructed under Application No. R-32176, Permit No. R-2126, and Wilson River, being 0.13 c.f.s. from Ryan Creek and reservoir and 0.13 c.f.s. from Wilson River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under Permit No. R-2126.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 21, 1958

Actual construction work shall begin on or before June 20, 1959 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 20th day of June 19 58.

STATE ENGINEER

Application No. 22177  
Permit No. 25469

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 11 day of March 1958, at 5:00 o'clock A. M.

Returned to applicant:

Approved:

June 20, 1958 of  
Recorded in book No. 68  
Permits on page 25469

LEWIS A. STANLEY  
STATE ENGINEER

Drainage Basin No. / page 21

Fees 15.00