

## STATE ENGINEER SALES GRECON To Appropriate the Public Waters of the State of Oregon

1, Bradley A. St. Louis	
3618 S. E. Grilleand Protect	(Name of applicant)
of 3hh8 S. E. Guilford Drite	
State of Oragon ,	do hereby make application for a permit to appropriate the
	e of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give da	
1. The source of the proposed appropria	tion is Kellogg Creek (Name of stream)
<u>.</u> ,	a tributary of Willamette River
	cant intends to apply to beneficial use is 1/60
	come intentits to apply to beneficial use is 1.1/4.12
cubic feet per secondper acre	to be used from more than one source, give quantity from each)
**3. The use to which the water is to be a	pplied is irrication (irrigation, power, mining, manufacturing, domestic supplies, etc.)
	admestic supplies, etc.)
4. The point of diversion is located 16	57.7 ft S and 397.5 ft f
corner of New York Corner out di	57.7 ft. S. and 397.2 ft. (E.orw) from the C.
corner of Mailors Orecle seven cult di	(Section or subdivision)
Section 36 and within the	minig of Section 1, B.S.S, B. 1
-	
(If preferable, give d	distance and bearing to section corner)
(If there is more than one point of diversion	n, each must be described. Use separate sheet if necessary)
being within the ot 13, Block 3 (Give smallest legal subdi	of Sec. 1, Tp. S
R. 1 East. W. M., in the county of Co.	chamas.
5. The lipe Line	to be 10 P4 (Miles or feet)
in length, terminating in the Lot 13. Block	(Miles or feet)  2 of Sec. , Tp. Nors)
(Smallest legal	(subdivision)
(E. or W.)	on being shown throughout on the accompanying map.
DESCRI	IPTION OF WORKS
Diversion Works—	
	feet, length on top feet, length at bottom
feet; material to be used and c	character of construction (Loose rock, concrete, masonry.
rock and brush, timber crib, etc., wasteway over or around dam)	Joseph John Control masonry.
(b) Description of headgate	
, ,	(Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give genera	d description 1" Suction 1" Discious (Size and type of pump)
17 Flect. 'otop.	r to be raised approximately 15 Teet.
who and type of engine of motor	

25472		•	•	
Sanal System or Pi 7. (a) Give	•	each point of c	anal where materially ch	anged in size, stating miles from
-				feet; width on bottom
		•		feet fall per one
housand feet.	- ·			
		·	adgate: width on top (at u	
•		•	feet; depth	of water feet;
rade				
(c) Length	of pipe. 100	ft.; s	rize at intake,?	in.; size at 100 ft.
rom intake14	in.;	size at place of	fuse $\frac{1}{4}$ in.	; difference in elevation between
ntake and place o	f use45 Ft	. Max. ft. Is	grade uniform? Yes	Estimated capacity,
1/80				
8. Location	of area to be i	rrigated, or pla	ce of use Lot 13,	Mock 3, Melloga Creak Aer Sub-Division
Township North or South	Range R. or W. of Will-mette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
.T.1.S.	RIE	36	Swa Sea	Exerce 0.1
T 2 S	RIE	1	nwl nel	TOORERS 0.3
			AWA ABA	
			NOTE IN THE PROPERTY OF THE PR	
				1
			required, attach separate sheeti	en to a
(a) Cha	racter of soil	landy		
	d of crops raise	d Garden	े र्मिया ।	en e
Power or Mining	•		lana l	
		ower to be deve	•	theoretical horsepower
		to be used for p		sec. ft.
(c) Tota	ıl fall to be uti	lized	(Head) feet.	•
(d) The	nature of the	works by mean	s of which the power is to	o be developed .
			······ ····· ···· · · · · · · · · · ·	
(e) Suc	h works to be l	ocated in	المناويوني والمستشار	of Sec.
<b>T</b> p	, R	, W. M z. or w.;	(Legal subdivision)	·
		rned to any str		•
()) 13 0	10 06 1614	to unity str	(Yes or No)	

(h) The use to which power is to be applied is(i) The nature of the mines to be served ......

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 26, . 19 . 58

WITNESS my hand this 26 day of March

LEWIS A. STANLEY

STATE ENGINEER

is to certify that I have examined the foregoing application and do hereby grant the same, TO EXISTING RIGHTS and the following limitations and conditions:

tream, or its equivalent	granted is limited to the a  O.OL cubic feet p  In tin case of rotation with a	er second measure other water users, is irrigation	ed at the point of o	liversion from the
If for irrigation,	this appropriation shall be l	imited to1	/80 of	one cubic foot per
	½ acre feet per acre f			
•••••••••••••••••••••••••••••••••••••••			,	
	such reasonable rotation sys			
	of this permit is			
Actual constructi	ion work shall begin on or	before Ju	ne 20, 1959	and shall
	ed with reasonable diligence			
	ation of the water to the pro		, and the second	
WITNESS my ha	ind this 20th day o	of	19.58 Win 01.5	Ministra STATE ENGINEER
Permit No. 25472.  PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OPPOCIA	This instrument was first received in the ice of the State Engineer at Salem, Oregon, the L.L., day of A. J. S. L.L. A. S. S. J.	furned to applicant: proved:	rans 20, 1958 Recorded in book No. 68 of mits on page 25.172	IENIS A. STANIET STATE ENGINEER strate Basin No. 2 page 76 A 18 s /5 22

Application No. 32.20.1

on the 2 ( " day of ... Jan. office of the State Engineer at Sa 1920, at 1960, o'clock (1

Returned to applicant:

Approved:

Nume 20, 1958

Permits on page 25172 Recorded in book No. 68

Fees 15 00

Drainage Basin No.

State Printing 96137