STATE ENGINEER APPLICATION FOR FIRMIT SALEM PROPRIETO THE Public Waters of the State of Oregon

of Route 2. Nyssa	
(Malling address)	
State of Oregon	, do hereby make application for a permit to appropriate th
following described public waters o	of the State of Oregon, SUBJECT TO EXISTING RIGHTS
If the applicant is a corporatio	m, give date and place of incorporation
1 The same of the trust	Chalco 2
	l appropriation is Snake River (Name of stream)
	, a tributary of
2. The amount of water which	th the applicant intends to apply to beneficial use is $\frac{2}{2}$.
cubic feet per second.	
**3. The use to which the water	(If water is to be used from more than one source, give quantity from each) is to be applied is
•	(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
A PRIL	
•	cated (N. or S.) (E. or W.)
инински S. 12°01'36" E.	a distance of 3654. feet from the Horomose (Section or subdivision)
corner of Section 7,	
***************************************	***************************************
(If prefe	erable, give distance and bearing to section corner)
(If there is more than one poin	at of diversion, each must be described. Use separate sheet if necessary)
being within *** Lot 3	of Sec. 7 Th. 24 \$102.0
(Give smallest to R. 47 E, W., in the county (E. or W.)	legal subdivision) (N. or S.)
(E. w. W.) 5. The pipe 1	
(Main ditch,	canal or pipe line) (Miles or feet)
in length, terminating in the I	Smallest legal authivision) of Sec. 7, Tp. 21 Society
R. 47 E., W. M., the propos	sed location being shown throughout on the accompanying map
•	SCRIPTION OF WORKS
Diversion Works	
6. (a) Height of dam none	feet, length on top feet, length at botton
feet; material to be	e used and character of construction.
	(Loose rock, concrete, masour
ock and brush, timber crib, etc., wasteway over or around de	, an)
(b) Description of headgate	AIONE (Timber, concrete, etc., number and size of openings)
	A CONTRACTOR AND
(c) If water is to be pumped given	ve general description RECULESS U X C X 12
	(Size and type of jump) H.F., 3-paise, 440 volt, 1000 K.F.M., G. E. [engine or motor to be used, total head water is to be lifted, etc.)
(Size and type of	engine or motor to be used, total head water is to be lifted, etc.)
motor; llu" of water is to	o be lifted

747		and the second				The second
			2			1.5
				-1	1	-
(3) ·			rija Proj Bel aus		197	
		25				
, ste	-4	200	27.75	175		
٠,	, v	Comm	سے ا		Dias	Line-
3.4	·)		i oyu	an w	T. Inch.	

rom headgate	At headgain: w	idth on top	(at water line)	feet; width on botton
	_feet; depth of z	vater	feet; grade	feet fall per on
ous and feet. (b) At .		. miles from	head gate: width on top	(at water line)
				h of water feet
	feet fall	•		,
				in.; size at 1 fi
•			•	lifference in elevation between
		•		S Estimated capacity
			grade uniform?	sa Estimatea capacity
8. Locat	sec. ft. ion of area to be i	rrigated, or	place of use	
Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-sere Tract	Number Acres To Be Irrigated
	Williamette Aerician			
		-		manage and the second s
			The state of the s	ride 2 more and in
	to an and the second second second second			
			(NW & NW 24)	
21 South	47 E.W.M.		Lot 1 (55.55 acc	es)
21 South	47 E.W.M.		15W 4 NW 4)	<u> </u>
21 South	47 E.W.M.		- (Nw " sw ") Lot 3 (26,01 ger	es, 13.
E ANTHON SERVICE SERVI				•
		• •••	• • • • • • • • • •	· · · ·
		•	required, attack separate sheet)	
	Character of soil		Sincy long	
	• •	sed Sull1	r eets, alfalfa,	COCH PARTER
	ing Purposes— Fotal amount of p	ower to be d	eveloped NONE	theoretical horsepowe
	Quantity of water			sec. ft.
	Total fall to be uti		fe.	,
	•		cans of which the power i.	
	÷	Ť	cans of tenten the power t	s to be decetoped .
	Such works to be l			of Sec.
***************************************	S.) , R(No. E.			
(f) i	ls water to be retu	rned to any s	stream ! (Yes or No)	
(g)	If so, name strean	and locate	point of return	
	1	Sec	. T b.	, R. (No. E. or W.)
	• • • • • • • • • • • • • • • • • • • •		(Ma W	S.) (No E as W)

	present population of	
nd an assimuted population of	The second secon	
(b) If for domestic use state num	ber of families to be supplied	**************************************
	mm 11, 12, 13, mm 14 in of colon)	None -
11. Estimated cost of proposed works	\$2,200.00	
12. Construction work will begin on	or before July 9, 1953	
13. Construction work will be comple	ted on or before July 25	, 1953
14. The water will be completely appl	ied to the proposed use on or be	fore July 25, 1953
· · ''\$	HI Hall (Signature	land
	Confinence	от аррисант)
Remarks:	***************************************	
pall to the control of the control o		

	· · · · · · · · · · · · · · · · · · ·	
 	10. 0.00 0.00 0.000	
	······································	
		•••••
TATE OF OREGON		
County of Marion,		
•		
This is to certify that I have examined		· · · · · · · · · · · · · · · · · · ·
g maps and data, and return the same for		
In order to retain its priority, this appl	ication must be returned to the	State Engineer, with co
ections on or before September 10	, 19_57 1958	
WITNESS my hand this 10th 15th		,19_57
	LIMIS A. STANLE	1950
		STATE ENGINEER

STATE	OF (OREGO	N,
Count	y of M	arion,	ſ
TI SUBJE	his is to	certify EXIS	tikat I I TING

have examined the foregoing application and do hereby grant the same, RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.5 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Snake River.

The use to which this water is to be applied is irrigation.

of one cubic foot per If for irrigation, this appropriation shall be limited to... second or its equivalent for each acre irrigated and shall be further limited to a diversion of

not to exceed he acre feet for each acre irrigated during the irrigation season of cured under any other right existing for the same lands shall not exceed

and shall be subject to such reasonable rotation system as may be ordered by the proper state

The priority date of this permit is

March 18, 1958

June 20, 1959 Actual construction work shall begin on or before thereafter be prosecuted with reasonable diligence and he completed or or helore October 1, 19 60,

Complete application of the water to the proposed use shall be made in or beginning

20th WITNESS my hand this

day of

Application No. 316 46. 45518 Permit No. TO APPROPRIATE THE PUBLIC WATERS OF THE STATE

OF OREGON

This instrument was first received in the

office of the State Engineer at Salem, Oregon. on the 18 day of 4412 to 1057.01

Return to applicant:

Approved.

Recorded in book No

8

June 20, 1958

Permits on fage

Drainage Basin No. 77

LEGIS A. STANLET