

RECEIVED

FEB 11 1958

STATE ENGINEER
SALEM, OREGON

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon1. Dayton O. Williams

(Name of applicant)

of 72½ Main Street, Klamath Falls,
(Address or location)State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

2. The source of the proposed appropriation is Williamson River, S. end Creek, Bay Stack Draw, Bull Pasture Draw, and, a tributary of Klamath Lake, Tributary Springs
(Name of stream)2. The amount of water which the applicant intends to apply to beneficial use is 15.3
cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)4. The point of diversion is located ... ft. ... ft. ... ft. on the
corner of See attached sheet.
(N. or S.) (E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

being within the of Sec., Tp.
(Give smallest legal subdivision) (N. or S.)R., W. M., in the county of
(E. or W.)5. The Field Ditches to be
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the of Sec., Tp.
(Smallest legal subdivision) (N. or S.)R., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 2 to 6 feet, length on top feet, length at bottom feet; material to be used and character of construction earth and rock
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., waterway over or around dam)(b) Description of headgate Culverts, variable

(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description

(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be used, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

25540

Canal System or Pipe Line—Field Ditches.

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

- (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

- (c) Length of pipe, ft.; size at intake, in.; size at ft.
from intake in.; size at place of use in.; difference in elevation between
intake and place of use, ft. Is grade uniform? Estimated capacity,
..... sec. ft.

8 Location of area to be irrigated, or place of use see attached sheets

(If more space required, attach separate sheet)

- (a) Character of soil ... Sandy clay loam

(b) Kind of crops raised ... Grains, grasses and row crops.....

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
(Head)
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

- (f) Is water to be returned to any stream?
(Yes or No)

- (g) If so, name stream and locate point of return

- Sec.* *Tp* *R* *W. M.*

- (b) The use to which power is to be applied is _____.

POINTS OF DIVERSION

WILLIAMSON RIVER - 6%

25540

- #1 S. 78° 35' E 1083 ft. from N.W. corner of NE $\frac{1}{4}$ -NW $\frac{1}{4}$ of Section 9, T. 33 S., R. 11 E., W.M., being within NE $\frac{1}{4}$ -NW $\frac{1}{4}$ of Section 9, T. 33 S., R. 11 E., W.M.
- #2 M. 30° 00' W. 555 ft. from SE corner of SW $\frac{1}{4}$ -SW $\frac{1}{4}$ of Section 4, T. 33 S., R. 11 E., W.M., being within SW $\frac{1}{4}$ -SW $\frac{1}{4}$ of Section 4, T. 33 S., R. 11 E., W. M.
- #3 S. 74° 29' W. 1407 feet from NE corner of Section 5, T. 33 S., R. 11 E., W. M., being within NE $\frac{1}{4}$ -NE $\frac{1}{4}$ of Section 5, T. 33 S., R. 11 E., W. M.
- #4 S. 71° 29' W. 1212.7 feet from NE corner of NW $\frac{1}{4}$ -SE $\frac{1}{4}$ of Section 29, T. 32 S., R. 11 E., W. M., being within the NW $\frac{1}{4}$ -SE $\frac{1}{4}$ of Section 29, T. 32 S., R. 11 E., W. M.
- #5 N. 55° 16' E., 1070.7 feet from W. quarter corner of Section 20, T. 32 S., R. 11 E., W. M., being within the SW $\frac{1}{4}$ -NW $\frac{1}{4}$ of Section 20, T. 32 S., R. 11 E., W. M.
- #6 N. 6° 56' W., 2029.8 feet from S. quarter corner of Section 8, T. 32 S., R. 11 E., W. M., being within the NE $\frac{1}{4}$ -SW $\frac{1}{4}$ of Section 8, T. 32 S., R. 11 E., W. M.

SAND CREEK - 4%

South 133.0 feet from the W. quarter corner of Section 8, T. 32 S., R. 11 E., W. M., being within the NE $\frac{1}{4}$ -NW $\frac{1}{4}$ of Section 8, T. 32 S., R. 11 E., W. M.

HAYSTACK DRAW - 6%

- #1 N. 59° 15' W. 1535.8 feet from the S. quarter corner of Section 18, T. 32 S., R. 11 E., W. M., being within the NW $\frac{1}{4}$ -SE $\frac{1}{4}$ -SW $\frac{1}{4}$ of Section 18, T. 32 S., R. 11 E., W. M.
- #2 North 655.0 feet from E. quarter corner of Section 7, T. 32 S., R. 11 E., W. M., being within the SW $\frac{1}{4}$ -NW $\frac{1}{4}$ of Section 3, T. 32 S., R. 11 E., W. M.

BULL PASTURE DRAW - 18%

West Fork - N. 29° 25' W., 2686.6 feet from the S. quarter corner of Section 36, T. 32 S., R. 10 E., W. M., being within the N $\frac{1}{2}$ -NE $\frac{1}{4}$ -SW $\frac{1}{4}$ of Section 36, T. 32 S., R. 10 E., W. M.

North Fork - South 1995 feet from the N. quarter corner of Section 36, T. 32 S., R. 10 E., W. M., being within the SW $\frac{1}{4}$ -NE $\frac{1}{4}$ of Section 36, T. 32 S., R. 10 E., W. M.

TRIBUTARY SPRINGS - 4%

- #1 N. 68° 34' W., 725.2 feet from the S.E. corner of Section 32, T. 32 S., R. 11 E., W.M., being within the SE $\frac{1}{4}$ -SE $\frac{1}{4}$ of Section 32, T. 32 S., R. 11 E., W. M.
- #2 N. 10° 03' W., 2290.2 feet from the S. quarter corner of Section 17, T. 32 S., R. 11 E., W. M., being within the NE $\frac{1}{4}$ -SW $\frac{1}{4}$ of Section 17, T. 32 S., R. 11 E., W.M.

25540

LANDS TO BE IRRIGATED
By
D.O.WILLIAMS

T. 32 S., R. 11 E., W. M.

Section 5	S ₁ -SW ₁ -SW ₁ S ₂ -SE ₁ -SW ₁	19.4 9.7
Section 6	NE ₁ -SE ₁ S ₂ -NW ₁ -SE ₁ SE ₁ -SE ₁	8.8 15.0 24.7
Section 7	N ₂ -NE ₁ -NE ₁	1.6
Section 8	NE ₁ -NW ₁ NW ₁ -NW ₁ SW ₁ -NW ₁ SE ₁ -NW ₁ NE ₁ -SW ₁ SE ₁ -SW ₁	22.8 17.8 16.0 19.6 8.6 17.5
Section 17	NW ₁ -NE ₁ NE ₁ -NW ₁ NW ₁ -NW ₁ SW ₁ -NW ₁ SE ₁ -NW ₁ NE ₁ -SW ₁ MW ₁ -SW ₁ SW ₁ -SW ₁ SE ₁ -SW ₁	1.3 30.7 5.8 17.5 31.9 11.6 26.0 25.0 12.5
Section 18	W ₂ -SE ₁ -SW ₁ S ₂ -SW ₁ -SE ₁	11.3 13.5
Section 19	NW ₁ -NE ₁ W ₂ -NE ₁ -NW ₁	10.0 1.2
Section 20	NE ₁ -NW ₁ W ₁ -NW ₁ SW ₁ -NW ₁ NE ₁ -SW ₁ NW ₁ -SW ₁ SW ₁ -SW ₁ SE ₁ -SW ₁	14.1 35.1 31.3 12.5 25.4 17.2 31.1
Section 29	NW ₁ -NE ₁ SW ₁ -NE ₁ NE ₁ -NW ₁ NW ₁ -NW ₁ SW ₁ -NW ₁ SE ₁ -NW ₁ NE ₁ -SW ₁ NW ₁ -SW ₁ SW ₁ -SW ₁ SE ₁ -SW ₁ NW ₁ -SE ₁ SW ₁ -SE ₁ SE ₁ -SE ₁	1.9 9.1 30.0 1.1 12.8 30.0 30.0 27.9 33.8 16.1 0.2 0.9 9.4

T. 32 S., R. 11 E., W. M. Continued

Section 31	NE $\frac{1}{4}$ -NE $\frac{1}{4}$	30.4	
	SE $\frac{1}{4}$ -NW $\frac{1}{4}$ -NE $\frac{1}{4}$	12.8	
	SW $\frac{1}{4}$ -NE $\frac{1}{4}$	21.9	
	SE $\frac{1}{4}$ -NE $\frac{1}{4}$ -NW $\frac{1}{4}$	0.4	
	Lot 2 (SW $\frac{1}{4}$ -NW $\frac{1}{4}$)	9.4	
	SE $\frac{1}{4}$ -NW $\frac{1}{4}$	22.5	
Section 32	NE $\frac{1}{4}$ -NE $\frac{1}{4}$	15.0	
	NW $\frac{1}{4}$ -NE $\frac{1}{4}$	5.0	
	SW $\frac{1}{4}$ -NE $\frac{1}{4}$	8.8	
	SE $\frac{1}{4}$ -NE $\frac{1}{4}$	12.2	
	NE $\frac{1}{4}$ -NW $\frac{1}{4}$	8.8	
	NW $\frac{1}{4}$ -NW $\frac{1}{4}$	13.7	
	SW $\frac{1}{4}$ -NW $\frac{1}{4}$	25.0	
	NW $\frac{1}{4}$ -SW $\frac{1}{4}$	26.3	
	SW $\frac{1}{4}$ -SW $\frac{1}{4}$	5.6	
	SE $\frac{1}{4}$ -SW $\frac{1}{4}$	5.0	
	NW $\frac{1}{4}$ -SE $\frac{1}{4}$	9.7	
	SW $\frac{1}{4}$ -SE $\frac{1}{4}$	14.5	
	SE $\frac{1}{4}$ -SE $\frac{1}{4}$	3.5	

T. 32 S., R. 10 E., W. M.

Section 36	SW₁-NE₁	13.8
	SE₁-SE₁-NE₁	14.7
	NE₁-SW₁	15.6
	NE₁-SE₁	10.6
	NE₁-NW₁-SE₁	20.0

T. 33 S., R. 11 E., W. M.

Section 4	NW ₁ -SW ₁ SW ₁ -SW ₄	19.4 6.0
Section 5	NE ₁ -NE ₂ SE ₁ -NE ₂ NE ₁ -SE ₂ NW ₁ -SE ₄	14.1 7.6 5.0 4.4
Section 8	SW ₁ -NE ₁ NE ₁ -SW ₁ NW ₁ -SW ₁ NE ₁ -SE ₂ NW ₁ -SE ₄	1.3 26.6 15.7 5.3 1.6
Section 9	SW ₁ ¹ -NW ₄ ²	18.2 122.0

Municipal or Domestic Supply—

25540

20. (a) To supply the city of _____

County, having a present population of _____
and an estimated population of _____ in 19_____.

(b) If for domestic use state number of families to be supplied _____

(Answer questions N, M, H, and W in all cases)

11. Estimated cost of proposed works, \$ 5000.00, works mostly built.
12. Construction work will begin on or before Oct. 1, 1958.
13. Construction work will be completed on or before Oct. 1, 1960.
14. The water will be completely applied to the proposed use on or before Oct. 1, 1962.

Dayton O. Williams

(Signature of applicant)

By William F. Ettinger

Remarks:

These lands are on the Klamath Indian Reservation and in filing this application, the applicant does not waive or abandon any rights appurtenant to said lands.

STATE OF OREGON, { ss.
County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 28, 1958
July 14, 1958

WITNESS my hand this 26th day of February, 1958
13th May 1958

RECEIVED
JUL 11 1958
STATE ENGINEER
SALEM, OREGON

LEWIS A. STANLEY

STATE ENGINEER

By James W. Carver, Jr.
James W. Carver, Jr., ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 15.30 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from Williamson River, Sand
Creek, Haystack Draw, Bell Pasture Draw and two springs, being 10.4 cfs from
Williamson R., 0.61 cfs from Sand Cr., 0.32 cfs from Haystack Draw, 2.75 cfs from
Bell Pasture Draw, 0.31 cfs from Spring #1 and 0.31 cfs from Spring #2.

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a diversion
of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation
season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 11, 1958

Actual construction work shall begin on or before September 17, 1959 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960.

Complete application of the water to the proposed use shall be made on or before October 1, 1961.

WITNESS my hand this 17th day of September, 1958

Lewis A. Stanley
STATE ENGINEER

Application No. 32117

Permit No. 25540

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 17th day of September,
1958, at 9:00 o'clock A. M.

Returned to applicant:

Approved:

September 17, 1958

Recorded in book No. 69 of
Permits on page 25540

LEWIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 14 page 24

Fees .72 24