CERTIFICATE NO. 1830

APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

Route 2, Grants Pass County of Josephine Gregon do hereby make application for a permit to appropriate the of Gregon subject to existing rights: If the applicant is a corporation, give date and place of incorporation. 1. The source of the proposed appropriation is Rich Galch Name of stream) 1. The source of the proposed appropriation is Rich Galch Name of stream) 1. The amount of water which the applicant intends to apply to beneficial use is set of the corner which the applicant intends to apply to beneficial use is set of the water is to be applied is Grission, power, mining, manufacture Irrigation 3. The use to which the water is to be applied is Grission, power, mining, manufacture Irrigation 4. The point of diversion is located at a point whence the corner to Section (Give distance and bearing to section corner) 3 - 10 & 11, bears N 66° 57° E 1036 feet distant 2. The M. M., in the county of Josephine (No. N. or 8.) 7. W. M., in the county of Josephine (No. R. or W.) 5. The Minimite, canal or pipe line) moth, terminating in the Est. NW	<i>I</i> , .	J L Green (Nat	me of Applicant)			
Street of Street of Street of State of State of Oregon, subject to existing rights:	R	Route 2, Grants Pass	, Coun	ety of	Josephine	
Illowing described public waters of the State of Oregon, subject to existing rights: If the applicant is a corporation, give date and place of incorporation. 1. The source of the proposed appropriation is		(Postornee)				
1. The source of the proposed appropriation is Rich Gulah Name of stream) 1. The source of the proposed appropriation is Rich Gulah Name of stream) 1. The source of the proposed appropriation is Rich Gulah Name of stream) 2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second. 3. The use to which the water is to be applied is Give distance and bearing to section corner) 4. The point of diversion is located. at a point whence the corner to Section (Give distance and bearing to section corner) 3 - 10 & 11, bears N 66° 57° E 1036 feet distant NET of the NET OF NOTE OF SECTION OF SECTION NO. N. or S.) 7 W W. M., in the county of Josephine (Give smallest legal subdivision) 5. The Main ditch, canal or pipe line) Main ditch, canal or pipe line) Main ditch, canal or pipe line) Main ditch, canal or other works is DESCRIPTION OF WORKS 1VERSION WORKS 7. (a) Height of dam. feet, length on top feet, length at both.						appropriate in
1. The source of the proposed appropriation is Rich Gulch Name of stream) Rogue River tributary of Rogue River 2. The amount of water which the applicant intends to apply to beneficial use is. cubic feet per second. 3. The use to which the water is to be applied is. (Irrigation, power, mining, manufacture Irrigation omestic supplies, etc.) 4. The point of diversion is located. 3 - 10 & 11, bears N 66° 57° E 1036 feet distant. NH2 of the NH2 of Section orner) Two W. M., in the county of Josephine (Rive smallest legal subdivision) Two W. M., in the county of Josephine (Rogue River) A 36 S (No. N. or S.) The ditch to be 35. miles Main ditch, canal or pipe line) Main ditch, canal or other works is. DESCRIPTION OF WORKS 1VERSION WORKS— 7. (a) Height of dam. feet, length on top. feet, length at botte						
2. The amount of water which the applicant intends to apply to beneficial use is. 2	If	the applicant is a corporation, give date	and place of	incorpore	ition	
2. The amount of water which the applicant intends to apply to beneficial use is	1.	The source of the proposed appropriatio	n is	Rich Gu	1ch	
2. The amount of water which the applicant intends to apply to beneficial use is		\ldots , $tribu$	tary of		· · · · · · · · · · · · · · · · · · ·	
3. The use to which the water is to be applied is. Irrigation Irrigation Metale point of diversion is located. 3 - 10 & 11, bears N 66° 57° E 1036 feet distant. NEtale of the NEtale subdivision 7 W						
Irrigation Irrigation Irrigation 4. The point of diversion is located	· • • • • • • • • • • • • • • • • • • •	•2 cubic feet per second.				
Irrigation omestic supplies, etc.) 4. The point of diversion is located	3.	The use to which the water is to be apple	lied is		Irrigation nower mi	ning manufacturing
4. The point of diversion is located		Irrigation			irrigation, power, ini	ang, manusacturing
3 - 10 & 11, bears N 66° 57° E 1036 feet distant NE4 of the NE4				3		
3 - 10 & 11, bears N 66° 57° E 1036 feet distant NET of the NET of the NET of Sec. NET of the NET of Sec. NET of the NET of Sec. NO. N. or S.) 7 W (No. E. or W.) 5. The ditch sand or pipe line) Main ditch, canal or pipe line) ngth, terminating in the Et, NET NET Sec. (Smallest legal subdivision) 7. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is. DESCRIPTION OF WORKS NET OF Sec. 10 To Sec. 35 Miles (No. N. or S.) (No. E. or V.) DESCRIPTION OF WORKS	4.	The point of diversion is located	at a po	int when	ce the corner	to Sections
(Give smallest legal subdivision) 7 W W. M., in the county of Josephine (No. E. or W.) 5. The ditch to be 35 miles Main ditch, canal or pipe line) (Smallest legal subdivision) 7. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is DESCRIPTION OF WORKS 10		3 - 10 & 11, bears N 66° 57° E 10	•			
7 W , W. M., in the county of Josephine (No. E. or W.) 5. The ditch to be 35 miles Main ditch, canal or pipe line) ngth, terminating in the F2, NW4 NW4 (Smallest legal subdivision) (Smallest legal subdivision) (M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is DESCRIPTION OF WORKS IVERSION WORKS— 7. (a) Height of dam feet, length on top feet, length at bottom						3 6 S
7 W , W. M., in the county of Josephine (No. E. or W.) 5. The ditch to be 35 miles Main ditch, canal or pipe line) ngth, terminating in the 12, NW4 NW4 of Sec. 11 , Tp. 36 S , R. 7 W (Smallest legal subdivision) 7. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is	ing u	vithin the (Give smallest legal subdivision	of Sec)	*	, Tp	(No. N. or S.)
Main ditch, canal or pipe line) ngth, terminating in the E1, NW1 NW1 of Sec. 11 , Tp. 36 S (No. N. or S.), R. 7 W (No. N. or S.), R. 7 W (No. N. or S.), R. 7 W (No. E. or V. or V. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is	•	7 W, W. M., in the county of				
7. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is		Main ditch, canal or pipe li	ine)			
N.M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is	ngth,	terminating in the E1, NW1 NW1 (Smallest legal subdivisi	of Sec.	11	., Tp. 36 S (No. N. or S.)	, R. 7 W
DESCRIPTION OF WORKS IVERSION WORKS— 7. (a) Height of damfeet, length on topfeet, length at bottom						
DESCRIPTION OF WORKS IVERSION WORKS— 7. (a) Height of damfeet, length on topfeet, length at bottom	6.	The name of the ditch, canal or other	works is	•		
iversion Works— 7. (a) Height of damfeet, length on topfeet, length at bottom				••••••		
7. (a) Height of damfeet, length on topfeet, length at bottom		DESCRIPT	ION OF WO	RKS		
feet; material to be used and character of construction(Loose rock, concr	7.	(a) Height of damfee	et, length on t	top	feet, i	length at botton
, Louise tock, concr	• • • • • • • • • • • • • • • • • • • •	feet; material to be used and	character of c	constructio	n	Loose rock, concre
Stream too small to require dam		Change too amoli to manufus dam				
asonry, rock and brush, timber crib, etc., wasteway over or around dam)	asonry,	rock and brush, timber crib, etc., wasteway over or	around dam)			
(b) Description of headgate (Timber, concrete, etc., number and size of openings)		(b) Description of headgate	Timber, concrete	, etc., numbe	er and size of openi	ngs)
		:				
* A different form of application is provided where storage works are contemplated. These forms can be secured, without char						······································

rom headgate. At headgate: Width on top (at water line)	jeet; wiath on botton
feet; depth of water feet; grade	feet fall per on
rousand feet.	
(b) Atmiles from headgate. Width on top	(at water line)
feet; width on bottom feet; depth	
radefeet fall per one thousand feet.	
<u>a a a caracter de la companya del companya del companya de la com</u>	
FILL IN THE FOLLOWING INFORMATION WHERE THE	WATER IS USED FOR:
RRIGATION—	
9. The land to be irrigated has a total area of 20	
mallest legal subdivision, as follows:	subdivision which you intend to irrigate)
15 acres in the NW1 of NW2 of Sec. 11	
5 acres " " NE_4^1 of NW_4^1 of Sec. 11	T 36 S R 7 W•
and the second s	Secretary design of the second
4	·
- Carrier Company of the Company of	
(If more space is required, attach separate sheet)	
POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—	
10. (a) Total amount of power to be developed	theoretical horsenowe
	oncoronom nordopowe
(b) Total fall to be utilizedfeet.	**************************************
(c) The nature of the works by means of which the power is t	o be developed
<u> </u>	
(d) Such works to be located in	of Sec.
(d) Such works to be located in (Legal subdivision) (Tp. , W. M. (No. F. or. W.)	
(No. N. or S.) (No. E. or W.)	
(e) Is water to be returned to any stream? (Yes or No)	•••••
(f) If so, name stream and locate point of return	
, Sec. , Tp. (No. N. or S.)	
(g) The use to which power is to be applied is	<u> </u>

UNICIP!	AL SUPPLY—
11.	To supply the city of
	County, having a present population of, and an
,	l population ofin 191
, , , , , , , , , , , , , , , , , , ,	(Answer questions 12, 13, 14, and 15 in all cases)
12.	Estimated cost of proposed works, \$
13.	Construction work will begin on or before
	Construction work will be completed on or before 2 yrs.
14.	The water will be completely applied to the proposed use on or before
15.	
	licate maps of the proposed ditch or other works, prepared in accordance with the rules of the ater Board, accompany this application. J L Green
	(Name of applicant)
•	ned in the presence of us as witnesses:
	W R Whipple Grants Pass, Oregon (Name) (Address of witness)
?)	Lillie M Whipple, Grants Pass, Oregon
	(Name) (Address of witness)
Rem	parks: To determine flow of water in stream I made channel in which water was
Rem	wide at bottom, 10 ins. at top, 2 ins. deep, with velocity slightly in
	wide at bottom, 10 ins. at top, 2 ins. deep, with velocity slightly in of 2 ft. per sec. I estimate flow at about .2 cu. ft. per sec., though it is said to vary considerably on account of irrigation above. The sec the surface is such that the entire 60 acres of the applicant can be
	wide at bottom, 10 ins. at top, 2 ins. deep, with velocity slightly in of 2 ft. per sec. I estimate flow at about .2 cu. ft. per sec., thought it is said to vary considerably on account of irrigation above. The second state of the second state of the second sec
	wide at bottom, 10 ins. at top, 2 ins. deep, with velocity slightly in of 2 ft. per sec. I estimate flow at about .2 cu. ft. per sec., though it is said to vary considerably on account of irrigation above. The sec. the surface is such that the entire 60 acres of the applicant can be irrigated from this ditch provided the quantity of water is sufficient
2	wide at bottom, 10 ins. at top, 2 ins. deep, with velocity slightly in of 2 ft. per sec. I estimate flow at about .2 cu. ft. per sec., though it is said to vary considerably on account of irrigation above. The sec. the surface is such that the entire 60 acres of the applicant can be irrigated from this ditch provided the quantity of water is sufficient Supply of water estimated as sufficient for 16 to 20 acres.
2	wide at bottom, 10 ins. at top, 2 ins. deep, with velocity slightly in of 2 ft. per sec. I estimate flow at about .2 cu. ft. per sec., though it is said to vary considerably on account of irrigation above. The sec. the surface is such that the entire 60 acres of the applicant can be irrigated from this ditch provided the quantity of water is sufficient Supply of water estimated as sufficient for 16 to 20 acres. We will be a surface is sufficient for 16 to 20 acres.
	wide at bottom, 10 ins. at top, 2 ins. deep, with velocity slightly in of 2 ft. per sec. I estimate flow at about .2 cu. ft. per sec., though it is said to vary considerably on account of irrigation above. The secfithe surface is such that the entire 60 acres of the applicant can hirrigated from this ditch provided the quantity of water is sufficient Supply of water estimated as sufficient for 16 to 20 acres. We will will be a surfaced as sufficient for 16 to 20 acres. Surveyor.
	wide at bottom, 10 ins. at top, 2 ins. deep, with velocity slightly in of 2 ft. per sec. I estimate flow at about .2 cu. ft. per sec., though it is said to vary considerably on account of irrigation above. The secfithe surface is such that the entire 60 acres of the applicant can hirrigated from this ditch provided the quantity of water is sufficient Supply of water estimated as sufficient for 16 to 20 acres. We will will be a surfaced as sufficient for 16 to 20 acres. Surveyor.
TATE	wide at bottom, 10 ins. at top, 2 ins. deep, with velocity slightly in of 2 ft. per sec. I estimate flow at about .2 cu. ft. per sec., though it is said to vary considerably on account of irrigation above. The second the surface is such that the entire 60 acres of the applicant can be irrigated from this ditch provided the quantity of water is sufficient Supply of water estimated as sufficient for 16 to 20 acres. We will write the entire of the applicant can be irrigated from this ditch provided the quantity of water is sufficient supply of water estimated as sufficient for 16 to 20 acres. We will write the entire of the applicant can be irrigated from this ditch provided the quantity of water is sufficient supply supply supply the supply
TATE	wide at bottom, 10 ins. at top, 2 ins. deep, with velocity slightly in of 2 ft. per sec. I estimate flow at about .2 cu. ft. per sec., though it is said to vary considerably on account of irrigation above. The sec. of the surface is such that the entire 60 acres of the applicant can be irrigated from this ditch provided the quantity of water is sufficient Supply of water estimated as sufficient for 16 to 20 acres. We whipple, Surveyor.
TATE	wide at bottom, 10 ins. at top, 2 ins. deep, with velocity slightly in of 2 ft. per sec. I estimate flow at about .2 cu. ft. per sec., though it is said to vary considerably on account of irrigation above. The section of the surface is such that the entire 60 acres of the applicant can be irrigated from this ditch provided the quantity of water is sufficient Supply of water estimated as sufficient for 16 to 20 acres. We Rewhipple. Surveyor. OF OREGON, County of Marion Ss. County of Marion Ss. Sis to certify that I have examined the foregoing application, together with the accompanying sis to certify that I have examined the foregoing application, together with the accompanying sis to certify that I have examined the foregoing application, together with the accompanying sis to certify that I have examined the foregoing application, together with the accompanying sistematics.
TATE	wide at bottom, 10 ins. at top, 2 ins. deep, with velocity slightly in of 2 ft. per sec. I estimate flow at about .2 cu. ft. per sec., though it is said to vary considerably on account of irrigation above. The surface is such that the entire 60 acres of the applicant can hirrigated from this ditch provided the quantity of water is sufficient Supply of water estimated as sufficient for 16 to 20 acres. We will be a surveyor. OF OREGON, County of Marion Sist to certify that I have examined the foregoing application, together with the accompanying add data, and return the same for correction or completion, as follows:
TATE	wide at bottom, 10 ins. at top, 2 ins. deep, with velocity slightly in of 2 ft. per sec. I estimate flow at about .2 cu. ft. per sec., though it is said to vary considerably on account of irrigation above. The second the surface is such that the entire 60 acres of the applicant can be irrigated from this ditch provided the quantity of water is sufficient Supply of water estimated as sufficient for 16 to 20 acres. We will write the surveyor. Surveyor. OF OREGON, County of Marion Surveyor application, together with the accompanying add data, and return the same for correction or completion, as follows:
TATE	wide at bottom, 10 ins. at top, 2 ins. deep, with velocity slightly in of 2 ft. per sec. I estimate flow at about .2 cu. ft. per sec., though it is said to vary considerably on account of irrigation above. The second the surface is such that the entire 60 acres of the applicant can be irrigated from this ditch provided the quantity of water is sufficient Supply of water estimated as sufficient for 16 to 20 acres. We will apply the surveyor. We will apply the surveyor. OF OREGON, Surveyor. Surveyor. Surveyor. Sist to certify that I have examined the foregoing application, together with the accompanying add data, and return the same for correction or completion, as follows:
TATE This	wide at bottom, 10 ins. at top, 2 ins. deep, with velocity slightly in of 2 ft. per sec. I estimate flow at about .2 cu. ft. per sec., though it is said to vary considerably on account of irrigation above. The section of the surface is such that the entire 60 acres of the applicant can be irrigated from this ditch provided the quantity of water is sufficient Supply of water estimated as sufficient for 16 to 20 acres. We Rewhipple, Surveyor. OF OREGON, County of Marion Ss. Sisto certify that I have examined the foregoing application, together with the accompanying add data, and return the same for correction or completion, as follows:
TATE This taps an	wide at bottom, 10 ins. at top, 2 ins. deep, with velocity slightly in of 2 ft. per sec. I estimate flow at about .2 cu. ft. per sec., though it is said to vary considerably on account of irrigation above. The second the surface is such that the entire 60 acres of the applicant can be irrigated from this ditch provided the quantity of water is sufficient Supply of water estimated as sufficient for 16 to 20 acres. We will a water estimated as sufficient for 16 to 20 acres. Surveyor. OF OREGON, County of Marion Surveyor. Sist to certify that I have examined the foregoing application, together with the accompanying ad data, and return the same for correction or completion, as follows: order to retain its priority, this application must be returned to the State Engineer, with the accompanying and the contraction of the state Engineer, with the accompanying and the contraction of the state Engineer, with the accompanying and the contraction of the state Engineer, with the accompanying and the contraction of the state Engineer, with the accompanying and the contraction of the state Engineer, with the accompanying and the contraction of the state Engineer, with the accompanying and the contraction of the state Engineer, with the accompanying and the contraction of the state Engineer, with the accompanying and the contraction of the state Engineer, with the accompanying and the contraction of the state Engineer, with the accompanying and the contraction of the state Engineer, with the accompanying and the contraction of the state Engineer, with the accompanying and the contraction of the state Engineer, with the accompanying and the contraction of the state Engineer, with the accompanying and the contraction of the state Engineer, with the accompanying and the contraction of the state Engineer and the contraction of the contraction of the contraction of the contraction of the contraction
TATE This taps an	wide at bottom, 10 ins. at top, 2 ins. deep, with velocity slightly in of 2 ft. per sec. I estimate flow at about .2 cu. ft. per sec., though it is said to vary considerably on account of irrigation above. The softhe surface is such that the entire 60 acres of the applicant can be irrigated from this ditch provided the quantity of water is sufficient Supply of water estimated as sufficient for 16 to 20 acres. We R Whipple, Surveyor. OF OREGON, County of Marion Ss. So to certify that I have examined the foregoing application, together with the accompanying addata, and return the same for correction or completion, as follows: order to retain its priority, this application must be returned to the State Engineer, with one, on or before
TATE This taps an	wide at bottom, 10 ins. at top, 2 ins. deep, with velocity slightly in of 2 ft. per sec. I estimate flow at about .2 cu. ft. per sec., though it is said to vary considerably on account of irrigation above. The section of the surface is such that the entire 60 acres of the applicant can be irrigated from this ditch provided the quantity of water is sufficient Supply of water estimated as sufficient for 16 to 20 acres. We Remipple. Surveyor. OF OREGON, Sistematical assufficient for 16 to 20 acres. We remipple. Surveyor. Or or or of Marion Sistematical assufficient for 16 to 20 acres. We remipple. Surveyor. Or or or or or of Marion Sistematical assufficient for 16 to 20 acres. We remipple. Surveyor. Or
TATE This caps an In correction WI	wide at bottom, 10 ins. at top, 2 ins. deep, with velocity slightly in of 2 ft. per sec. I estimate flow at about .2 cu. ft. per sec., though it is said to vary considerably on account of irrigation above. The section of the surface is such that the entire 60 acres of the applicant can be irrigated from this ditch provided the quantity of water is sufficient Supply of water estimated as sufficient for 16 to 20 acres. We Remipple. Surveyor. OF OREGON, Sistematical assufficient for 16 to 20 acres. We remipple. Surveyor. Or or or of Marion Sistematical assufficient for 16 to 20 acres. We remipple. Surveyor. Or or or or or of Marion Sistematical assufficient for 16 to 20 acres. We remipple. Surveyor. Or
TATE This caps an In correction WI	wide at bottom, 10 ins. at top, 2 ins. deep, with velocity slightly in of 2 ft. per sec. I estimate flow at about .2 cu. ft. per sec., thought it is said to vary considerably on account of irrigation above. The section of the surface is such that the entire 60 acres of the applicant can be irrigated from this ditch provided the quantity of water is sufficient Supply of water estimated as sufficient for 16 to 20 acres. We will whipple, Surveyor. OF OREGON, County of Marion Sist to certify that I have examined the foregoing application, together with the accompanying addata, and return the same for correction or completion, as follows: order to retain its priority, this application must be returned to the State Engineer, with the same, on or before TNESS my hand this. day of

15

Application No4394	.
Permit No. 2558	

PERMIT

TO APPROPRIATE
THE PUBLIC WATERS OF
THE STATE OF OREGON

Division No District No
This instrument was first received
in the office of the State Engineer as
Salem, Oregon, on the 17
day of July , 191 5
at 8:30 o'clock Am.
Returned to applicant for correction
Corrected application received
Approved: Jul 30 1915
Recorded in Book No10 or Permits, on Page 2558
John H Lewis
1 map RS \$6.00 State Engineer

STATE OF OREGON,

n

County of Marion

subject to such reasonable rotation system as may b	e ordered by the proper State officer	
icial use and not to exceed	cubic feet per second, or its equivalent i	to be n case
icial use and not to exceed0.25	cubic feet per second, or its equivalent i	
otation. The priority date of this permit is	July 17, 1915	n case
	July 17, 1915	n case
otation. The priority date of this permit is	July 17, 1915 Defore July 30, 1916	n case
otation. The priority date of this permit is	July 17, 1915 Defore July 30, 1916 diligence and be completed on or before June 1, 1917	n case
rotation. The priority date of this permit is	July 17, 1915 Defore July 30, 1916 Defore and be completed on or before June 1, 1917 Deposed use shall be made on or before October 1, 1918	n case

Permits for power development are subject to the limitation of franchise as provided in Sec. 6633, Lord's Oregon Laws, and the payment of annual fees as provided in Chapter 213, Laws of 1915.