*APPLICATION FOR PRIMARY

To Appropriate the Public Waters of the State of Oregon

| If the explicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Old channel of Fillamette River Oleme of threat a tributary of Fillamette River 2. The amount of water which the applicant intends to apply to beneficial use is .53875 rabic feet per second. Ho. 3235 No. 430375 The use to which the water is to be applied is No. 33.9264 No. 55.6950 E. 60 chains from the No. 4 - S.6950 E. 60 chains from the No. 4 - S.6950 E. 60 chains from the No. 4 - S.6950 E. 60 chains from the No. 5 - S.6950 E. 60 chains from the No. 6 - S.6950 E. 60 chains from the No. 6 - S.6950 E. 60 chains from the No. 6 - S.6950 E. 60 chains from the No. 6 - S.6950 E. 60 chains from the Normer of S. 32, T. 14S. E. 4V. (If protectable, give distance and bearing to section corner) (If protectable, give distance and bearing to section corner) (If protectable, give distance and bearing to section corner) (If protectable, give distance and bearing to section corner) (If protectable, give distance and bearing to section corner) (If protectable, give distance and bearing to section corner) (If protectable, give distance and bearing to section corner) (If protectable, give distance and bearing to section corner) (If protectable, give distance and bearing to section corner) (If protectable, give distance and bearing to section corner) (If protectable, give distance and bearing to section corner) (If protectable, give distance and bearing to section of the section of Sect. No. 4 - 32 . Tp. 14 Section of Sect. No. 4 - 32 . Tp. 14 Section of Sect. No. 4 - 32 . Tp. 14 Section of Sect. No. 4 - 32 . Tp. 14 Section of Sect. No. 4 - 32 . Tp. 14 Section of Sect. No. 4 - 32 . Tp. 14 Section of Sect. No. 4 - 32 . Tp. 14 Section of Sect. No. 4 - 32 . Tp. 14 Section of Sect. No. 4 - 32 . Tp. 14 Section of Sect. No. 4 - 32 . Tp. 14 Section of Sect. No. 4 - 32 . Tp. 14 Section of Sect. No. 4 - 32 . Tp. 14 Section of Sect. No. 4 - 32 . Tp. 14 Section of Sect. No. 4 - 32 . Tp. 14 | NEST OF | Oregon | ien de kereks mel | he application for a manufactor and |
|---|---|--|--|---|
| If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Old channal of Elllamette River 2. The amount of water which the applicant intends to apply to beneficial use is .53875 whice feet per second. No. 3235 No. 430375 whice feet per second. No. 3235 No. 430375 "The use to which the water is to be applied is Irrigation (Organical Manuscriptic another applies of the No. 486°50¹ E. 60 chains from the No. 3 - 3.7 I. 14 S.; R. 4 W. (It was a manuscriptic another applies of the No. 486°50¹ E. 60 chains from the No. 3 - 3.7 I. 14 S.; R. 4 W. (It was a manuscriptic another applies of the No. 487 of SE¹ No. 487 of SE² No. 427 of SE² No. 6 Chains are and the normal of the No. 3 - 31 (Ithms of the No. 3 | iallandan d | | | • |
| 1. The source of the proposed appropriation is | | • | | |
| Ofference of distance of dista | iy the | appacant is a corpo | oration, give date and place o | f incorporation |
| 2. The amount of water which the applicant intends to apply to beneficial use is .53875 """"""""""""""""""""""""""""""""""" | . 1. Th | e source of the prop | cosed appropriation is 014 | channel of Willamette River |
| while feet per second. No. 2 - 225 No. 4 - 30375 (We write is to be used from more that was source, fire quantity from each) **3. The use to which the water is to be applied is No. 3 = 3.9 ² 204 Nr. 55,5 chains from the No. 4 - 5,6 ² 50 Nr. 60 chains from the No. 4 - 5,6 ² 50 Nr. 60 chains from the No. 4 - 5,6 ² 50 Nr. 60 chains from the No. 4 - 5,6 ² 50 Nr. 60 chains from the No. 5 - 5,6 ² 50 Nr. 60 chains from the No. 6 - 5,6 ² 50 Nr. 60 chains from the No. 6 - 5,6 ² 50 Nr. 60 chains from the No. 6 - 5,6 ² 50 Nr. 60 chains from the No. 6 - 5,6 ² 50 Nr. 60 chains from the No. 6 - 5,6 ² 50 Nr. 60 chains from the No. 6 - 10 Nr. 60 N | | *************************************** | , a tributary of | Willamette River |
| **3. The use to which the water is to be applied is **Irigation** **No. 3 = 3.9000 *** ** 55.5 chains from the No. 4 - 5.600 *** \$.600 | 2. Th | e amount of water t | which the applicant intends to | apply to beneficial use is |
| **3. The use to which the water is to be applied is No. 3 = 3.900 N. 55.5 chains from the No. 4 - 5.690 N. 65.5 chains from the No. 4 - 5.690 N. 60 chains from the NE corner of Sa. 32, T. 145.8 R. AN. (Rection or subdivision) (If sectorable, give distance and bearing to metion corner) (If there is more than one point of diversion, such must be described. Unsuscepts short if sectorable is give distance and bearing to metion corner) (If there is more than one point of diversion, such must be described. Unsuscepts short if sectorable is give distance and bearing to metion corner) (If there is more than one point of diversion, such must be described. Unsuscepts short if sectorable is give distance and bearing to metion corner) (If there is more than one point of diversion, such must be described. Unsuscepts short if sectorable is give distance and bearing to metion corner) (If there is more than one point of diversion, such must be described. Unsuscepts short if it is not sectorable is give distance and bearing to metion corner) (If water is more than one point of diversion, such must be described. Unsuscepts short if it is not sectorable is give distance and bearing to metion corner) (If water is to be pumped give general description. (If water is to be pumped give general description. (In the corner is the power of around dam) (If water is to be pumped give general description. (If water is to be pumped give general description. (In the corner is the power is to be pumped give general description. (If water is to be pumped give general description. (If water is to be pumped give general description. (If water is to be pumped give general description. (If water is to be pumped give general description. (If water is to be general description. (If water is 50 chains from the country. (If water is 50 chains from the country. (If w | ubic feet pe | er second. No. 3 - | 235 No. 430375 | |
| No. 3 = 3.9 O 1 | ••3. Th | e use to which the : | vater is to be annied is | . |
| 4. The point of divergion is located 4 W. ft. (Res) and ft. (Res) from the corner of S. 31, T. 14S., R. 4W. (Bestim or subdivision) (If preferable, give distance and bearing to notion corner) (If there is many than one point of divergion, each must be described. Use supported shipt if supporter) (If there is many than one point of divergion, each must be described. Use supported shipt if supporter) (If there is many than one point of divergion, each must be described. Use supported shipt if supporter) (If there is many than one point of divergion, each must be described. Use supported shipt if supporter) (If there is many than one point of divergion, each must be described. Use supported shipt if supporter) (If there is many than one point of divergion, each must be described. Use supported shipt if supporter) (If there is many than one point of divergion, each must be described. Use supported shipt if supporter) (If there is many than one point of divergion, each must be described. Use supported shipt if supporter) (If there is many than one point of divergion, each must be described. Use supported shipt if supporter) (If there is many than one point of divergion, each must be described. Use supported shipt if supporter) (If there is many than one point of divergion, each must be described. Use supported shipt if supporter) (If there is many than one point of divergion, each must be described. Use supported shipt if supporter) (If there is not labely is supported to supporte shipt if supporter) (If there is many than one point of divergion) (If there is many than one point of divergion) (If there is many than one point of divergion) (If there is many than one point of divergion is supported to supported than one point of supported to supported the supported to supported than one point of supported to supported than one point of supported to supported than one point of su | | | (In | rigation, power, mining, manufacturing, domestic supplies, etc.) |
| (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use specified stay if necessary) (a) the control of | | | No. 4 - S.6050 | O' E. 60 chains from the |
| (If there is more than one point of diversion, each must be described. Dis supergies sheet if measures?) peing within the No. 3 - NR1 of SR2 No. 4 - NR1 of SW2 of Sec. No. 4 - 32 , Tp. 14 S. (Give smallest legal subdivision) 5. The Main pipe line to be 1200 feet No. 3 - 31 (Miles or feet) n length, terminating in the No. 4 - NR1 of SW2 of Sec. No. 4 - 32 , Tp. 14 S. (Recallest legal subdivision) R. 4 NR W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at botto feet; material to be used and character of construction (Loose rock. concrete. mason oct and brush, timber crib. etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description Fairbanks Morse 4 centrifugal | .or ner 0j | | (Section or subc | division) |
| (If there is more than one point of diversion, each must be described. Dis supergies sheet if measures?) peing within the No. 3 - NR1 of SR2 No. 4 - NR1 of SW2 of Sec. No. 4 - 32 , Tp. 14 S. (Give smallest legal subdivision) 5. The Main pipe line to be 1200 feet No. 3 - 31 (Miles or feet) n length, terminating in the No. 4 - NR1 of SW2 of Sec. No. 4 - 32 , Tp. 14 S. (Recallest legal subdivision) R. 4 NR W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at botto feet; material to be used and character of construction (Loose rock. concrete. mason oct and brush, timber crib. etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description Fairbanks Morse 4 centrifugal | ······································ | *************************************** | ****** | |
| (If there is more than one point of diversion, each must be described. Dis supergies sheet if measures?) peing within the No. 3 - NR1 of SR2 No. 4 - NR1 of SW2 of Sec. No. 4 - 32 , Tp. 14 S. (Give smallest legal subdivision) 5. The Main pipe line to be 1200 feet No. 3 - 31 (Miles or feet) n length, terminating in the No. 4 - NR1 of SW2 of Sec. No. 4 - 32 , Tp. 14 S. (Recallest legal subdivision) R. 4 NR W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at botto feet; material to be used and character of construction (Loose rock. concrete. mason oct and brush, timber crib. etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description Fairbanks Morse 4 centrifugal | | | | |
| (If there is more than one point of diversion, each must be described. Dis supergies sheet if measures?) peing within the No. 3 - NR1 of SR2 No. 4 - NR1 of SW2 of Sec. No. 4 - 32 , Tp. 14 S. (Give smallest legal subdivision) 5. The Main pipe line to be 1200 feet No. 3 - 31 (Miles or feet) n length, terminating in the No. 4 - NR1 of SW2 of Sec. No. 4 - 32 , Tp. 14 S. (Recallest legal subdivision) R. 4 NR W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at botto feet; material to be used and character of construction (Loose rock. concrete. mason oct and brush, timber crib. etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description Fairbanks Morse 4 centrifugal | | | • | |
| (If there is more than one point of diversion, each must be described. Dis supergies sheet if measures?) peing within the No. 3 - NR1 of SR2 No. 4 - NR1 of SW2 of Sec. No. 4 - 32 , Tp. 14 S. (Give smallest legal subdivision) 5. The Main pipe line to be 1200 feet No. 3 - 31 (Miles or feet) n length, terminating in the No. 4 - NR1 of SW2 of Sec. No. 4 - 32 , Tp. 14 S. (Recallest legal subdivision) R. 4 NR W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at botto feet; material to be used and character of construction (Loose rock. concrete. mason oct and brush, timber crib. etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description Fairbanks Morse 4 centrifugal | | | • • | |
| (Rock) R. 4 No. W. M., in the county of Line 5. The Main pipe line 10. 4 No. 3 - 31 (Millen or feet) 10. 4 No. 3 - 31 (Millen or feet) 10. 5 No. 3 - 31 (Millen or feet) 10. 6 No. 3 - 31 (Millen or feet) 10. 6 No. 3 - 31 (Millen or feet) 10. 6 No. 3 - 31 (Millen or feet) 10. 6 No. 3 - 32 (No. 6 No. 4 - 32 No. 1 No. 6 No. | | | | |
| (Rock) R. 4 No. W. M., in the county of Line 5. The Main pipe line 10. 4 No. 3 - 31 (Millen or feet) 10. 4 No. 3 - 31 (Millen or feet) 10. 5 No. 3 - 31 (Millen or feet) 10. 6 No. 3 - 31 (Millen or feet) 10. 6 No. 3 - 31 (Millen or feet) 10. 6 No. 3 - 31 (Millen or feet) 10. 6 No. 3 - 32 (No. 6 No. 4 - 32 No. 1 No. 6 No. | | | (If preferable, give distance and bearing | to section corner) |
| S. W. M., in the county of Line 5. The Main pipe line 10 be 1200 feet 11 be 1200 feet 12 be | | (If there is more than | n one point of diversion, each must be descr | to section corner) ribod. Use sepaggie short if neggency) |
| 5. The Main pipe line to be 1200 feet No. 3 - 31 (Milles or feet) n length, terminating in the No. 4 - 12 of Sec. No. 4 - 32 , Tp. 14 Sec. (No. 5) R | peing within | (If there is more than the No. 3 - NS.) | n one point of diversion, each must be descr of SEZ No. 4 -NWZ of SW | to section corner) without. Use separate short M nearmary) 14. of Sec. No. 4 - 32 , Tp. 14. S. |
| No. 3 - 31 (Miles or feet) n length, terminating in the No. 4 - 12 of Sw. No. 4 - 32 , Tp. 14 8. (Smallest legal subdivision) R | R 4 W. | (0 | n one point of diversion, each must be descr of SE2 No. 4 -Ni2 of SW tre smallest legal subdivision) | to section corner) ribod. Use separate short if necessary) 3. of Sec. No. 4 - 32 , Tp. 14 S. (N or S.) |
| n length, terminating in the No. 4 - 101 SW2 of Sw2 of Sec. No. 4 - 32 Tp. 14 & (Nors) R | R. 4 %. (E. or W.) | , W. M., in the co | n one point of diversion, each must be descr of SR2 No. 4 -NW2 of SW live smallest legal subdivision) runty of Linn | (N or \$) |
| DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at botto feet; material to be used and character of construction (Loose rock, concrete, mason (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description. Fairbanks Morse 4 th centrifugal | R. 4 %. (E. or W.) | W. M., in the co | n one point of diversion, each must be descr of SEA No. 4 — NHA of SW live smallest legal subdivision) runty of Linn | (N ors) |
| 6. (a) Height of dam feet, length on top feet, length at botto feet; material to be used and character of construction (Loose rock. concrete. mason ock and brush, timber crib. etc., wastewed over or around dam) (b) Description of headgate (Timber, concrete. etc., number and size of openings) (c) If water is to be pumped give general description. Fairbanks Morse 4 th centrifugal | 2. 4 % • (E. or W.) 5. Th | , W. M., in the co | n one point of diversion, each must be described of SE2 No. 4 -NW2 of SW ive smallest legal subdivision) Linn Linn no no no no no no no no no | to be 1200 feet No. 3 - 31 (Milles or feet) |
| 6. (a) Height of dam feet, length on top feet, length at botto feet; material to be used and character of construction (Loose rock, concrete, mason (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description Fairbanks Morse 4 ⁿ centrifugal | R. 4 %. (E. or W.) 5. Th in length, te | W. M., in the co | n one point of diversion, each must be deed of SE2 No. 4 -Nh2 of SW two smallest legal subdivision) runty of Linn no dich. cannot represent the second representation of SW (Smallest legal subdivision) | to be 1200 feet No. 3 - 31 (Miles or feet) of Sec. No. 4 - 32 , Tp. 14 8. |
| feet; material to be used and character of construction (Loose rock concrete mason (b) Description of headgate | R. 4 W. (E. or W.) 5. Th n length, te R4 W | w. M., in the co | n one point of diversion, each must be described for SE2 No. 4 -NE2 of SW ive smallest legal subdivision) Linn Linn And Control of SE2 (Smallest legal subdivision) (Smallest legal subdivision) proposed location being show | to be 1200 feet No. 3 - 31 (Million or feet) of Sec. No. 4 - 32 , Tp. 14 8. on throughout on the accompanying map. |
| (Loose rock, concrete, mason (b) Description of headgate | S. 4 W. (E. er W.) 5. Th n length, te R | W. M., in the coefficient, W. M., in the coefficient, W. M., in the coefficient, w. M., w. | n one point of diversion, each must be described of SE2 No. 4 -NE2 of SW ive smallest legal subdivision) Linn Linn And Control of SE2 (Smallest legal subdivision) (Smallest legal subdivision) proposed location being show DESCRIPTION OF V | to be 1200 feet No. 3 - 31 (Million or feet) of Sec. No. 4 - 32 , Tp. 14 &. on throughout on the accompanying map. |
| (b) Description of headgate | R. 4 W. (E. er W.) 5. Th n length, te R | w. M., in the co | n one point of diversion, each must be described of SE2 No. 4 -Ni2 of SW live smallest legal subdivision) The smallest legal subdivision of SW live smallest legal subdivision of SW li | to be 1200 feet No. 3 - 31 (Million or feet) of Sec. No. 4 - 32 , Tp. 14 & on throughout on the accompanying map. WORKS n top feet, length at botto |
| (c) If water is to be pumped give general description Fairbanks Morse 4" centrifugal | R. 4 W. (E. er W.) 5. Th n length, te R | w. M., in the co | n one point of diversion, each must be described of SE2 No. 4 -Ni2 of SW live smallest legal subdivision) The smallest legal subdivision of SW live smallest legal subdivision of SW li | to be 1200 feet No. 3 - 31 (Million or feet) of Sec. No. 4 - 32 , Tp. 14 & on throughout on the accompanying map. WORKS n top feet, length at botto |
| (c) If water is to be pumped give general description Fairbanks Morse 4" centrifugal | R. 4 W. (B. et W.) 5. Th n length, te R. 4 W. (C. et W.) (C. et W.) (C. et W.) | w. M., in the co | n one point of diversion, each must be described. of SE2 No. 4 -Ni2 of SW live smallest legal subdivision) runty of Linn no am of the control of SW (Smallest legal subdivision) proposed location being show DESCRIPTION OF W feet, length on to be used and character of co | to be 1200 feet No. 3 - 31 (Million or feet) of Sec. No. 4 - 32 , Tp. 14 S. on throughout on the accompanying map. WORKS n top feet, length at botto instruction (Loose rock, concrete, mason |
| (c) If water is to be pumped give general description Fairbanks Morse 4" centrifugal | C. 4 W. C. er W.) 5. Th n length, te R | w. M. M., in the coe Main pips 1i Mrminating in the Mr W. M., the Orks— Height of dam feet; material | n one point of diversion, each must be deece of SE2 No. 4 -Ni 2 of SW ive smallest legal subdivision) unity of Linn The num duch case I plus legal (Smallest legal subdivision) proposed location being show DESCRIPTION OF V feet, length on to be used and character of co er or around dam) ate | to be 1200 feet No. 3 - 31 (Miles or feet) of Sec. No. 4 - 32, Tp. 14 & (N or 5) on throughout on the accompanying map. WORKS n top feet, length at botto matruction (Loose rock, concrete, mason |
| | R. 4 W. (R. er W.) 5. Th n length, te R. 4 W. (R. er Diversion W. 6. (a) | w. M. M., in the coe Main pips 1i Mrminating in the Mr W. M., the Orks— Height of dam feet; material | n one point of diversion, each must be deece of SE2 No. 4 -Ni 2 of SW ive smallest legal subdivision) unity of Linn The num duch case I plus legal (Smallest legal subdivision) proposed location being show DESCRIPTION OF V feet, length on to be used and character of co er or around dam) ate | to be 1200 feet No. 3 - 31 (Miles or feet) of Sec. No. 4 - 32, Tp. 14 & on throughout on the accompanying map. WORKS n top feet, length at botto matruction (Loose rock, concrete, mason |

*A different form of application is provided where storage works are contemplated.
**Application for permity to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the receptive Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Selem.

| Canal System of Phys Line | | | |
|---------------------------|---|--|-------|
| | | المسيح التستعلق | |
| | | 1 | 2 |
| | _ | the state of the s | |

| | 35500 | | | | |
|--------|----------------------------|---|-----------------|--|--|
| C CL | | | the state of as | China de Armanda de La Companya de L | A Committee of the Comm |
| | The Marie To | terre di e di e di | | ay a said a | nged in size, stating miles from |
| he | | The same of the same | | an sheathan an teach a | foot; width on botton |
| the | usend feet. | lest; depth of u | eter (| feet; grade | feet fall per on |
| | (b) At | | miles from h | eadpute: width on top (at we | ster line) |
| ****** | | leet; width on b | offens | feet; depth o | f water fee |
| gro | de | feet fall | per one thou | wand feet. | • |
| | (c) Length | of pipe, 120 | XO ft. | ; size at intake,5 | in.; size at 700 |
| fro | m intake | i in.; | size at place | of use | difference in elevation betwee |
| int | ake and place | of use, U |) | is grade uniform? 796 | Estimated capacity |
| •••• | 1.6 | sec. ft. | • | | |
| | 8. Location | of area to be i | rrigated, or p | lace of use (See below | V |
| | Township North or South | Range E. er W. af Willemotte Herskinn | derties | Forty-acre Tract | Number Acres To Be Irrigated |
| ». 3_ | 14.5 | 4 W | . 31 | MB of SB | 17.0 |
| | 14 8 | 4 11 | 32 | NW of SW | 1.8 |
| | | | | | 18.8 |
| | | | | | |
| 4 | 14 S | 4 W | 32 | NW of SW | 23.5 |
| - | 14 \$ | 4 W | 32 | SW2 of SW2 | 0.8 |
| | | V - | | | |
| | | | | | 24.3 |
| | | Total A | ATTA 1 ATT | | 43.1 |
| | | 1042 A | er sega | | 4)*1 |
| _ | | | | | |
| _ | | | | | |
| _ | | | (If more spac | e required, attach separate sheet) | |
| | (a) Cha | racter of soil | | | |
| | | | đ | | ······································ |
| Pe | wer or Mining | - | | | , |
| | | | | | theoretical horsepower |
| | | | | power | . sec. ft. |
| | | | | (Head) feet, | |
| | (d) The | e nature of the t | works by mea | ns of which the power is to | be developed |
| • • • | | | | | |
| | (e) Suc | h works to be l | ocated in | (Legal subdivision) | of Sec. |
| T | p | , R(No. 1 | , W. | M | |
| | (f) Is t | vater to be retu | rned to any s | tream? (Yes or No) | |
| | | | | oint of return | |
| | | | | | , R, W, W |
| | | | | | 5.) (No E. or W.) |
| | | | | | |

| | 2560 | H |
|-------------------------------------|--|----------|
| | | |
| 1 | | |
| د. | | |
| | (6) If the desiration we have making if position to be supplied. | |
| | | |
| | A Submitted and of progned works, & 600-60 | |
| | 12. Construction worth will begin on or before Salan classe 1949 | |
| | 12. Construction work will be completed on or before | <u>a</u> |
| in Section (1997) Section (1997) | | 6.00 |
| | Victor Heffin | |
| | Control of actions | |
| | Remarks: | |
| ***** | | |
| | | •••• |
| | | |
| antos | | |
| - | | |
| | | ••• |
| | | •••• |
| • | | •••• |
| | | |
| | • | |
| | | |
| | | |
| , | | • |
| S | TATE OF OREGON, 55. | |
| | County of Marion, | |
| | This is to certify that I have examined the foregoing application, together with the accom- naps and data, and return the same for | pα |
| 771 | saps and data, and return the same jor | |
| • | In order to retain its priority, this application must be returned to the State Engineer, with | h r |
| ti | ions on or before | |
| •• | | |
| | WITNESS my hand this day of | |
| | | |
| | | |
| | | |

, **f**.

| The use to which this water is to be applied isirrigation | - |
|--|---|
| The use to which this weter is to be applied isirrigation | |
| If for irrigation, this appropriation shall be limited to | |
| If for irrigation, this appropriation shall be limited to 1/80 of one cubic second or its equivalent for each acre irrigated and shall be further limited to a diverse of net to exceed 22 acre feet per acre for each acre irrigated during the irresponding to a second of each year. and shall be subject to such reasonable rotation system as may be ordered by the proper state off The priority date of this permit is July 7, 1958. Actual construction work shall begin on or before September 17, 1959 thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19. Complete application of the water to the proposed use shall be made on or before October WITNESS my hand this 17th day of September 19 58 | |
| and shall be subject to such reasonable rotation system as may be ordered by the proper state off The priority date of this permit is Actual construction work shall begin on or before Complete application of the water to the proposed use shall be made on or before October 1, 19. Complete application of the water to the proposed use shall be made on or before October WITNESS my hand this 17th. day of 28 19 59 19 | |
| and shall be subject to such reasonable rotation system as may be ordered by the proper state off The priority date of this permit is Actual construction work shall begin on or before Suptember 17, 1959 thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October WITNESS my hand this 17th day of Suptember 19, 59 Life 19, 59 L | |
| and shall be subject to such reasonable rotation system as may be ordered by the proper state off The priority date of this permit is Actual construction work shall begin on or before September 17, 1959 thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October WITNESS my hand this 17th day of September 19 58 | The use to which this water is to be applied isirrigation |
| and shall be subject to such reasonable rotation system as may be ordered by the proper state off The priority date of this permit is | |
| The priority date of this permit is | |
| The priority date of this permit is | |
| The priority date of this permit is | |
| The priority date of this permit is | |
| The priority date of this permit is Actual construction work shall begin on or before September 17, 1959 Thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 of Complete application of the water to the proposed use shall be made on or before October WITNESS my hand this 17th day of September 17, 1959 Complete application of the water to the proposed use shall be made on or before October WITNESS my hand this 17th day of September 17, 1959 Complete application of the water to the proposed use shall be made on or before October WITNESS my hand this 17th day of September 17, 1959 Complete application of the water to the proposed use shall be made on or before October WITNESS my hand this 17th day of September 17, 1959 Complete application of the water to the proposed use shall be made on or before October WITNESS my hand this 17th day of September 17, 1959 | |
| Actual construction work shall begin on or before September 17, 1959 thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October WITNESS my hand this 17th day of September 17, 1959 Complete application of the water to the proposed use shall be made on or before October WITNESS my hand this 17th day of September 17, 1959 Complete application of the water to the proposed use shall be made on or before October WITNESS my hand this 17th day of September 17, 1959 Complete application of the water to the proposed use shall be made on or before October WITNESS my hand this 19 59 19 59 10 10 10 10 10 10 10 10 10 10 10 10 10 1 | |
| Complete application of the water to the proposed use shall be made on or before October WITNESS my hand this 17th day of September 19.58 The september 19 | |
| WITNESS my hand this 17th day of September 19 59 W. | |
| PUBLIC IATE cretured in the alem, Oregon, M. M. SEB ATE DOINER ATE ENGINEER | 1, 19. 6 |
| PUBLIC IATE certived in the alem, Oregon, M. M. SEB ATE ENGINEER ATE ENGINEER | lu. |
| 5609 THE PUBLIC S STATE NN Ault Ault P. M. 25609 | DIODITES |
| FLO9 FLO9 S STATE NN at Salem, Oreg Ault P. M. 25609 | 6/1 |
| SCO9 SCOTION S | 761 |
| | page |
| STAN STAN SECOND STAN STAN SECOND STAN SECOND SECON | |
| PERMIT PERMIT PPRIATE THI RS OF THE S OF OREGON te Engineer at day of S. o'clock Licant: licant: S. o'clock A. STANIE S. A. STANIE | , , |
| Permit No. 25. Permit No. 25. Permit No. 25. PERMIT TO APPROPRIATE THE STATES OF THE STATES OF THE STATE OF OREGON This instrument was first radflice of the State Engineer at State of the State of | Drainage Basin No. 2 |
| TO A To A This insolution of the Control of the C | age B |