

24947

Permit No. 25665

RECEIVED

STATE ENGINEER
SALEM, OREGON

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

WY EAST CLACKAMAS

I, WY EAST CLACKAMAS
(Name of applicant)
of 8400 S. W. Canyon Lane, Portland, Oregon
(Mailing address)

State of _____, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation October 9, 1937
Oregon

1. The source of the proposed appropriation is unwaded spring, south side of Mt. Hood
(Name of stream)
, a tributary of Camp Creek

2. The amount of water which the applicant intends to apply to beneficial use is _____
cubic feet per second, normal domestic use for cabin lodging up to 30 persons
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located _____ ft. _____ and _____ ft. _____ from the
(N. or S.) (E. or W.)
corner of Tract E of Timberline Recreation Unit, ~~SECTION~~ section 7 T3S R9E
(Section or subdivision)
Mt. Hood National Forest, Clackamas County

1612.1 ft S. and 1598.2 ft W. from the N. E. corner of Section 7
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)

being within the SW 1/4 NE 1/4 of Sec. 7, Tp. 3 S
(Give smallest legal subdivision) (N. or S.)

R. 9 E, W. M., in the county of Clackamas
(E. or W.)

5. The wire line to be 350 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the above tract of Sec. _____, Tp. _____
(Smallest legal subdivision) (N. or S.)

R. _____, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 2 feet feet, length on top _____ feet, length at bottom _____
feet; material to be used and character of construction square wooden box
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate pine in wooden box
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description natural flow
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of _____
County, having a present population of _____
and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied 35 and number _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ installed in 1934 _____
- 12. Construction work will begin on or before _____ installed in 1934 _____
- 13. Construction work will be completed on or before _____
- 14. The water will be completely applied to the proposed use on or before _____ since 1934 _____

By 'east Climbors

(Secretary of applicants)

Al Turnak
President 1/8/58

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 21, 19 58.

WITNESS my hand this 23rd day of September, 19 58.

LEWIS A. STANLEY

STATE ENGINEER

NOT 2 1958 By
STATE ENGINEER
SALB. JORDON

James W. Carver, Jr.
James W. Carver, Jr.

ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 9.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed spring

The use to which this water is to be applied is domestic use in cabins

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 1, 1958

Actual construction work shall begin on or before November 20, 1959 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960.

Complete application of the water to the proposed use shall be made on or before October 1, 1961.

WITNESS my hand this 20th day of November 1958

Handwritten signature of Lewis A. Stanley, State Engineer

Application No. 22223
Permit No. 25665

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 1st day of April 1958, at 8 o'clock A. M.

Returned to applicant:

Approved:

November 20, 1958

Recorded in book No. 69 of Permits on page 25665

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 3 page 12C

Fees \$0.00