***APPLICATION FOR PERMIT**

To Appropriate the Public Waters of the State of Oregon

of	(Mana of applicant)
	ROUTE 4 Box 364 A CORVAILS ORE 90 N
State	of ORE 90 N, do hereby make application for a permit to appropriate the
	ving described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
	If the applicant is a corporation, give date and place of incorporation
	1. The source of the proposed appropriation is EAST Channel of Willement River
	2. The amount of water which the applicant intends to apply to beneficial use is
cubic	feet per second.
	(If water is to be used from more than one source, give quantity from each)
	*3. The use to which the water is to be applied is
corne	4. The point of diversion is located 903.25 ft. N and 1477\$ & from the NW of Sec. 18, 86(Mg with The SELL SW/4 of Section 7 (Botton or subdivision)
*******	. 536.67 ft s AND 1615.79 ft. E FROM THE NW CORNER OF Sec. 1
······································	(If preferable, give distance and bearing to section corner)
being	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) within the AE Mee Mak See (Give smallest legal subdivision) (Give smallest legal subdivision)
being	(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) within the AS MAR SEAR SEAR SEAR SEAR SEAR SEAR SEAR SE
₹	5. The Pipe / Men and a second to be 1900 ft.
₹	5. The Pipe / Men and a second to be 1900 ft.
R n len	(E. or W.) W. M., in the county of BENTOD
R n len R	(E. or W.) 5. The PIPE / NE to be 1900 fr. (Main dich, canal or pipe line) gth, terminating in the N. W. M. Sec 18 also of Sec. 18-7, Tp. 12-5 (Smallder legal subdivision) (W. M. the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS
R n len R	(E. or W.) 5. The P. P. F. I.W. (Main ditch, canal or pipe line) gth, terminating in the W. H. O. N. W. M. Sec. (Smaller legal subdivision) (E. or W.) (Miller or feet) (Miller or feet) (Miller or feet) (Miller or feet) (N. or S.) (Remailer legal subdivision) (N. or S.) (DESCRIPTION OF WORKS
n len R Diver	(E. or W.) 5. The PIPE / NE to be 1900 fr. (Main dich. canal or pipe line) gth, terminating in the N. W. M. Sector also of Sec. 18-7, Tp. 12-5 (Smallder legal subdivision) W. M. the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS
n len	(E. or W.) 5. The P.P. (Mata ditch, canal or pipe line) (gth, terminating in the R.W. H. of NW. J., Sec. 18 of Sec. 18 - 7., Tp. 12.5 (Smallder legal subdivision) W. M the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS sion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

^{*}A different form of application is provided where storage works are contemplated.

[&]quot;Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

feet; depth of water feet; grade feet fall per (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water frade feet fall per one thousand feet.	readgate. At hea	dgate: width on	top (at wat	ter line)	feet; width on botto
feet; width on bottom feet fall per one thousand feet. (c) Length of pipe feet fall per one thousand feet. (c) Length of pipe fit; size at intake, in; size at rom intake in; size at place of use intake and place of use sec. ft. 8. Location of area to be irrigated, or place of use Footback Sec. ft. 8. Location of area to be irrigated, or place of use Footback	housand feet.	feet; depth of u	vater	feet; grade	feet fall per o
rade feet fall per one thousand feet. (c) Length of pipe fix, size at intake, in, size at rom intake in, size at place of use in, difference in elevation between take and place of use. ft. Is grade uniform? Sec. ft. 8. Location of area to be irrigated, or place of use Tournably seemed with protect place of use SW/4 9 NW/4 34.3 NW/4 9 NW/4 34.3 NW/4 9 NW/4 34.1 NW/4 9 NW/4 34.1 NW/4 9 NW/4 34.1 NW/4 9 NW/4 34.1 NW/4 9 NW/4 34.5 NW/4 9 SW/4 31.5 NW/4 9 SW/4 31.5 NE/4 9 SW/4 31.5 SE/4 9 SW/4 31.5	(b) At		miles from	headgate: width on top (at water	line)
(c) Length of pipe. ft.; size at intake, in.; size at rom intake in.; size at place of use in.; difference in elevation between ntake and place of use. ft. Is grade uniform? Sec. ft. 8. Location of area to be irrigated, or place of use The state of the uniform of the u		feet; width on b	ottom	feet; depth of w	ater fee
rom intake in.; size at place of use in.; difference in elevation between take and place of use. Sec. ft. S. Location of area to be irrigated, or place of use Sec. ft. S. Location of area to be irrigated, or place of use Tomostip and the irrigated of place of use SEM 9 NW 4 34.3 SW 4 9 NW 4 4.3 NE 4 9 NW 4 34.3 NE 4 9 NW 4 34.1 NW 4 9 NE 14 30.1 NW 4 9 NE 14 30.1 NW 4 9 NE 14 30.1 NW 4 9 NW 4 38.5 NW 4 9 NW 4 38.5 NW 4 9 NW 4 38.5 NW 4 9 NW 4 30.1 IDS 9 NW 4 9 NW 4 4.3 IDS	rade	feet fall	per one th	ousand feet.	,
rom intake in.; size at place of use in.; difference in elevation between take and place of use. Sec. ft. S. Location of area to be irrigated, or place of use Sec. ft. S. Location of area to be irrigated, or place of use Tomostip and the irrigated of place of use SEM 9 NW 4 34.3 SW 4 9 NW 4 4.3 NE 4 9 NW 4 34.3 NE 4 9 NW 4 34.1 NW 4 9 NE 14 30.1 NW 4 9 NE 14 30.1 NW 4 9 NE 14 30.1 NW 4 9 NW 4 38.5 NW 4 9 NW 4 38.5 NW 4 9 NW 4 38.5 NW 4 9 NW 4 30.1 IDS 9 NW 4 9 NW 4 4.3 IDS	(c) Lengt	h of pipe	f	t.; size at intake,	in.; size at
It is grade uniform? Sec. ft. 8. Location of area to be irrigated, or place of use Trouble of the irrigated of of use Trouble of the unit of use irrigated of use Trouble of the unit of use used for power Trouble of the unit of use used for power use of the unit of the units by means of which the power is to be developed Trouble of the unit of use used for power use of unit of the unit of the unit of use used for power use of use of use used of uses Trouble of use used of use used of use used of uses Trouble of use used of use used of uses Trouble of use used of use used of uses Trouble of use used of use used of uses Trouble of use used of use used of uses Trouble of use used of use used of uses Trouble of use used of use used of use used of uses Trouble of use used of use used of use used of uses Trouble of use used of use used of use used of use used of uses Trouble of use used of used used of use used o					
8. Location of area to be irrigated, or place of use Toronthip To					
Township Reserve Track Number Acres To Be Irrested Number Irrested Number Acres To Be Irrested Number Irre	*****************************	sec. ft.		•	
Number Array To Be Irritated 13	8. Locatio		rrigated, or	place of use	
SWY4 7 NW Y4 4.3 SWY4 7 NW Y4 4.3 NW Y4 7 NW Y4 34.1 NW Y4 7 NW Y4 34.1 NW Y4 7 NW Y4 39.5 NW Y4 7 NW Y4 30.1 SE Y4 7 SW Y4 37.3 173.4 (a) Character of soil Che halis Clay (92 m) (b) Kind of crops raised Rew Cap - Garn (b) Kind of crops raised Rew Cap - Garn (b) Kind of crops raised Rew Cap - Garn (c) Total amount of power to be developed theoretical horsepow (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in Observation of Sec. (The North Sec. No. 10.1 (It more space required, attach separate sheet) (a) Character of soil Che halis Clay (b) Garn (c) Total amount of power to be developed theoretical horsepow (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in Observation of Sec. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in Observation of Sec. (g) If so, name stream and locate point of return Sec. Tp. W. I.		3. or W. at	Section	Forty-acre Tract	Number Acres To Be Irrigated
SW/47 NE/4 4.3 NE/4 7 NW/4 34.1 NW/47 NE/4 3.6 NW/47 NE/4 30.1 NW/47 NW/4 30.1 NW/47 SW/4 36.5 NW/47 SW/4 36.5 NE/47 SW/4 31.5 SE/47 SW/4 7.3 IT SE/47 SW/4	12 5	4.0	18	SEX 9 NW 14	a4.a
SW/47 NE/4 4.3 NE/47 NW/4 34.1 NW/47 NE/4 3.6 NW/47 NE/4 30.1 NW/47 NW/4 30.1 NW/47 NW/4 30.1 NW/47 SW/4 36.5 NE/47 SW/4 31.5 SE/47 SW/4 7.3 IT more space required, attach apparted about) (a) Character of soil She helds Clay (as m) (b) Kind of crops raised Rew Cream Cream (b) Quantity of water to be developed theoretical horsepow (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in deserving the shedwards of the sec. ft. (g) If so, name stream and locate point of return Sec. 7p. Get. Rel. W. I.			· · · · · · · · · · · · · · · · · · ·	5W/4 7 NW/4	4.3
NE 14 9 NW 14 34.1 NW 14 7 NE 14 30.1 NW 14 7 NW 14 30.1 NW 14 7 NW 14 30.1 NW 14 7 SW 14 38.5 NW 14 7 SW 14 36.5 NE 14 8 SW 14 31.5 NE 14 8 SW 14 SW 14 SW 14 SW 14 SW 14 SW 14	••	-			4.3
NW 1/4 7 NW 1/4 30.1 135 4W 7 5W 1/4 30.1 135 4W 7 5W 1/4 36.5 NW 1/4 7 5W 1/4 36.5 NE 1/4 7 5W 1/4 36.5 NE 1/4 7 5W 1/4 31.5 173.4 (It more space required, attach separate absent) (a) Character of soil Che halis Clay (20 m) (b) Kind of crops raised Row Cap - Gagin (b) Kind of crops raised Row Cap - Gagin (c) Total amount of power to be developed theoretical horsepow (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in theoretical horsepow of Sec. (no N or 5) R. (No E or W.) (f) Is water to be returned to any stream? (Yes or No) (g) If so, name stream and locate point of return "Sec. "Tp. General, R. W. J.				1	24.1
NW/4 7 NW 1/4 30.1 135 4W 7 5W 1/4 38.5 " " NE 1/4 7 5W 1/4 36.5 " NE 1/4 7 5W 1/4 31.5 " " SE 1/4 7 5W 1/4 31.5 " " SE 1/4 7 5W 1/4 31.5 (a) Character of soil She halis She lay 100 m (b) Kind of crops raised Rew Sap - Geain (ver or Mining Purposes- 9. (a) Total amount of power to be developed theoretical horsepow (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed feet. (e) Such works to be located in theoretical horsepow of Sec. (f) Is water to be returned to any stream? (g) If so, name stream and locate point of return Sec. Tp. Geo. Not. R. W. J. (g) If so, name stream and locate point of return (g) If so, name stream and locate point of return (g) R. W. J.					_
135 4 w 7 5 w 4 38.5 38				1 1	
(a) Character of soil Cheholis Clay (22 m) (b) Kind of crops raised Rew Crep - Grain (a) Total amount of power to be developed theoretical horsepow (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in character in the control of Sec. (d) Is water to be returned to any stream? (vesor No) (g) If so, name stream and locate point of return (Wester No) (Wester No) (Wester No) (Wester No) (Red. M. or S.) (Wester No) (Red. M. or S.) (Red. M. or S.) (Vesor No) (Red. M. or S.) (Wester No)					
NW 447 5W 14 36.5 NE 47 5W 14 31.5 "" "" "" "" "" "" "" "" ""	125	4 w	7	5 W 14 2 5 W 14	38.5
(a) Character of soil Shehelis Clay (00m) (b) Kind of crops raised Row Chop - Grain (a) Total amount of power to be developed theoretical horsepow (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in Chesh (Most) of Sec. (no Nors.) (no Nors	"		**		
(a) Character of soil She helis Cley (as more spece required, attach separate abset) (b) Kind of crops raised Row Crop - Gerin (b) Kind of crops raised Row Crop - Gerin (c) Total amount of power to be developed theoretical horsepow (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in theoretical horsepow (e) Such works to be located in theoretical horsepow (f) Is water to be returned to any stream? (No. N. or. 5.) (No. E. or W.) (g) If so, name stream and locate point of return (General subdivision), R. (No. E. or W.) (General subdivision), R. (No. E. or W.)	**		•••	NE 1/4 of Sw 1/4	
(a) Character of soil Sheheles Clay (a.e. M. a.e. Sheheles Clay (b.e. M. a.e. Sheheles		,			7.3
(a) Character of soil Shehalis Clay (a) (b) Kind of crops raised Rew Casp - Grain (a) Total amount of power to be developed theoretical horsepow (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (Legal middivision) of Sec. (no N. or S.) (No. E. or W.) (f) Is water to be returned to any stream? (Yes or No) (g) If so, name stream and locate point of return (Ge. N. or S.), R. (No. D. or W.) (Ge. N. or S.), R. (No. D. or W.) (Ge. N. or S.), R. (Yes or No) (Ge. N. or S.), R. (Yes or No) (Ge. N. or S.), R. (No. D. or W.)					
(b) Kind of crops raised Rew CRop - GRAIN wer or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepow (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (Legal subdivision) (Rondon Nors), R. (No. E. or W.) (f) Is water to be returned to any stream? (yes or No) (g) If so, name stream and locate point of return (Rondon Rose), R. (No. E. or W.) (g) If so, name stream and locate point of return (g) Rondon Rose Rose Rose Rose Rose Rose Rose Rose	(a) Cha	racter of soil	be hale	e required, attach separate sheet)	
9. (a) Total amount of power to be developed theoretical horsepow (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in flegal subdivision of Sec. (No N. or S.) (No. E. or W.) (f) Is water to be returned to any stream? (Yes or No) (g) If so, name stream and locate point of return (g) Research of theoretical horsepow theoretical horsepow sec. ft. (Research of the works have a sec. ft. (Research of the works have	(b) Kin	d of crops raised	R	Cook Cook	
(b) Quantity of water to be used for power	wer or Mining	Purposes—			
(b) Quantity of water to be used for power			er to be de	veloped	theoretical horsenous
(c) Total fall to be utilized					
(d) The nature of the works by means of which the power is to be developed (e) Such works to be located in					1
(e) Such works to be located in	(d) The	nature of the wo	rks hu men	(Head)	
(e) Such works to be located in					
(No. N. or S.), R. (No. E. or W.) (f) Is water to be returned to any stream? (g) If so, name stream and locate point of return Sec. , R. (No. N. or S.), R. (No. N. or S.), W. 1	(e) Such	works to be loc			
(f) Is water to be returned to any stream? (yes or No) (g) If so, name stream and locate point of return Sec, Tp, R, W. 1) <u></u>	, R	W 1	(Legal subdivision)	of Sec.
(g) If so, name stream and locate point of return Sec, Tp, R, W. 1					
, Sec. , Tp. , R. , R. , W. 1	(g) If so	, name stroom a	nd looms =	(Yes or No)	
(h) The use to which moves in the last to the control of the last to which moves in the last to the control of the		, онешти (ine iocate po	nni oj return	
III. I DP 1180 to author masses in a . 1	(L) m	, a	EC	, Tp(No. N. or S.)	R, W. M.
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	(i) Ine	nature of the mir	res to be ser	rved	

10. (a) To supply the city of	-				
Oleme of) County, hevis	ng a present population of				
and an estimated population of					
(Answer questions 11, 12, 13, and 14 in all cases) 11. Estimated cost of proposed works, \$					
12. Construction work will begin o	n or before				
13. Construction work will be com	pleted on or before COMPICTED				
14. The water will be completely as	14. The water will be completely applied to the proposed use on or before 54448 4 193				
v					
	Theolf Virille				
•	(Signature of applicant)				
Remarks:					
,					
-					
	•				
STATE OF OREGON, \ss.					
County of Marion,					
This is to certify that I have exact	mined the foregoing application, together with the accompan				
maps and data, and return the same for	completion				
In order to retain its priority, thi	s application must be returned to the State Engineer, with co				
tions on or before December 3.					
	13 20				
WITNESS my hand this 3rd	day of October , 19 58.				
Merive:	ጋ				
	! }				
007.00.000	LEWIS A. STANLEY				

STATE OF OREGON,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.17 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from East Channel of Willamet					
Biver					
The use to which this water is to be applied is 1rrigation					
If for irrigation, this appropriation shall be limited to					
second or its equivalent for each acre irrigated and shall be fur					
of not to exceed 22 acre feet per acre for each acre					
season of each year, provided further that the amount together with the amount secured under any other rigi					
shall not exceed the limitation allowed herein,					
and shall be subject to such reasonable rotation system as may be o	rdered by the proper state officer.				
The priority date of this permit is	ly. 151958				
Actual construction work shall begin on or before	·				
thereafter be prosecuted with reasonable diligence and be complete					
Complete application of the water to the proposed use shall b	•				
WITNESS my hand this 20th day of No.	vember , 19 58 .				
	STATE ENGINEER				
egon the	of NEER				
PUBLIC FATE CATE salem, Or M. D. M.	69 of GTCS STATE ENGINEER page 76A19				
THE PUBLIC STATE NN at Salem, Oregon, D. M. P. M.	69 STATE				

Application No. 92457

Permit No. 25673

PERMIT

office of the State Engineer at Salem, Oreg TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON This instrument was first received in

19 5.8, at 3:25 o'clock: Returned to applicant:

on the 15th day of July

Approved:

Recorded in book No. 69 November 20, 1958

Permits on page

LIMIS A. STANIET

Drainage Basin No. Fees 29 20

2

State Printing 98135