

SEP 4 1958
STATE ENGINEER CAPITATION FOR PERMIT
SALEM OREGON
TO Appropriate the Public Waters of the State of Oregon

I, Attion and Lillian Browns Glasse of spain		·····	
Rt. 1, Box 305 B. Albany		······································	
ests of			
llowing described public waters of the State of Oregon, S	UBJECT TO	EXIST	TING RIGHTS:
If the applicant is a corporation, give date and place of	of incorporati	on	
	*		
1. The source of the proposed appropriation isunna	med creek	(Nume of	(Stream)
, a tributary of	South San	ti.am	River
2. The amount of water which the applicant intends to	apply to be	refic ia l	l use is .54625
bic feet per second. (R water is to be used from me	The Maria and travers		with Ann and
**3. The use to which the water is to be applied is	mication		nufacturing, domestic supplies, etc.)
	***************************************		·
4. The point of diversion is located ft.	and r 8.)	ft.	from the
rner of No. 1 - S. 38° 50 ' E. 15.75 chains No. 2 - S. 58° E. 22.5 chains	division)		

No. 3 - S. 71, E. 28.5 chains	•		
All from NW corner S. 15, T. 11 S, fi	. 2 W.		
(If preferable, give distance and bearing	to section corner)		
(If there is more than one point of diversion, each must be desc			
ing within the No. 1 & 2 -NW of NW 1 NO. 3 - NE 4 Opt NW 4 legal subdivision)	of Sec	ב	, Tp. 11 S
2 W , W. M., in the county of Linn		-•	
5. The main pipe line	to be .		500 feet (Miles or feet)
chian offich, again or mappline). NO. 1 & 2 - 5W 2 of 1W 2 length, terminating in the No. 3 - SE1 of SW 1 (Smallest legal subdivision)	of Sec	15 10	, Tp. 11 S
	on throughou	t on th	e accompanying map.
DESCRIPTION OF	WORKS		
for the second s			
6. (a) Height of dam feet, length of			•
feet; material to be used and character of co	onstruction		(Loose rock, concrete, masons)
k and brush, timber crib, etc., wasteway over or around dam)	••••		
(b) Description of headgate	oncrete, etc., numb	et and siz	e of openings)
	••••••	············	
(c) If water is to be pumped give general description			
y 24 H. P. case motor. Ten foot lift. Use 20 fi	fteen gall	on sp	rinklers.
(Size and type of engine or motor to be used, total ?	and water is to to	1100-0	

hea	dg ute . At hea	igate: width on t	op (et water	line)	feet; width on botto
*****		feet; depth of 100	iter	feet; grade	feet fall per or
tho	usand feet. (b) At	***************************************	niles from h	radgate: width on top (at we	nter line)
		feet; width on bo	ttom	feet; depth o	f water fee
		feet fall	•	•	
y , -				·	in.; size at
					difference in elevation between
					Estimated capaci
tvi		sec. ft.		s grade unijorm:	
.,	8. Locatio	sec. jt. on of area to be it	rigated, or p	lace of use	
-	Township North or South	Range E. or W. of Willemette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
· 	11 S	2 W	15	NW 4 of NW 4	5.3
	11 S	2 W	15	SW ¹ / ₄ of NW ¹ / ₄	2.8
		-			8.1
 ?	11 S	2 W	15	NW_4^1 of NW_4^1	4.2
	11 S	2 W	15	SW1 of NW1	2.2
_	11 S	2 W	15	SE4 of NW4	1.4
_	11 S	2 7/	15	NE of NW	3.3
					11.1
3	11 S	2 W	10	SZ ¹ of SW ¹	3.0
-	11 S	2 W	1C .	Snl of Swl	0.7
-	11 S	2 W	15	NW] of NW]	1.8
-	11 S	2 W	15	NET of NWT	16.3 2.7
-		! <u> </u>	(If more spe	SEE of NW accordance sheet)	2) 5
				and Chehalis	
,		Kind of crops raise ng Purposes—	ed Tass S	ed, vegetables	. • • • •
		~ -	ower to be d	eveloped	theoretical horsepo
				or power	
				(Head)	
					o be developed
	(4)	2100 1100 1100			
	(e)	Such works to be	••••		
				(Legal subdivision)	
		or S.) (No			
				stream?(Yes or No)	
		•		•	D 1
			, Dec	, 1 p	, R

alely (or Demonstr Strapply—	25737
# to be supplied to the same of the same o	
(b) If for domentic was stills wheathy of	Jamilles to be supplied
II. Bellinsted cost of proposed works, \$. 1150.	
12. Construction work will begin on or before 13. Construction work will be completed on o	
	se proposed use on or before Completed in 1916
	1 Pyran - Sillian Sha
	1 autow Sillian Ara By antow Stromes
Remarks:	
	<u> </u>
	· · · · · · · · · · · · · · · · · · ·
STATE OF OREGON,	
County of Marion,	
	foregoing application, together with the accompany
	ion must be returned to the State Engineer, with corn
ions on or before	., 19
WITNESS my hand thisday of	, 19
	STATE ENGINE
	Bu

The and shall n stream, or	right herein gren tot exceedtite equivalent in	ted is limited to the following to the .9.55 cubic feet case of rotation with	emount of u per second i h other water	neasured at the 1	pe applied to bene point of diversion numaned creak	from the
The	use to which this	water is to be appli	ed isirriq	ration		·
If fo	r irrigation, this a	ppropriation shall beach acre irrigated	e limited to	1/80	of one cubi	c foot per
.ofnoti	to exceed 21 a	orafootperacr	e for each	Acre irrigate	d.during.the.ii	rigation
•				jer.		<u></u>
					<u></u>	·
					•	
	•	reasonable rotation				
	*	vork shall begin on ith reasonable dilige		*		
		of the water to the		shall be made on	or before October	1, 1961
. W1.	TNESS my hand t	nis com	ay of	Kewn	S. Kildrie	ENGINEER
Application No	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the Hermony of SEPHERMEN.	Returned to applicant:	Approved:	Recorded in book No. 69 of Permits on page 2.57377 LECIS A. STANIET STATE ENGINEER	Drainage Basin No. 2. page 42 G. Fees 17 2