*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, CARROL D. PARKINSON, H. D.
9 2131 HCMILLAN STREET, EUGENE, OREGON
State ofOREGON, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
-,
1. The source of the proposed appropriation is FERN RIDGE RESERVOIR (Name of stream)
, a tributary of
2. The amount of water which the applicant intends to apply to beneficial use is 0.37
cubic feet per second. (If water is to be used from more than one source, give quantity from each)
(If waser to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is
236 /590 E
4. The point of diversion is located 15. S. and 14. ft. m from the
CLAIN NUMBER 44 ALSO DO FEET SOUTH AND 200.0 FEET WEST
CLAIM NUMBER 44 ALSO -3.3 FEET SOUTH AND 200.0 FEET WEST
OF U. S. E. D. MONUMER T. W. 197
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use sonarate sheet if necessary)
being within the SEE, SEC. 7: AND SW2 64 Sec. SW2, SEC. STp. 17 S (Give smallest legal subdivision) (N. or S.)
R. 5. W. M., in the county ofLANE.
5. The PIPE LINE to be 1800 FT (Main ditch, canal or pipe line)
in length, terminating in the SE1, SE1, SE5, 7 SW1, SW2Sec. 8, Tp.
R
DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of dam feet, length on top feet, length at botto
feet; material to be used and character of construction (Loose rock, concrete, mason
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate
(c) If water is to be pumped give general description FAIRBANKS-NORSE - 72 H.P. (Size and type of pump)
3" INTAKE, 2" OUTPUT, SINGLE PHASE, STATION'RY, 21 PEINKIERS (Size and type of engine or motor to be used, total head water is to be lifted, etc.)
8 GALLONG/MINUTE EACH

^{*}A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the flydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem.
Oreson.

thousand feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet fall per one thousand feet. (c) Length of pipe, 1800, ft; size at intake, 4" in; size at 10. from intake 4" in; size at place of use 4" in; difference in elevation between that and place of use, 10' ft. Is grade uniform? Sec. ft. 8. Location of area to be irrigated, or place of use 17. S. 5 V 7 SF2, SF2 2, 3.7 17. S. 5 V 8 SV2, SV2 4, 04 7 17. SF2, SF2 4, 04 7 17. SF2, SF	그 그 보다 사내를				anged in size, stating miles fro
(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; d					· •
feet; width on bottom feet; depth of water feet feet production from the feet fall per one thousand feet. (c) Length of pipe, 1800 ft.; size at intake, 4" in.; size at 10 from intake 4" in.; size at place of use 4" in.; difference in elevation between the feet fall place of use, 10 ft. Is grade uniform? Sec. ft. 8. Location of area to be irrigated, or place of use 17. S. S. W. S.	thousand feet.				
grade feet fall per one thousand feet. (c) Length of pipe, 1800 ft.; size at intake, 4" in.; size at 10. from intake 4" in.; size at place of use 4" in.; difference in elevation between the developed files of the property of the power of mining Purposes— (a) Character of soil PASTURE Power or Mining Purposes— 9. (a) Total amount of power to be developed (b) Quantity of water to be used for power (c) Total fall to be utilized (c) Total fall to be utilized (c) Such works to be located in (c) N. M.					
(c) Length of pipe, 1800 ft.; size at intake, 4" in.; size at 10 from intake 4" in.; size at place of use. 10' ft. Is grade uniform? YES Estimated capacit O. \$7. sec. ft. 8. Location of area to be irrigated, or place of use Trummatic universal behavior of section Proty-aces Tract Number Acres To Be irrigated 17. S 5 W 7 SE\$\frac{1}{2}\$ SE\$\frac{1}{4}\$ 2.37 17. S 5 W 8 SW\$\frac{1}{4}\$ SW\$\frac{1}{4}\$ 4.04 (a) Character of soil NEETA LOAM. (b) Kind of crops raised PASTURE Power or Mining Purposes— 9. (a) Total amount of power to be developed theorem of the works by means of which the power is to be developed (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in Character of the works by means of which the power is to be developed (f) Is water to be returned to any stream? (CHEMISTRAL OF WARD)		1			of water fee
from intake 4" in.; size at place of use 4" in.; difference in elevation between that and place of use, 10. ft. Is grade uniform? YES Estimated capacity O. 3.7 sec. ft. 8. Location of area to be irrigated, or place of use Trumbly Solve 1					
intake and place of use, 10! ft. Is grade uniform? YES Estimated capacit 0.37. sec. ft. 8. Location of area to be irrigated, or place of use Thomaship					
Sec. ft. 8. Location of area to be irrigated, or place of use Trumble Section Sectio	•		_		
Sec. ft. 8. Location of area to be irrigated, or place of use Trumble Section Sectio	intake and place	of use, 10!	ft. 1	Is grade uniform?	YES Estimated capacit
Township there is not all the party series therefore the foreign there is no the party series therefore the foreign to the foreign there is no the party series to be foreign to the party series therefore the party series the party series therefore the party series	0.37	sec. ft.			
17 S 5 W 7 SEZ SEZ 2.37 17 S 5 W 8 SWZ SWZ 4.94 18 SWZ SWZ 4.94 19 SWZ SWZ 4.94 10 SWZ SWZ 4.94 10 SWZ SWZ 4.94 10 SWZ SWZ 4.94 11 SWZ SWZ 4.94 11 SWZ SWZ 4.94 12 SWZ SWZ 4.94 13 SWZ SWZ 4.94 14 SWZ SWZ 4.94 17 SWZ SWZ 4.94 17 SWZ SWZ 4.94 18 SWZ SWZ SWZ 4.94 19 SWZ SWZ SWZ 4.94 10 SWZ SWZ SWZ 4.94 11 SWZ SWZ SWZ 4.94 11 SWZ SWZ SWZ 4.94 12 SWZ SWZ SWZ 4.94 13 SWZ SWZ SWZ SWZ SWZ SWZ SWZ 15 SWZ	8. Locatio	m of area to be in	rigated, or p	lace of use	
(If more space required, attach separate short) (a) Character of soil VENETA LOAK (b) Kind of crops raised PASTURE Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepown (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in the case of the		Range R. or W. of Willemette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
(If more space required, attach separate absert) (a) Character of soil	17 S	5 V	7	CF2 CF2	9 77
(a) Character of soil (b) Kind of crops raised (c) Total fall to be utilized (d) The nature of the works by means of which the power is to be developed (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (Read) (g) (h) (h) (h) (h) (h) (h) (h			······································		
(a) Character of soil (b) Kind of crops raised (c) Total amount of power to be developed (d) Quantity of water to be used for power (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (f) Is water to be returned to any stream? (Year No)		3 1/	8	SW±, SW±	4.94
(a) Character of soil					12
(a) Character of soil	· · · · · · · · · · · · · · · · · · ·	 			
(a) Character of soil		<u> </u>			·
(a) Character of soil					
(a) Character of soil	•	•			
(a) Character of soil					
(a) Character of soil					
(a) Character of soil					
(a) Character of soil					
(a) Character of soil				·	
(a) Character of soil	w				
(b) Kind of crops raised	(a) Ch	granton of soil			
Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepower (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed feet. (e) Such works to be located in feet. (legal subdivision) (p) Is water to be returned to any stream? (Yes or No)					
9. (a) Total amount of power to be developed theoretical horsepower (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in feet. (Legal subdivision) (Read subdivision) (I.e. or W.) (No. N. or E.) (No. N. or E.) (Yes or No)			P.4.5	STURE	,
(b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed feet. (e) Such works to be located in feet. (legal subdivision) (Fig. 1. (No. N. or E.) (No. E. or W.) (f) Is water to be returned to any stream? (Yes or No)			ver to he des	neloned.	
(c) Total fall to be utilized				•	-
(d) The nature of the works by means of which the power is to be developed (e) Such works to be located in					. sec. ft.
(e) Such works to be located in	(c) To	tal fall to be utili	zed	(Head) feet.	
(e) Such works to be located in	(d) Th	e nature of the w	orks by mean	ns of which the power is to	be developed
Tp, R, W. M. (No. N. or S.) (No. E. or W.) W. M. (f) Is water to be returned to any stream? (Yes or No)	***************************************	******			
Tp, R, W. M. (No. N. or S.) (No. E. or W.) W. M. (f) Is water to be returned to any stream? (Yes or No)	(e) Su	ch works to be lo			
(f) Is water to be returned to any stream?(Yes or No)	Tp	R.	W a	(Legal subdivision)	

A (e) Transfer and de	25765
	i present population of
	4. 10
(b) If for Bonantie was state name	they of families to be supplied
	- LAK SAKES
12. Bellinated out of proposed works, I	
18. Construction work will begin on a	r before July 26, 1958
13. Construction work will be complete	tel on or beforeAugus v. 9,1958
14. The water will be completely appli	ed to the proposed use on or before AUGUST 9, 13
***************************************	1004
	Statement of application
Remarks:	
	·
	•
•	
•	* 155
	,
STATE OF OREGON,	
County of Marion,	
This is to certify that I have examin	ned the foregoing application, together with the accompa
maps and data, and return the same for	
In order to retain its priority, this a	pplication must be returned to the State Engineer, with co
tions on or before	, 19
WITNESS my hand this d	ay of, 19
WITNESS my hand this de	ay of, 19

		ted is limited to the on				to heneficial use
	ot exceed 15.5	acre feet stored	water onl	T	t the point of di	
stream, or	its equivalent in (case of rotation with o				
	· · · · · · · · · · · · · · · · · · ·	lt No. R-1625	•			
***************************************	************************			••••••	······································	***************************************
		water is to be applied i				
		ppropriation shall be li				
		each acre irrigated . din				
		subject to the terr				
		the U.S.A. throu				
applican	t. a copy of w	hich is on file in	the offi	e of th	ne State Engin	eer.
*************			······································		•	
***************************************					•••••••	
••••••	·····				***************************************	
					••••••••••••••••••	
	-	reasonable rotation sys				
		his permit is				
		vork shall begin on or				_
		th reasonable diligence				
		of the water to the pro				
WI	TNESS my hand t	hisday o	of	Decem	ber , 19 58	1/11./b.
				~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	MINI UIS	STATE ENGINEER
		the gon,			ø	<b>a</b> 80
	SLIC .	ed in 1, Ore 1.				ENGINI
00 L	PUE	eceivec Salem, 7. M.	•		392	state engineer page // B
76.	THE THE ON	rst r r at S [k.]			<i>9</i> 25765	89
3. 3	PERMIT DPRIATE THI RS OF THE S OF OREGON	vas fi ginee ginee sfock	<u>:</u> :			<b>4</b> 8
òn N Io.	PEI PRIA SS O OF O	ent v te Eni day o	licant		<b>0.</b> 1	TANT.
Application No. 32458 Permit No. 25.765	PERMIT APPROPRIATE THE PUB WATERS OF THE STATE OF OREGON	e Stal	o app		d in l	A. S.
App Peri	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 16th of the 19.5B, at 8:00 o'clock.	Returned to applicant:	Approved:	Recorded in book No. 69	LEATS A. STANGET STATE ENGINEER  Drainage Basin No. 2 page 1/B
	É	The ffice n the	letun	Approved	Red Remi	LE Fraim
•			PAG.	. ~	; 14	