

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, B. A. Meyer (Name of applicant)
of Harbor Oregon (Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Benson Creek (Name of stream)
a tributary of Chetco River

2. The amount of water which the applicant intends to apply to beneficial use is 0.25

cubic feet per second

3. Domestic: Office, Caretaker, Club, 0.03 cfs; Domestic in Public Park: 0.04 cfs; Commercial: Cafe, Charter Dock, Barge Dock, Sea Food Processing, 0.18 cfs. Total 0.25 cfs.

4. The point of diversion is located 330 ft. N (N. or S.) and 250 ft. W (E. or W.) from the SE corner of Section 5 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Sec. 5, Tp. 41S (N. or S.)

R. 13 W., W. M., in the county of Curry (E. or W.)

5. The Pipe Line to be 2000 feet (Miles or feet)

in length, terminating in the D. L. G. No. 38 of Sec. 5 & 8, Tp. 41S (N. or S.)
See Map (Best legal subdivision)

R. 13 W. W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 6 feet, length on top 20 feet, length at bottom 15 feet; material to be used and character of construction Timber and Earth (Loose rock, concrete, masonry, with timber spillway)
rock and brush, timber crib, etc., wasteway over or around dam

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description PUMP to be selected (Size and type of pump)

(Size and type of engine or motor to be used, total head water to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2000 ft.; size at intake, 4 in.; size at 1800 ft. from intake 1 in.; size at place of use 1 in.; difference in elevation between intake and place of use, 10 feet ft. Is grade uniform? Yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

| Township | Range | Section | Forty-acre Tract | Number Acres To Be Irrigated |
|---|-------|---------|--|------------------------------|
| No irrigation. | | | | |
| Place of use is in the Hiram Tuttle D. L. C. No. 38 and would be in the Southeast Quarter of Sec. 5 and in the Northeast Quarter of Section 8 if the section lines were projected. All in T41S, R13W, W. M. | | | | |
| 41 S | 13 W | 5 | Frac. SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ | None |
| 41 S | 13 W | 8 | Frac. NW $\frac{1}{4}$ of the NE $\frac{1}{4}$ | None |
| 41 S | 13 W | 5 | Frac. SE $\frac{1}{4}$ of the SE $\frac{1}{4}$ | None |
| Public Park area of approximately 2.0 acres, no irrigation is in | | | | |

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

Sec.

Tp.

R.

W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply

18. (a) To supply the city of _____

County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 2000.00
- 12. Construction work will begin on or before January 1, 1959
- 13. Construction work will be completed on or before January 1, 1960
- 14. The water will be completely applied to the proposed use on or before January 1, 1961

x B. A. McVay
(Signature of applicant)

Remarks: The applicant is constructing a boat and barge basin on the left bank of the Chetco River adjacent to the South Jetty at the entrance to said river and an additional small boat basin will be constructed. Water requested under this application will be used to service the requirements/private and commercial boat owners who will use the basin facilities.

August, 19, 1958 NOTE:

- Since the date of this application there has been constructed
- 1. A dock from which two Charter Fish Boats make daily trips and at which fish catches are cleaned and the boats washed down.
 - 2. An office building for handling the public interested in the fishing facilities.
 - 3. A Restaurant and dining room.
 - 4. A headquarters Club House for the Chetco Boat Club.
 - 5. A Public Pier Ground sponsored by the Port Commission.
 - 6. A Barge loading dock with barge basin is 75% complete.
 - 7. Plans are now under way for a Crab Processing plant near the barge basin.

For these reasons I believe the amount of water requested under Item 2 to be reasonable and not excessive.

B. A. McVay

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 10 1958

WITNESS my hand this 12th day of August, 19 58
9th September 1958

LEWIS A. STANLEY

STATE ENGINEER

James W. Garver
Trevor Jones

By Trevor Jones, Assistant lk

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.20 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Benson Creek.

The use to which this water is to be applied is Public Park, domestic use in club, caretakers house and office, and commercial use in cafe, dock operations and food processing, being 0.01 c.f.s. for public park use, 0.01 c.f.s. for domestic use in club, caretakers house and office and 0.18 c.f.s. for commercial use in cafe, dock operations and food processing.

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 31, 1958

Actual construction work shall begin on or before December 30, 1959 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960.

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 30th day of December 1958.

Lewis A. Stanley, STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1953.

Application No. 32526, Permit No. 25773, PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON, Division No., District No., This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 30th day of July, 1958, at 1:44 o'clock A.M., Returned to applicant: Corrected application received: Approved: December 30, 1958, Recorded in book No. 69 of Permits on page 25773, LEWIS A. STANLEY, STATE ENGINEER, Drainage Basin No. 15, Page 25, Fees Paid 20.00