STATE ENGINEER

VARIABLES NOS PROMINI

To Appropriate the Public Waters of the State of Oregon

7 Timber Products Company			
Claims of applica	mQ		
7. 0. Box 1032, Medford	•••••••••••••••••••••••••••••••••••••••	•	
State of, do hereby mai	ke application for	a permit	to appropriate the
· · · · · · · · · · · · · · · · · · ·			
following described public waters of the State of Oregon, St	UBJECT TO EXI	STING R	GHTS:
If the applicant is a corporation, give date and place o	f incorporation	Reno,	Nevada
January 24, 1957	***************************************	*****	
1. The source of the proposed appropriation is _throu Valley Irrigation District under their Permit No. 407, a tributary of	(Name	of stream)	
2. The amount of water which the applicant intends to	apply to benefic	ial use is	2.0
from the above and below descr	ibed points w	ith the	point of delivery
cubic feet per second. haing the Hopkins lateral at a	pprox. 295 ft.	North	and 498 ft. East
the Southwest Corner of Section 13, T.37 S., R.2 **3. The use to which the water is to be applied is Page	ufacturing an	d indust	rial use in
connection with lumber and wood by-products		nanufacturing.	domestic supplies, etc.)
		***************	***************************************
4. The point of diversion is located ft	and f	t. (E. or W.)	from the
corner of See attached sheet (Section or mubic			
•			
		•••••	
(If preferable, give distance and bearing	***************************************		
(If preferable, give distance and bearing (If there is more than one point of diversion, each must be deen	to section corner)	l if necessary)	
(If preferable, give distance and bearing (If there is more than one point of diversion, each must be deed ### ############################	to section corner)	l if necessary)	
(If preferable, give distance and bearing (If there is more than one point of diversion, each must be deer **EXECUTE: XECUTATION OF THE STATE OF T	to section corner) **Bod. Use separate sheef **REALXEXATION of Sec.	l if necessary)	
(If preferable, give distance and bearing (If there is more than one point of diversion, each must be deed **EXXXXIIX TO XXXIIX X X X X X X X X X X X X X X X X	to section corner) Thed. Use separate sheet EXECUTE: Of Sec.	i if mecessary)	p. (N. or 8.)
(If preferable, give distance and bearing (If there is more than one point of diversion, each must be deed EXERCISE X TO VALUE AND A CAMBO STATES AND A CAMBO STATE	to section corner) Filed. Use separate sheet BEANT TRANSCEN Of Sec.	i if mecessary)	p. (N. or 5.)
(If there is more than one point of diversion, each must be deed EXECUTED WITHIN the (Office smallest legal subdivision) R	ribed. Use separate sheet of Sec. ogue River Val to be	l if meconsury) keyxikki , ley Irri (Mile	gation District
(If there is more than one point of diversion, each must be deed EXECUTED WITHIN the (Office smallest legal subdivision) R	ribed. Use separate sheet of Sec. ogue River Val to be	l if meconsury) keyxikki , ley Irri (Mile	gation District
(If there is more than one point of diversion, each must be deed Continue Continue	ribed. Use separate sheet sold (R N(ALXXXX) of Sec. ogue River Val to be of Sec.	ley Irri	gation District s or feet) Tp
(If there is more than one point of diversion, each must be deed EXEMPTED XINTER XINTER AND EXECUTE XINTER (Give smallest legal subdivision) R	rice section corner) Final. Use separate sheet Final. Use separate sheet Final. Control of Sec. Since River Val to be	ley Irri	gation District s or feet) Tp
(If there is more then one point of diversion, each must be deed EXELUTE LEVEL AND A MARKET LEVEL AND A MAR	report (see the corner) report (see the corner)	ley Irri (Mile	gation District s or feet) Tp
(If there is more than one point of diversion, each must be deed EXEMPTED XINTER XINTER AND EXECUTE XINTER (Give smallest legal subdivision) R	or section corner) Frod. Use separate sheet FROM TWENTY AND THE SEC. Singue River Val to be	ley Irri (Mine)	gation District or feet) [P
(If there is more than one point of diversion, each must be deed EXECUTED WITHIN THE (Olive smallest legal subdivision) R	rised. Use separate sheet First Control of Sec. In gue River Val to be	ley Irri (Mile the accome	gation District or feet) Tp(N. or S.) panying map.
(If there is more than one point of diversion, each must be deer REFERENCE NUMBER OF PRODUCT OF STATE	rised. Use separate sheet First Control of Sec. In gue River Val to be	ley Irri (Mile the accome	gation District or feet) Tp(N. or S.) panying map.
(If there is more then one point of diversion, each must be deed R	of Sec	ley Irri (Mille the accome	gation District or feet) Tp
(If there is more than one point of diversion, each must be deed RECEIVED EXTREMENT AND ACTION (C.E. or W.) The County of C.E. or W.) DESCRIPTION OF W. Diversion Works— All Rogue River Valley Irrigation District exists	of Sec	ley Irri (Mille the accome	gation District or feet) Tp
(If there is more than one point of diversion, each must be deed EXERCISE TO COME. (Give smallest legal subdivision) R	of Sec	ley Irri (Mille the accome	gation District or feet) Tp
(If there is more than one point of diversion, each must be deed EXERCISE XINCOLUMN AND AND AND AND AND AND AND AND AND AN	rised. Use separate sheet state of Sec	ley Irri (Mile the accom the accom (Loo size of opening	gation District or feet) Ip
(If there is more then one point of diversion, each must be deed R	rised. Use separate sheet First Control of Sec. Singue River Val to be of Sec. on throughout on WORKS string diversion noty instruction	ley Irri (Mile the accom the accom (Loo size of opening	gation District or feet) Ip

^{*}A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the flydroelectric Commission. Either of the above forms may be secured, without cost, tegether with instructions by addressing the State Engineer, Salem

feet; depth of water	dgate. At head	igate: width on t	op fat water	line)	feet; width on botto
Set miles from headgase: width on top (at water line)		and the second second second	San Santa Control	and the first of the state of t	
mintales to in; size at place of use in; difference in elevation between also and place of use, ft. Is grade uniform? Estimated capacity sec. ft. 8. Location of area to be irrigated, or place of use Translation Party-acro Tract Number Acros To be bristated. 7. South 2 West 13 SWk of SWk Mill Pond 11 14 SEK of SEK "" 11 12 3 NEK of NEK "" 11 11 24 NWK of NWK "" 12 11 NWK of NWK "" 13 NEK of NWK "" 14 NWK of NWK "" 15 Note of Corps raised 16 Note of Corps raised 17 Ower or Mining Purposes 9. (a) Total amount of power to be developed theorem sec. ft. (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized to the works by means of which the power is to be developed feet. (d) The nature of the works by means of which the power is to be developed for Sec. Tp. (Co. N. or S.) R. (Co. E. or W.) W. M. (f) Is water to be returned to any stream? (Yemet No)	المستق المست	• • •	and the second second		
de		feet: width on bo	nttom	feet; depth o	f water fee
(c) Length of pipe, ft.; size at intake, in.; size at mintake in.; size at mintake in.; size at place of use in.; difference in elevation betw ske and place of use, ft. Is grade uniform? Estimated capacity sec. ft. 8. Location of area to be irrigated, or place of use		•	.•	And the second second	
mintales to in; size at place of use in; difference in elevation between also and place of use, ft. Is grade uniform? Estimated capacity sec. ft. 8. Location of area to be irrigated, or place of use Translation Party-acro Tract Number Acros To be bristated. 7. South 2 West 13 SWk of SWk Mill Pond 11 14 SEK of SEK "" 11 12 3 NEK of NEK "" 11 11 24 NWK of NWK "" 12 11 NWK of NWK "" 13 NEK of NWK "" 14 NWK of NWK "" 15 Note of Corps raised 16 Note of Corps raised 17 Ower or Mining Purposes 9. (a) Total amount of power to be developed theorem sec. ft. (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized to the works by means of which the power is to be developed feet. (d) The nature of the works by means of which the power is to be developed for Sec. Tp. (Co. N. or S.) R. (Co. E. or W.) W. M. (f) Is water to be returned to any stream? (Yemet No)					in.; size at
Alke and place of use, ft. Is grade uniform? Estimated capacity sec. ft. 8. Location of area to be irrigated, or place of use					•
Sec. ft. 8. Location of area to be irrigated, or place of use Thurship Earth Section Protect Principle Received Principle Received Principle Received Principle Received Rec					
8. Location of area to be irrigated, or place of use Township To				or grade dissipations and an arrangement	
7 South 2 West 13 SWk of SWk Mill Pond 1 14 SEK of SEK 11 11 1 123 NEK of NKK 11 11 1 1 24 NWk of NKK 11 11 1 1 24 NWk of NKK 11 11 (a) Character of soil	8. Locatio	m of area to be in	rrigated, or 1	place of use	
Note 2 west 13 Set Of Set		Range E. er V. ef Willemette Meridian	Section	Forty-scre Tract	Number Acres To Be Irrigated
14 SEX of SEX 11 11 11 12 12 18 18 18	7 South	2 West	13	SWk of SWk	Mill Pond
(If more space required, attach separate absect) (a) Character of soil	**	11	14	SEt of SEt	11 11
(It more space required, attach separate absect) (a) Character of soil	11	91	23	NE's of NE's	11 11
(a) Character of soil (b) Kind of crops raised Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsep (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed for power is to be developed for power. (e) Such works to be located in feet. (legal subdivision) (f) Is water to be returned to any stream? (Yes or No)	11	11	24	NW of NW t	91 14
(a) Character of soil (b) Kind of crops raised Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsep (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed for power is to be developed for power. (e) Such works to be located in feet. (legal subdivision) (f) Is water to be returned to any stream? (Yes or No)			_		
(a) Character of soil (b) Kind of crops raised Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsep (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (Legal middivision) (f) Is water to be returned to any stream? (Yes or No)					
(a) Character of soil (b) Kind of crops raised Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsep (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (Legal middivision) (f) Is water to be returned to any stream? (Yes or No)					
(a) Character of soil					
(a) Character of soil (b) Kind of crops raised Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsep (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (Legal middivision) (f) Is water to be returned to any stream? (Yes or No)					
(a) Character of soil					
(a) Character of soil				-	
(a) Character of soil (b) Kind of crops raised Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsep (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (Legal middivision) (f) Is water to be returned to any stream? (Yes or No)	· · · · · · · · · · · · · · · · · · ·				
(b) Kind of crops raised			•	··· -	
9. (a) Total amount of power to be developed					
9. (a) Total amount of power to be developed theoretical horsep (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized			ed		
(b) Quantity of water to be used for power		• • •	ower to be d	leveloped	theoretical horsepor
(c) Total fall to be utilized					
(d) The nature of the works by means of which the power is to be developed	(c) T	otal fall to be ut	ilized	feet	
(e) Such works to be located in					
(e) Such works to be located in					
Tp, R, W. M. (No. N. or S.) (No. E. or W.) (f) Is water to be returned to any stream?(Yes or No.)	(e) !	Such works to be			
(f) Is water to be returned to any stream?(Yes or No)					
·					
(g) If so, name stream and locate point of return				•	
, Sec, Tp, R, (No. E. or W.)				be applied is	

(i) The nature of the mines to be served

5 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 /	# (a) to exply colonia.	
ad a		
430	O'T per describe des miles describe	of panilles to be supplied
	11. Estimated cost of propiosed works, f.	55,000
	12. Construction work will begin on or	before September 1, 1958
A.	13. Construction work will be completen	on or beforeSeptember 1, 1959
	14. The water will be completely applied	to the proposed use on or before

		Timber Saskusto
	in the grant of th	DC tackso
	Remarks:	
	 North Fork Little Butte Creek 20, T. 36 S., R. 2 E., W.M. i diversion facilities. 	at approximate center of East 1/2 of n Jackson County, Oregon, at the exist
	South Fork Little Rutte Creek	in the S. E. 1/4 of S. E. 1/4 of Sect
	T. 36 S., R. 2 E., W.M. in Jafacilities. Antelope Creek at approximate in Jackson County, Oregon, at Bear Creek in the S. W. 1/4 c	ckson County, Oregon at the existing discenter of Section 30, T. 36 S., R. 1 Is the existing diversion facilities. of S. W. 1/4 of Section 19, T. 37 S., R.
	T. 36 S., R. 2 E., W.M. in Jafacilities. Antelope Creek at approximate in Jackson County, Oregon, at Bear Creek in the S. W. 1/4 c	ckson County, Oregon at the existing discenter of Section 30, T. 36 S., R. 1 Is the existing diversion facilities. of S. W. 1/4 of Section 19, T. 37 S., R
	T. 36 S., R. 2 E., W.M. in Jafacilities. Antelope Creek at approximate in Jackson County, Oregon, at Bear Creek in the S. W. 1/4 c W.M. in Jackson County, Oregon	ckson County, Oregon at the existing discreter of Section 30, T. 36 S., R. 1 is the existing diversion facilities. of S. W. 1/4 of Section 19, T. 37 S., Rom, at the existing diversion facilities
	T. 36 S., R. 2 B., W.M. in Jafacilities. Antelope Creek at approximate in Jackson County, Oregon, at Bear Creek in the S. W. 1/4 c W.M. in Jackson County, Oregon	center of Section 30, T. 36 S., R. 1 is the existing diversion facilities. of S. W. 1/4 of Section 19, T. 37 S., Ron, at the existing diversion facilities
	T. 36 S., R. 2 B., W.M. in Jafacilities. Antelope Creek at approximate in Jackson County, Oregon, at Bear Creek in the S. W. 1/4 c W.M. in Jackson County, Oregon	center of Section 30, T. 36 S., R. 1 is the existing diversion facilities. of S. W. 1/4 of Section 19, T. 37 S., Ron, at the existing diversion facilities
	T. 36 S., R. 2 B., W.M. in Jafacilities. Antelope Creek at approximate in Jackson County, Oregon, at Bear Creek in the S. W. 1/4 c W.M. in Jackson County, Oregon	center of Section 30, T. 36 S., R. 1 is the existing diversion facilities. of S. W. 1/4 of Section 19, T. 37 S., R on, at the existing diversion facilitie
STA	T. 36 S., R. 2 E., W.M. in Jafacilities. Antelope Creek at approximate in Jackson County, Oregon, at Bear Creek in the S. W. 1/4 c W.M. in Jackson County, Oregon, and Ja	center of Section 30, T. 36 S., R. 1 is the existing diversion facilities. of S. W. 1/4 of Section 19, T. 37 S., Ron, at the existing diversion facilities
STA	T. 36 S., R. 2 E., W.M. in Jafacilities. Antelope Creek at approximate in Jackson County, Oregon, at Bear Creek in the S. W. 1/4 c W.M. in Jackson County, Oregon, and Jackson County of Marion, and Jackson County of Marion,	center of Section 30, T. 36 S., R. 1 is the existing diversion facilities. of S. W. 1/4 of Section 19, T. 37 S., Rom, at the existing diversion facilities
STA	T. 36 S., R. 2 B., W.M. in Ja facilities. Antelope Creek at approximate in Jackson County, Oregon, at Bear Creek in the S. W. 1/4 c W.M. in Jackson County, Oregon ATE OF OREGON, Ss County of Marion, Ss This is to certify that I have examine	center of Section 30, T. 36 S., R. 1 the existing diversion facilities. of S. W. 1/4 of Section 19, T. 37 S., R on, at the existing diversion facilitie
STA (T. 36 S., R. 2 B., W.M. in Ja facilities. Antelope Creek at approximate in Jackson County, Oregon, at Bear Creek in the S. W. 1/4 c W.M. in Jackson County, Oregon W.M. in Jackson County, Oregon, at M.M. in Jackson County, Oregon, at M. in Jackson County, Oregon W.M. in Jackson	center of Section 30, T. 36 S., R. 1 is the existing diversion facilities. of S. W. 1/4 of Section 19, T. 37 S., R on, at the existing diversion facilitie
STA (T. 36 S., R. 2 E., W.M. in Jafacilities. Antelope Creek at approximate in Jackson County, Oregon, at Bear Creek in the S. W. 1/4 oww.M. in Jackson County, Oregon, in Jackson County, Oregon, in Jackson County, Oregon, at Jackson County, Oregon, in Jackson County, Oregon, at Jackson County, Oregon, at Jackson County, Oregon, In Jackson County, Oregon, ATE OF OREGON, Jackson County, Oregon, ATE OF OREGON, Jackson County, Oregon, at Jack	center of Section 30, T. 36 S., R. 1 is the existing diversion facilities. Of S. W. 1/4 of Section 19, T. 37 S., R on, at the existing diversion facilities.
STA	T. 36 S., R. 2 E., W.M. in Jafacilities. Antelope Creek at approximate in Jackson County, Oregon, at Bear Creek in the S. W. 1/4 oww.M. in Jackson County, Oregon, in Jackson County, Oregon, in Jackson County, Oregon, at Jackson County, Oregon, in Jackson County, Oregon, at Jackson County, Oregon, at Jackson County, Oregon, In Jackson County, Oregon, ATE OF OREGON, Jackson County, Oregon, ATE OF OREGON, Jackson County, Oregon, at Jack	center of Section 30, T. 36 S., R. 1 is the existing diversion facilities. Of S. W. 1/4 of Section 19, T. 37 S., R. on, at the existing diversion facilities. If the existing diversion facilities of the foregoing application, together with the acceptance of the foregoing application of the State Engineer, and the foregoing application of the State Engineer of the State
STA	T. 36 S., R. 2 B., W.M. in Jafacilities. Antelope Creek at approximate in Jackson County, Oregon, at Bear Creek in the S. W. 1/4 c W.M. in Jackson County, Oregon W.M. in Jackson County,	center of Section 30, T. 36 S., R. 1 is the existing diversion facilities. of S. W. 1/4 of Section 19, T. 37 S., R. on, at the existing diversion facilities. If the existing diversion facilities of the foregoing application, together with the acceptance of the foregoing application of the State Engineer, and the foregoing application to the State Engineer and the foregoing application to the foregoing
STA	T. 36 S., R. 2 E., W.M. in Jafacilities. Antelope Creek at approximate in Jackson County, Oregon, at Bear Creek in the S. W. 1/4 oww.M. in Jackson County, Oregon W.M. in Jackson County,	center of Section 30, T. 36 S., R. 1 is the existing diversion facilities. of S. W. 1/4 of Section 19, T. 37 S., R. m., at the existing diversion facilities. If the existing diversion facilities are the existing diversion facilities.
STA	T. 36 S., R. 2 E., W.M. in Jafacilities. Antelope Creek at approximate in Jackson County, Oregon, at Bear Creek in the S. W. 1/4 oww.M. in Jackson County, Oregon W.M. in Jackson County,	center of Section 30, T. 36 S., R. 1 is the existing diversion facilities. of S. W. 1/4 of Section 19, T. 37 S., R. on, at the existing diversion facilities. If the existing diversion facilities of the foregoing application, together with the acceptance of the foregoing application of the State Engineer, and the foregoing application to the State Engineer and the foregoing application to the foregoing

•		mied is limited to the	emount of	water which can be applied to benefic	
streem, or Crack de	r its equivalent in Fine the 1971	case of rotation will extical season and	other wat	measured at the point of diversion from weeks, from Morth Fork Lattle B. from Antelope Greek and 1.0 co.	utte .f.s.
The	use to which thi	s water is to be applie	ed is _manna	facturing and maintenance of log	
***************************************	***************************************			of one cubic fo	··········
		-			
•		<u>:</u>			
	*	•			
				ay be ordered by the proper state office. August. 27., 1958	
		_		December 30, 1959 and	
		-		completed on or before October 1, 19 60	
		_	-	shall be made on or before October 1, 1	19 61
			y 0,	Lewis a Stantin	DVXER
		,	_		
Application No. -322. (s. 1.5 Permit No	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27th day of Alegians t. 1952, at 2 CC o'clock A M.	ipplicant:	Approved: December 30, 1958 Recorded in book No. 69 of Permits on page 2,57785 LEWIS A. STANLET STANLED SEC	Drainage Basin No. 1.2 page 18. Fees 22 20
Appl Perm	TO AP	This insti office of the on the 277	Returned to applicant:	Approved: December Recorded Recorded Permits on p	Drainage Basin No Fees 22 00