

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, M.R. Dean, of 1617 N.E. George Street, Portland Zone 12, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Springs & North Ump. River, a tributary of Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 9 gal per min. Springs 2-3-4 - 9 gal per min 25-1 gal per min. cubic feet per second. 0.106 CFS Ft. North Umpqua River (See Remarks)

3. The use to which the water is to be applied is Irrigation & Domestic

4. The point of diversion is located 146 1/4 ft. South and 533 ft. East from the corner of Sec. 9 & 10 - Tp. 26 S. R. 7 West N. 1/4 Springs also 594' South & 123' East Spring, also pump House 558' South & 697' East from North Umpqua River (See filing map)

being within the NW 1/4 SW 1/4 of Sec. 10, Tp. 26 South R. 3 West, W. M., in the county of Douglas. 5. The 4.5 ft. 12" PE LINE to be in length, terminating in the NW 1/4 SW 1/4 of Sec. 10, Tp. 26 South R. 3 West, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Deep Well 1/2" Pump 10-700 50 gal pressure Tank - 20'

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

20. (a) To supply the city of _____

_____ County, having a present population of _____
and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied Two Families

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 2500.⁰⁰ ✓
- 12. Construction work will begin on or before Now in use
- 13. Construction work will be completed on or before Completed
- 14. The water will be completely applied to the proposed use on or before _____

Being used now

X M.R. Dean

(Signature of applicant)

Remarks:

The pump used for the sprinkler system is a deep well jet type & has a 50 gal. Pressure tank. The spring water for domestic use is gravity flow and any waste is used for fish & lily ponds, with overflow running into the North Umpqua River.

Springs #1-2-3-4 at this date Oct 19 1958 are running approx 3gal per min. but can more in winter & Spring & Early Summer. A Concrete Tank catches the water from Spring #2-3-4. Tank capacity Spring #1 will be pipe to house as also #5. I would estimate that Springs #1-2-3-4 should supply approx 3 gal per min. if developed. Spring #5 seems to be more or less intermittent and is estimated at 1 gal per min. Spring #1 & #5 to be developed.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 15, 1958.

WITNESS my hand this 11th day of October, 19 58.

RECEIVED
 OCT 15 1958
 By James W. Carver Jr.
 STATE ENGINEER
 JAMES W. CARVER, JR.
 ASSISTANT
 STATE ENGINEER
 LEMIS A. STANLEY
 STATE ENGINEER
 OREGON

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Fork Umpqua River and five unnamed springs, being 0.02 c.f.s. for irrigation from the North Fork Umpqua River and 0.01 c.f.s. from five springs for domestic use.

The use to which this water is to be applied is irrigation and domestic use for two families

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right to the use of water for irrigation is limited to the period when the flow of water in the North Fork Umpqua River is 525.0 c.f.s. or more at its mouth.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 16, 1958

Actual construction work shall begin on or before December 30, 1959 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960.

Complete application of the water to the proposed use shall be made on or before October 1, 1961.

WITNESS my hand this 30th day of December, 1958.

Lewis A. Stanley, STATE ENGINEER

Application No. 25791

Permit No. 25791

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 16th day of September, 1958, at 2:00 o'clock A.M.

Returned to applicant:

Approved:

December 30, 1958

Recorded in book No. 69 of

Permits on page 25791

LEWIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 16 page 288

Fees 25.00