

RECEIVED  
SEP 10 1958  
STATE ENGINEER  
SALEM, OREGON

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Harold James Jensen  
(Name of applicant)  
of Route #1, Box 361 - Corvallis (Benton County)  
(Mailing address)  
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Un-named Originates from several  
A.C. Lawrie Route 27 Mountain View Drive - Corvallis, Oregon (Name of stream)  
Springs on E. 27th Thompson (Same.) a tributary of BOWEYS Slough - Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.07  
cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation - domestic supply (livestock)  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located \_\_\_\_\_ ft. and \_\_\_\_\_ ft. from the  
(N. or S.) (E. or W.)  
corner of S 39° 42' W - 540.8 Ft. from the Most Westerly N.W.  
(Section or subdivision)  
Corner of the Abney Drumn D.L.C. No 39

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the S.W. 1/4 - S.E. 1/4 of Sec. 1 Tp. 11 S  
(Give smallest legal subdivision) (N. or S.)

R. S.W., W. M., in the county of Benton  
(E. or W.)

5. The Portable irrigation pipe to be \_\_\_\_\_  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the \_\_\_\_\_ of Sec. \_\_\_\_\_, Tp. \_\_\_\_\_  
(Smallest legal subdivision) (N. or S.)

R. \_\_\_\_\_, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam \_\_\_\_\_ feet, length on top \_\_\_\_\_ feet, length at bottom \_\_\_\_\_ feet; material to be used and character of construction \_\_\_\_\_  
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate \_\_\_\_\_  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Stationary centrifugal high pressure  
(Size and type of pump)  
1 1/2 HP model delivers 95 gpm at 20 ft head with 1 1/2 inch suction & 1 1/2 inch  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)  
connections powered by 1 1/2 HP Briggs & Stratton Gas Engine (same pump as)

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T 11 S	R 5 W	1	SW 1/4 - SE 1/4	2.34
T 11 S	R 5 W	12	NW 1/4 - NE 1/4	1.93

(If more space required, attach separate sheet)

(a) Character of soil Willamette silt loam & Wapato silty clay loam.

(b) Kind of crops raised History of grain crops - Future use probably pasture.

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.

(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....

(Legal subdivision)

Tp. ...., R. ...., W. M. ....

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream? .....

(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. ....

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

10. (a) To supply the city of \_\_\_\_\_  
County, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$175.00 (exclusive of sprinkler system (portable))
- 12. Construction work will begin on or before December 1958
- 13. Construction work will be completed on or before May 1959
- 14. The water will be completely applied to the proposed use on or before July 1959

*Donald J. Jensen*  
(Signature of applicant)

Remarks:

Item 6 'd' Inlet from stream will consist of 8 ft of 4 inch concrete tile leading to a cistern made from 2 sections of 4 ft. round concrete tile placed on end and end to end to make

Item 6 'e' The water will be pumped from the cistern to the irrigated area via portable sprinkler system.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before January 14, 1959.

WITNESS my hand this 11th day of November 1958

LEWIS A. STANLEY

STATE ENGINEER

By *James W. Carver, Jr.*  
JAMES W. CARVER, JR. ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.95 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 19, 1958

Actual construction work shall begin on or before December 30, 1959 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 30th day of December 19 58

Lewis A. Stanley STATE ENGINEER

Application No. 32663
Permit No. 25793

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 19th day of September 1958, at 2.55 o'clock P.M.

Returned to applicant:

Approved: December 30, 1958 Recorded in book No. 69 of Permits on page 25793

LEWIS A. STANLEY STATE ENGINEER Drainage Basin No. 2 page 76 A 21 Fees