

## To Appropriate the Public Waters of the State of Oregon

	I, Joseph B. Pollock
	Rt. #1, Box #1145, Grants Pass
*****	(Mailing address)
late	of Orogon , do hereby make application for a permit to appropriate the
llou	oing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
	If the applicant is a corporation, give date and place of incorporation Individual
•••••	1. The source of the proposed appropriation is Jump Off Joe Creek
- ••••••••••••••••••••••••••••••••••••	, a tributary of Rogue River
	2. The amount of water which the applicant intends to apply to beneficial use is Approx. 0.72
ubic	feet per second. One source.
	(If water is to be used from more than one source, give quantity from each)
•	3. The use to which the water is to be applied is Irrigation, power, mining, manufacturing, domestic supplies, etc.)
•	4. The point of diversion is located 1350 ft. South and 350 ft. East from the
orne	of N.F. Corner of Section 5, Township 35 South, Range 5 "est of (Section or subdivision)
	willsmette Meridian. Located within the S.W. 1 of the
	N.W. 2 of Section 4, Township 35 South, Range 5 West of
•••••	Willamette Meridian.  (R profurable, give distance and bearing to section corner)
	One point of diversion,  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
ein	SWA If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  g within the North West Quarter of Sec. 4, Tp. 35 South  (Give smallest legal subdivision)
z. <u>5</u>	West , W. M., in the county of Josephine
	5. The Pipe Line to be 850 feet (Miles or feet)
n le	ngth, terminating in the of Jump Off Joe Creek of Sec. 5, Tp. 35 South (major terminating in the of Supplementary)
<b>r.</b> 5	West , W. M., the proposed location being shown throughout on the accompanying map. (E ≪ ♥)
	DESCRIPTION OF WORKS
Dive	ersion Works—
	6. (a) Height of dam Creek Level feet, length on top Approx. 20! feet, length at bottom
pr •	ox. 20 feet; material to be used and character of construction Loose Rock (Loose rock, concrete, masonry,
ock (	and brush, timber crib, etc., wasteway over or around dam)
	(b) Description of headgate Timber 1ft, by 2 ft, (Timber, concrete, etc., number and size of openings)
•	
	(c) If water is to be pumped give general description Partially flood. Ralance to, (Size and type of pump) pumped through sprinklers, Size of centrifugal pump & electric motor

	s. Jamel of end		feet; grade	feet; width on bottom
jee ousand feet.	t; depin of we			
(b) At		iles from h	sadgate: width on top (at water li	<b>RE</b>
fee	t; width on bot	tom	feet; depth of wate	r : feet;
ade				
	SEA		; size at intake, 12 in	size at any number.
om intake1	.2 in.; s	ize at place	of use 12 in.; differ	rence in elevation between
take and place of	use Approx	43 ft.	Is grade uniform? yes	Estimated capacity,
0.72		.•		
8. Location	of area to be ir	rigated, or j	place of use	
Township	Range	Section	North Porty-sere Tract	Number Acres To Be Irrigated
North or South	E. or W. of Will-marks Meridian		East of the North-	. •
35 South	Mest	5	east 🛊	10
35 South	5 West	5	South East 2 of the Northeast 2	30
	5		Northwest 2 of	2
35 South	West 5	5	the Northeast 4	
35 South	West	5	the Northeast 1	7
	-	······································		
			- ¢	
	e e			
	<u> </u>			
•		-	•	
-		<u> </u>		
( ) (1)		San	space required, ettach separate sheet) dy loam to clay.	
(b) Ki	nd of crops rais	edPer	manent pasture & Hay.	A.
Power or Mining			****	throratical horsenower
			developed	•
(b) Q1	cantity of water	r to be used	for powerse	e. ft.
(c) To	tal fall to be u	tilized	(Head)	
			means of which the power is to be	developed
		•		
	*			
(e) St	uch works to be	located in .	(Legal subdivision)	of Sec.
	, R			
			ny stream?(Yes or No)	
*				s · · · · · · · · · · · · · · · · · · ·
(g) I			te point of return	
		, Sec	, Tp	(No. E. or W.)

m. (e) to unbles		
Clima of)	County, having a present population of	***************************************
an estimated popul	istion of in 19	
(b) If for don	mestic use state number of families to be suppliedOng	••••••••
α .,	(Another questions II, tt, II, and II in all classes)	
11. Estimated cos	et of proposed works, \$5,000.00 Approx.	
2	work will begin on or before April 1, 1959.	
1 6	work will be completed on or before October 1, 1959	
		3 3060
14. Ine water wit	It be completely applied to the proposed use on or beforeApril	1, 1900
***************************************	1 . CADOO	·····
	January Charles of Spillers of	
	Jeseph E. Pollock	
Remarks: The	e water covered by this application is to be	piped (
to	a storage pond. It will be distributed from	this
st	orage pond by means of both flooding and Pump	ing.
•	ils pond is not to be used as a reservoir to s	
,	•	
	A 1 - 1 4 4	
	ter in but rather as a distribution point and	
pu	ter in but rather as a distribution point and mping sump. This pond will be approx. 100 ft ong, 50 ft. wide and 10 ft. deep.	
pu	mping sump. This pond will be approx. 100 ft	
pu	mping sump. This pond will be approx. 100 ft	
pu	mping sump. This pond will be approx. 100 ft	
pu	mping sump. This pond will be approx. 100 ft	
pu	mping sump. This pond will be approx. 100 ft	•
pu	emping sump. This pond will be approx. 100 ft ong, 50 ft. wide and 10 ft. deep.	•
pu	mping sump. This pond will be approx. 100 ft ong, 50 ft. wide and 10 ft. deep.	•
TATE OF OREGON	mping sump. This pond will be approx. 100 ft ong, 50 ft. wide and 10 ft. deep.	•
TATE OF OREGON County of Marion, This is to certif	mping sump. This pond will be approx. 100 ft ong, 50 ft. wide and 10 ft. deep.	e accompan
"ATE OF OREGON County of Marion, This is to certif	mping sump. This pond will be approx. 100 ft mg, 50 ft. wide and 10 ft. deep.  V,   ss.  fy that I have examined the foregoing application, together with the eturn the same for	e accompan
*ATE OF OREGON County of Marion, This is to certifaps and data, and re	mping sump. This pond will be approx. 100 ft mg, 50 ft. wide and 10 ft. deep.  V,   ss.  fy that I have examined the foregoing application, together with the eturn the same for	e accompan
This is to certifaps and data, and re	mping sump. This pond will be approx. 100 ft ong, 50 ft. wide and 10 ft. deep.   S  Ss  Sy that I have examined the foregoing application, together with the eturn the same for	e accompan
TATE OF OREGON County of Marion, This is to certifaps and data, and re	mping sump. This pond will be approx. 100 ft mg, 50 ft. wide and 10 ft. deep.  V,   ss.  fy that I have examined the foregoing application, together with the eturn the same for	e accompan
PATE OF OREGON County of Marion, This is to certifaps and data, and re In order to retains on or before James	mping sump. This pond will be approx. 100 ft ong, 50 ft. wide and 10 ft. deep.    St.   St.	e accompan
PATE OF OREGON County of Marion, This is to certifaps and data, and re In order to retains on or before James	mping sump. This pond will be approx. 100 ft ong, 50 ft. wide and 10 ft. deep.   S  Ss  Sy that I have examined the foregoing application, together with the eturn the same for	e accompany

STATE ENGINEER

By

ASSISTANT

The right herein granted is limited to the amount of	t <del>y</del>					
and shall not exceed	measured at the point of diversion from the					
stream, or its equivalent in case of rotation with other water users, fromJump_Off_Joe Creek						
	<u> </u>					
•	<u> 2</u>					
The use to which this water is to be applied is	•					
e.						
If for irrigation, this appropriation shall be limited to						
second or its equivalent for each acre irrigated and shall	he further limited to a diversion					
of not to exceed 42 acre fost per acre for each	acre irrigated during the irrigation					
season of each year, and is subject to the term	s and conditions of a stipulation					
between the Oregon State Game Commission and Jo	seph E. Pollock recorded in Volume					
4, page 52 and 53 Miscellaneous Records of the	State Engineer and by reference					
made a part hereof,	- <del></del>					
and shall be subject to such reasonable rotation system as n	nay be ordered by the proper state officer.					
The priority date of this permit is	October 27. 1958					
Actual construction work shall begin on or before	February 13, 1960 and shall					
thereafter be prosecuted with reasonable diligence and be	completed on or before October 1, 19 60					
Complete application of the water to the proposed us	e shall be made on or before October 1, 19.61					
WITNESS my hand this 13th day of	The state of the s					
	Nurs 11 3					
	STATE ENGINEER					

Permit No. 25890

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the

office of the State Engineer at Salem, Oregon, on the 27th day of Cetaber

19.52, at 2 4 4 o'clock 14 M. Returned to applicant:

February 13, 1959

Approved:

Recorded in book No. .... 70 ....

Permits on page 25.8.90

STATE ENGINEER LEWIS A. STAULEY

page 78R

Drainage Basin No. 15 Fees /8 00