

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pine Line-

dgate. At head	igate: width on t	op (at wate	r line) .2	feet; width on botto
	feet; depth of w	ater	jeet; grade	feet fall per o
usand feet (b) At		miles forta l	readgate: width on top (at water	, limits
• •		3-	*	
	feet; width on be	ottom	feet; depth of w	ater fee
ide <u> </u>	feet fall		usand feet.	•
• •	•)	; size at intake, 4 1ns.	
ake and place	of use10	ft	Is grade uniform? yes	- Estimated canacit
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	To grace analysins. 15-5	· · ·
8. Location		rigated, or 1	place of usein area alre	aedy given
	Range			244 E 1 444
Township North or South	E. or W. of Willnmette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
_ 5 S	5 W	13	20 acres in Sz of 3 of said Section 13	
· · · · · · · · · · · · · · · · · · ·		13	134 844	, s
	- '	13	SE:	
		13	S01571	7
. Cr		13	STIZ SF :	ı ·
	-		0.12 0.1	**************************************
	 			20
				
1				
<u> </u>	 	· · · · · · · · · · · · · · · · · · ·		•
				
			ce required, attach separate sheet)	
(a) Ch	aracter of soil		Loam	***************************************
(b) Ki	nd of crops raised	1	alfalfa and pasture	
wer or Mining	Purposes			
9. (a) To	tal amount of po	wer to be de	veloped	theoretical horsepow
(b) Qu	antity of water t	o be used for	r powersec	r. ft.
	the second secon	•	(Head)	•
(d) Th	e nature of the u	orks by med	ans of which the power is to be	developed
			······································	····
(e) Su	ch works to be la	cated in	(Legal subdivision)	of Sec.
	_		1	Of Oct.
(No N. or S	, R .) (No. E	or w.)	M.	
(f) Is	water to be retui	ned to any :	stream?	
(g) If	so, name stream	and locate 1	point of return	and the same and the
		Sec ·	r _n	p
			applied is, Tp	

0

WITNESS my hand this day of December 19 50

LEWIS A. STANLEY

STATE ENGINEER

mos W. Carver, Jr.

ASSISTANT

shall not exceed 0.25 cubic fee			
am, or its equivalent in case of rotation wit	th other water	users, from a pand (nate	rel lake)
* *			
The use to which this water is to be appl			
*			
If for irrigation, this appropriation shall			
ond or its equivalent for each acre irrigated			
not to exceed 2 acre feet per acr	e for each	acre irrigated during th	a irrigatio
son of each year,			<u></u>

		····	
			~
· · · · · · · · · · · · · · · · · · ·			
<u> </u>			
		3	
	••••••	•	
d shall be subject to such reasonable rotatio	on system as m	ay be ordered by the proper st	ate officer.
The priority date of this permit is		November 5, 1958	
Actual construction work shall begin o	n or before	February 13, 1960	and sho
ereafter be prosecuted with reasonable dili			
Complete application of the water to th			
	day of	February 19.59	
WITNESS my hand this 13th		2	

Application No. 32746

Permit No. 25872.

TO APPROPRIATE THE PUBLAC
WATERS OF THE STATE
OF OREGON PERMIT

This instrument was first received in the office of the State Engineer at Salem, Oregon,

19 5 2, at . 1 . 4 . 6 o'clock . M. on the 5 day of Mir

Returned to applicant:

December 8, 1958

Approved:

February 13, 1959

Recorded in book No. 70 Permits on page 255002 STATE ENGINEER

LEWIS A. STANLEY

Drainage Basin No.

Fees 15 ...

page 3CA1

State Printing 98137