APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, James H. Fenwick. (Name of Applicant)
of Sheaville, , County of Malheur
(Postoffice)
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, subject to existing rights:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is Okaefe Creek.
Name of stream)
indirectly , tributary of Sucker Creek
2. The amount of water which the applicant intends to apply to beneficial use is
tenth cubic feet per second.
3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing
domestic supplies, etc.)
4. The point of diversion is located from 1 section commer common to Section 22 and 2
(Give distance and bearing to section corner) Township 27 S range 46 E head of ditch bears south 72 degrees west, distance 230
feet
being within the NW1 SE1 of Sec. 22 , Tp. 27 S (No. N. or S.)
R. 46 E , W. M., in the county of Malheur (No. E. or W.)
5. The ditch to be about $2\frac{1}{4}$ miles in Main ditch, canal or pipe line)
length, terminating in the NW1 of SW1 of Sec. 13, Tp. 27 S, R. 46 E (Smallest legal subdivision) (No. N. or S.) (No. E. or W.)
W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the ditch, canal or other works isFenwick Ditch
DESCRIPTION OF WORKS
DIVERSION WORKS—
7. (a) Height of dam3 feet, length on top6 feet, length at bottom
6 feet; material to be used and character of construction. (Loose rock, concrete
Brush & rock
masonry, rock and brush, timber crib, etc., wasteway over or around dam)
howeve & solicine
(b) Description of headgate boxone ft square (Timber, concrete, etc., number and size of openings)
* A different form of application is provided where storage works are contemplated. These forms can be secured, without charge

CANAL SYSTEM—	
8. (a) Give dimensions at each point of canal where materially changed in size	e, stating miles
from headgate. At headgate: Width on top (at water line)2feet; i	vidth on botton
1 feet; depth of water feet; grade feet;	feet fall per on
housand feet.	:
(b) Atmiles from headgate. Width on top (at water line)	
feet; width on bottom feet; depth of water	feet
gradefeet fall per one thousand feet.	
takku mana balan a da a a a a a a a a a a a a a a a a	
FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USE	ED FOR:
IRRIGATION—	
9. The land to be irrigated has a total area ofacres,	, located in eac
smallest legal subdivision, as follows: (Give area of land in each smallest legal subdivision which you	intend to irrigate)
NW1 SW1 Sec 13 T 27 S R 46 E WM	
	,
(If more space is required, attach separate sheet)	
Power, Mining, Manufacturing, or Transportation Purposes—	
10. (a) Total amount of power to be developedtheoreti	cal horsepowe
(b) Total fall to be utilizedfeet. (Head)	
(c) The nature of the works by means of which the power is to be developed	
	es es es
(d) Such works to be located in of Sec	· · · · · · · · · · · · · · · · · · ·
Tp, R, W. M.	
(e) Is water to be returned to any stream? (Yes or No)	
(f) If so, name stream and locate point of return	*
	, W. M
(g) The use to which power is to be applied is	
(h) The nature of the mines to be served	

County. having a presen	nt population of, and an
(Name of)	
stimated population ofin 19	<u></u>
(Answer questions 12	2, 13, 14, and 15 in all cases)
12. Estimated cost of proposed works, \$	100.00
13. Construction work will begin on or bef	fore has begun
14. Construction work will be completed o	m or before Dec. 1st, 1915
15. The water will be completely applied	to the proposed use on or before
Dec. 1st, 191	5
Duplicate maps of the proposed ditch or ot	ther works, prepared in accordance with the rules of the
tate Water Board, accompany this application	n.
	James H Fenwick (Name of applicant)
	(Name of applicant)
Signed in the presence of us as witnesses:	
	Sheaville, Org
(Name) 2) John Edgar Fenwick,	(Address of witness) Sheaville, Org
(Name)	(Address of witness)
This ditch has been constructed for creek, no dam, about one foot wide	on top nine inches on bottom and is used to
This ditch has been constructed for creek, no dam, about one foot wide irrigate small garden and supply wa	on top nine inches on bottom and is used to
This ditch has been constructed for creek, no dam, about one foot wide irrigate small garden and supply wa	many years, is taken fromspring in bottom of on top nine inches on bottom and is used to ter for household purposes.
This ditch has been constructed for creek, no dam, about one foot wide irrigate small garden and supply was	many years, is taken fromspring in bottom of on top nine inches on bottom and is used to ter for household purposes.
This ditch has been constructed for creek, no dam, about one foot wide irrigate small garden and supply was	many years, is taken fromspring in bottom of on top nine inches on bottom and is used to ter for household purposes.
This ditch has been constructed for creek, no dam, about one foot wide irrigate small garden and supply was	many years, is taken fromspring in bottom of on top nine inches on bottom and is used to ter fpr household purposes.
This ditch has been constructed for creek, no dam, about one foot wide irrigate small garden and supply was STATE OF OREGON,	many years, is taken fromspring in bottom of on top nine inches on bottom and is used to ter fpr household purposes.
This ditch has been constructed for creek, no dam, about one foot wide irrigate small garden and supply wa	many years, is taken fromspring in bottom of on top nine inches on bottom and is used to ter fpr household purposes.
This ditch has been constructed for creek, no dam, about one foot wide irrigate small garden and supply was STATE OF OREGON, County of Marion	many years, is taken fromspring in bottom of on top nine inches on bottom and is used to ter fpr household purposes.
This ditch has been constructed for creek, no dam, about one foot wide irrigate small garden and supply was STATE OF OREGON, County of Marion This is to certify that I have examined the	many years, is taken fromspring in bottom of on top nine inches on bottom and is used to ter for household purposes.
This ditch has been constructed for creek, no dam, about one foot wide irrigate small garden and supply was stated of the same for correct of the same for correct signatures of applicant & we have the same for correct signatures of applicant & we have the same for correct of the same for correct signatures of applicant & we have the same for correct signatures of applicant & we have the same for correct of applican	e foregoing application, together with the accompanying ection or completion, as follows:
This ditch has been constructed for creek, no dam, about one foot wide irrigate small garden and supply was stated of the same for correct of the same for correct for signatures of applicant & w	e foregoing application, together with the accompanying ection or completion, as follows:
This ditch has been constructed for creek, no dam, about one foot wide irrigate small garden and supply was stated of the small garden and supply was stated of the same for corresponding to the same for corresponding	many years, is taken fromspring in bottom of on top nine inches on bottom and is used to ter for household purposes. The foregoing application, together with the accompanying rection or completion, as follows: Titnesses 1, 15, 14 & 15
This ditch has been constructed for creek, no dam, about one foot wide irrigate small garden and supply was stated of the same of the same for corresponding and data, and return the same for corresponding to the same	many years, is taken fromspring in bottom of on top nine inches on bottom and is used to ter for household purposes. e foregoing application, together with the accompanying rection or completion, as follows: itnesses 1, 15, 14 & 15
This ditch has been constructed for creek, no dam, about one foot wide irrigate small garden and supply was stated on the same for county of Marion This is to certify that I have examined the maps and data, and return the same for corresponding and the same for corresponding to questions 6, 7, 8, 12 In order to retain its priority, this applicant to the same for corresponding to the same for	many years, is taken fromspring in bottom of on top nine inches on bottom and is used to ter for household purposes. The foregoing application, together with the accompanying rection or completion, as follows: The same and is used to the State Engineer, with the accompanying rection must be returned to the State Engineer, with the accompanying rection must be returned to the State Engineer, with the accompanying rection must be returned to the State Engineer, with the accompanying rection must be returned to the State Engineer, with the accompanying rection must be returned to the State Engineer, with the accompanying rection must be returned to the State Engineer, with the accompanying rection must be returned to the State Engineer, with
This ditch has been constructed for creek, no dam, about one foot wide irrigate small garden and supply was stated on the same for county of Marion This is to certify that I have examined the maps and data, and return the same for corrections for the same for corrections, on or before august 9.	many years, is taken fromspring in bottom of on top nine inches on bottom and is used to ter for household purposes. The foregoing application, together with the accompanying rection or completion, as follows: The same and the same are the same are foregoing application, together with the accompanying rection or completion, as follows: The same are th

11

Application No. 4373
Permit No. 2590

PERMIT

TO APPROPRIATE
THE PUBLIC WATERS OF
THE STATE OF OREGON

	Division No2 District No	
	This instrument was first received	
	in the office of the State Engineer at	
	Salem, Oregon, on the 9	
	day of July , 1915,	
	at 8:30 o'clock a m.	
	Returned to applicant for correction	
	July 10, 1915	
	Corrected application received July 27, 1915	
	Approved: Aug. 18, 1915	
	Recorded in Book No10of	
	Permits, on Page 2590	
	John H Lewis	
	1 map R S \$3.15	
CTATE OF OPECON	.)	
STATE OF OREGON,		
County of . This is to certify the subject to the following late one-eightieth of one cu	at I have examined the foregoing application an imitations and conditions: If for irrigation, this bic foot per second, or its equivalent, for each	appropriation shall be limited acre irrigated, and shall be
County of . This is to certify the subject to the following late one-eightieth of one cusubject to such reasonable	Marion at I have examined the foregoing application and imitations and conditions: If for irrigation, this bic foot per second, or its equivalent, for each a rotation system as may be ordered by the proper	appropriation shall be limited acre irrigated, and shall be r State officer
County of This is to certify the subject to the following late one-eightieth of one cusubject to such reasonable	Marion at I have examined the foregoing application and imitations and conditions: If for irrigation, this bic foot per second, or its equivalent, for each	appropriation shall be limited acre irrigated, and shall be r State officer
County of This is to certify the subject to the following le to one-eightieth of one cu subject to such reasonable	Marion at I have examined the foregoing application and imitations and conditions: If for irrigation, this bic foot per second, or its equivalent, for each a rotation system as may be ordered by the proper	appropriation shall be limited acre irrigated, and shall be r State officer
County of This is to certify the subject to the following late to one-eightieth of one cusubject to such reasonable	Marion at I have examined the foregoing application and imitations and conditions: If for irrigation, this bic foot per second, or its equivalent, for each a rotation system as may be ordered by the proper	appropriation shall be limited acre irrigated, and shall be r State officer
County of This is to certify the subject to the following le to one-eightieth of one cu subject to such reasonable The amount of wate ficial use and not to exce	Marion at I have examined the foregoing application and imitations and conditions: If for irrigation, this bic foot per second, or its equivalent, for each a rotation system as may be ordered by the property of the property of the property of the property of the angular appropriated shall be limited to the amount of the angular appropriated shall be limited to the amount of the angular appropriated shall be limited to the amount of the angular appropriated shall be limited to the amount of the angular appropriated shall be limited to the amount of the angular appropriated shall be limited to the amount of the angular appropriated shall be limited to the amount of the angular appropriated shall be limited to the amount of the angular appropriated shall be limited to the amount of the angular appropriated shall be limited to the amount of the angular appropriated shall be limited to the amount of the angular appropriated shall be limited to the amount of the angular appropriated shall be limited to the amount of the angular appropriated shall be limited to the amount of the angular appropriated shall be limited to the amount of the angular appropriated shall be appropriated shall be appropriated appropriated shall be appropriated appropriated shall be appropriated appropr	appropriation shall be limited acre irrigated, and shall be r State officer
County of This is to certify the subject to the following le to one-eightieth of one cu subject to such reasonable The amount of wate ficial use and not to exce rotation. The priority de	Marion at I have examined the foregoing application and imitations and conditions: If for irrigation, this bic foot per second, or its equivalent, for each erotation system as may be ordered by the proper er appropriated shall be limited to the amount and the conditions of the co	appropriation shall be limited acre irrigated, and shall be r State officer
County of This is to certify the subject to the following le to one-eightieth of one cu subject to such reasonable The amount of wate ficial use and not to exce rotation. The priority de	Marion at I have examined the foregoing application and imitations and conditions: If for irrigation, this bic foot per second, or its equivalent, for each erotation system as may be ordered by the proper er appropriated shall be limited to the amount seed	appropriation shall be limited acre irrigated, and shall be r State officer
County of This is to certify the subject to the following le to one-eightieth of one cu subject to such reasonable The amount of wate ficial use and not to exce rotation. The priority de	Marion at I have examined the foregoing application and imitations and conditions: If for irrigation, this bic foot per second, or its equivalent, for each erotation system as may be ordered by the proper er appropriated shall be limited to the amount seed	appropriation shall be limited acre irrigated, and shall be r State officer
County of This is to certify the subject to the following let to one-eightieth of one cusubject to such reasonable. The amount of wate ficial use and not to excee rotation. The priority de Actual construction and shall thereafter be presented.	Marion at I have examined the foregoing application and imitations and conditions: If for irrigation, this bic foot per second, or its equivalent, for each erotation system as may be ordered by the proper er appropriated shall be limited to the amount seed	appropriation shall be limited acre irrigated, and shall be r State officer
County of This is to certify the subject to the following let to one-eightieth of one cusubject to such reasonable. The amount of wate ficial use and not to excee rotation. The priority de Actual construction and shall thereafter be presented.	Marion at I have examined the foregoing application and imitations and conditions: If for irrigation, this bic foot per second, or its equivalent, for each erotation system as may be ordered by the proper errotation system as may be ordered by the prope errotation system as may be imited to the amount of the end of this permit is July 9, 1915 work shall begin on or beforeaugust_18, rosecuted with reasonable diligence and be completed	appropriation shall be limited acre irrigated, and shall be r State officer
County of This is to certify the subject to the following le to one-eightieth of one cu subject to such reasonable The amount of wate ficial use and not to exce rotation. The priority de Actual construction and shall thereafter be pr	marion at I have examined the foregoing application and imitations and conditions: If for irrigation, this bic foot per second, or its equivalent, for each erotation system as may be ordered by the proper erappropriated shall be limited to the amount and conditions of this permit is July 9, 1915. work shall begin on or before	appropriation shall be limited acre irrigated, and shall be r State officer
County of This is to certify the subject to the following le to one-eightieth of one cu subject to such reasonable The amount of wate ficial use and not to exce rotation. The priority de Actual construction and shall thereafter be pr	Marion at I have examined the foregoing application and imitations and conditions: If for irrigation, this bic foot per second, or its equivalent, for each a rotation system as may be ordered by the proper er appropriated shall be limited to the amount and conditions of this permit is July 9, 1915. work shall begin on or beforeaugust_18, rosecuted with reasonable diligence and be completed of the water to the proposed use shall be mad	appropriation shall be limited acre irrigated, and shall be r State officer

This form approved by the State Water Board, March 11, 1909.