

RECEIVED
JAN 2 1930
STATE ENGINEER
SALEM, OREGON

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, ARTHUR E. MAITLAND
(Name of applicant)
of ROUTE 1, FOREST GROVE, OREGON
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Gales Creek
(Name of stream)
a tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is 2.75
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2711.5 ft. S. and 1100 ft. W. from the
(N. or S.) (E. or W.)
corner of The Sec. 4, Fennside D. L. Map, in Sec. 27, T. 36 N., R. 12 W., S. 34
(Section or subdivision)

(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the NW 1/4 of Sec. 4 of Tp. 36 N. of R. 12 W.

R. 12 W., W. M., in the county of Washington

5. The main line to be (Miles or feet)
in length, terminating in the NW 1/4 of Sec. 4 of Tp. 36 N. of R. 12 W.,
(Smallest legal subdivision)
R. 12 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction (Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

*A different form of application is provided where storage works are contemplated
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the
Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem,
Oregon.

12. (a) To supply the city of _____
County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 250.00

12. Construction work will begin on or before One year from date

13. Construction work will be completed on or before One year from date

14. The water will be completely applied to the proposed use on or before One year from date

Arthur E. Maitland
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.06 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Gales Creek.

The use to which this water is to be applied is Irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 2, 1959

Actual construction work shall begin on or before February 13, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960.

Complete application of the water to the proposed use shall be made on or before October 1, 1961.

WITNESS my hand this 13th day of February, 1959.

Lewis A. Stanley STATE ENGINEER

Application No. 2282X
Permit No. 25909

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2nd day of January, 1959, at 8:46 o'clock A. M.

Returned to applicant:

Approved:

February 13, 1959

Recorded in book No. 70 of

Permits on page 2500

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 2 page 62A15

Fees \$15.00