20061

## \*APPLICATION FOR PERSE!

## To Appropriate the Public Waters of the State of Oregon

Cottage Grove, Oregon, P. C. Box 97					
	·				
ste of Orogon do hereb	ov make application for a	permit to appropriate the			
llowing described public waters of the State of Oreg	on, SUBJECT TO EXIS	TING RIGHTS:			
If the applicant is a corporation, give date and p	lace of incorporation				
1. The source of the promoted appropriation is	Coast Fork of the Wi	illmmette River			
1. The source of the proposed appropriation is					
, a tributa	ry ofWillamette 3	iver			
2. The amount of water which the applicant inte	nds to apply to beneficio	il use is 1/80 cueft.			
ibic feet per second. Der acre					
**3. The use to which the water is to be applied is	(freigntion, power, mining, ma	mufacturing, domestic supplies, etc.)			
4. The point of diversion is located 1240 ft	<u>S</u> and 615 ft	from the E			
orner of Sec. 5, Twp, 21S-R3% of Willamett					
(Section	on or subdivision)	•			
(If preferable, give distance and	1 bearing to section corner)				
	at be described. Use separate sheet				
eing within the NELNEL SWINEL and SIMP					
		(N. or S.)			
t. 34 , W. M., in the county of Lane					
5. The, To be in instead by water rips (Main ditch, canal or pipe line)	to be	(Miles or feet)			
n length, terminating in the(Smallest legal subdivisio					
R, W. M., the proposed location bein	ig shown throughout on t	he accompanying map.			
DESCRIPTION	OF WORKS	_			
Diversion Works—		-			
6. (a) Height of dam feet, le	ength on top	feet, length at botto			
feet; material to be used and charact	er of construction	ø			
		(Loose rock, concrete, masor			
ock and brush, timber crib, etc., wasteway over or around dam)	·				
(b) Description of headgate	Timber concrete etc. number and	die of menings)			
		ate of openings)			
	200				
(c) If water is to be pumped give general descr	ription 200 gal. pa	e and type of pump)			

"A different form of application to previous ware storage works are consumerated.

"Application for permit to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the yelroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem reseal.

Canal	System	œ	Pine	Line-
_	C) - Color	40	400	-

ste. At nedag	pate: wiath on t	op (at water	line)	jeet; wiath on bott
fe	eet; depth of w	ster	feet; grade	feet fall per
md feet. (b) At	1	miles from h	eadgate: width on top (at water	line)
			feet; depth of we	
	•		*	,
	, feet fall	•		
(c) Length	of pipe,	ft.	; size at intake,	in.; size at
intake	in.;	size at place	of usein.; diff	erence in elevation betwe
and place o	f use,	ft.	Is grade uniform?	Estimated capac
	sec. ft.			,
8. Location	of area to be in	rigated, or p	place of use	
Township leth or South	Rangie 2. or W. of Willemette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
215	3W	سنح	HOW SWNET	VA core
A/ V	VN	~	NETNET	14 acre
			SE INE	12 acre
	•		SEINE	V14 acres
				,,
		.,		
<u>·</u>				,
	٠			
	0			
·				
······································				
(a) Cha	racter of soil		ce required, attach separate sheet)	•
o) Kin er or Mining	. •	α		
_	-	wer to be de	eveloped	theoretical horsepo
			r power se	
		•	7	c. jt.
(c) Tot	al fall to be uti	lized	(Head)	
(d) The	e nature of the	works by me	ans of which the power is to be	developed
			0	
(e) Suc	ch works to be l	ocated in	(Legal subdivision)	of Sec.
	, R(No.			
				•
			stream?(Yes or No)	
	,		point of return	
		., Sec	(No. N. or S.)	, R, 1

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

and shall not exceed 0.05 cubic feet per second n	neasured at the point of diversion from the					
stream, or its equivalent in case of rotation with other water users, from Coast Fork of Willamette						
River.						
The use to which this water is to be applied is	irrigation					
If for irrigation, this appropriation shall be limited to						
second or its equivalent for each acre irrigated and shall b						
not to exceed 22 acre feet per acre for each acre	•					
season of each year,						
	<u> </u>					
36.2	•					
and shall be subject to such reasonable rotation system as may	be ordered by the proper state officer.					
The priority date of this permit is						
Actual construction work shall begin on or before	•					
•						
hereafter be prosecuted with reasonable diligence and be com						
Complete application of the water to the proposed use sh						
WITNESS my hand this 13th day of	February 19 59					
	STATE ENGINEER					
<b>4</b>	STATE ENGINEER					

Permit No. 25 911

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE

PERMIT

OF OREGON

Recorded in book No. 70. Permits on page 2.5.9.1

Approved:

LEVIS A. STANLEY STATE EVOINEER

Drainage Basin No. 2 page 78B

Fees .

State Printing 90137