*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

1, Elmer P. Hall
1, Elmer P. Ha. II (Manye of applicant) of Rt. I, Box 126, St. Helens
(Mailing address)
State of
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
M N // C
1. The source of the proposed appropriation is Mc NU/N Greek
a tributary of Scappoose Bay
2. The amount of water which the applicant intends to apply to beneficial use is 0.02
cubic feet per second:
**3. The use to which the water is to be applied is irrigation from the water is to be applied is irrigation power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located 1683ft S and 957 ft W from the NW
4. The point of diversion is located 1683 ft. S. and 957 ft. W. from the NW corner of the Thomas Smith DLC
corner of 708 / 10011000 (Section or subdivision)
(If preferable, give distance and bearing to section contern
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SW 14 NE 14 of Sec. 8, Tp. 4N (N or S.)
R. W. M., in the county of Celumbia
(E, or W.) 5. The to be
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the of Sec, Tp, (Smallest legal subdivision),
R
DECEMPANY OF WORKS
DESCRIPTION OF WORKS
Diversion Works— No dam
6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate (Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general description !"CENTY fuga!
21/2 HP Gas mater
2/2 HP Gas motor to be used, total head water is to be lifted; etc.)
(Bite and type of entine or motor to be used, total head water is to be lifted; etc.) 3-300 gp.h 1 - 600 gph. 15 ft. 1; ft.

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelactric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem.

dgate. At head	lgate: width on	top (at wate	r line)	feet; width on botton
	eet; depth of u	ater	feet; grade	feet fall per on
sound feet.		, •	•	
			headgate: width on top (at wo	•
	leet; width on b	ottom	feet; depth o	water fee
de	feet fal	per one tho	nusand feet. 320' - 3/4	and the state of t
(c) Length	of pipe,	ft	; size at intake,	in.; size at
m intake	in.;	size at place	of use in.;	difference in elevation betwee
ske and place o	of use	ft.	Is grade uniform? ye	5. Estimated capacit
	sec. ft.			•
R Location	of area to be i	rrigated or	place of use	•
Township	Range	Section	Forty-acre Tract	Number Acres To Be Inc. at 2
4N	/4/	R	SW14NE14	
-7/1	/. I Y	ي		
		Man Man resource of the state of the state of		
MATERIAL Y CANADAS AND AND AND AN AND THE SAME OF THE				
distincting temperature and the state of the				-
		·		
			3	
	ν,			
				
		(If more spe	ace required, attach separate sheet)	
(a) Charac	cter of soil	leam		en e
		_	en and lawn	
wer or Mining				
_	-	wer to be d	eveloped	theoretical horsepow
			or power	
			¥	•
			(Head)	L. Janalamad
(d) The		-	ans of which the power is to l	:
······································	·			
(e) Suc	ch works to be l	ocated in	(Legal subdivision)	of Sec.
(No. N. or S.	, R(No.	, W	. M.	•
			stream?(Yes or No)	
			point of return	
		Sec.	, Tp.	, R. (No. E. or W.)
			e applied is	

	25917
Municipal or Domestic Supply—	•
10. (a) To supply the city of	
County, having a present population of	
and an estimated population of in 19	
(b) If for domestic use state number of families to be supp	lied
(Answer questions II, I2, I3, and I6 in all cases)	
11. Estimated cost of proposed works, \$ 250	
12. Construction work will begin on or before Complete	d and comple
13. Construction work will be completed on or before	<i>y </i>
14. The water will be completely applied to the proposed use on o	r before
Elm	Signature of applicants
Remarks:	
Property on which witer is to be and by applicant as follows: Beginning at the point of intersection of the center liminorthwesterly boundary of the lower Columbia giver Highes being South One Thousand five hundred minety-one and for (1591.49) feet and West six hundred eighty-five and their feet from the Northwest corner of the Thomas H. Smith Lowerth (8) Township four (7) North homes one (11) seet of	ey, sall soint of intersect thy nine one-hundreaths ty-four one-hundreaths (bo) mation Lemo Claim in section
Beginning at the point of intersection of the center lime northwesterly boundary of the lower Columbia giver Highways being South One Thousand five hundred ninety-one and for (1591.49) feet and West six hundred eighty-five and their feet from the Northwest corner of the Thomas H. Smith Lower Eight (8) Township four (4) North Hange one (1) west of Columbia County, Oregon; thence from this place of begins westerly boundary of the said Columbia giver Highway, confifteen (15) minutes West eighty and no tenths (80.0) fee (24) degrees thirteen (13) minutes west seventy-five and feet; thence leaving highways, North sixty-nine (09) degrees; thence leaving highways, North sixty-nine (09) degree; thence down the center of McNulty Creek North sixteen (16 minutes west seventy-five and thirty-six one-hundredths twenty-nine (29) degrees fifty-one (51) minutes East for feet; thence North eighty-nine (89) degrees twenty (20) if twenty-one and no tenths (121.0) feet; thence south seventsix (36) minutes East one hundred fifteen and no tenths (121.0) feet; thence south seventsix (36) minutes East one hundred fifteen and no tenths (133.0) feet to the place of beginning, County of Columbia that portion thereof conveyed to state of Oregon by and	try nine one-handreaths ty-four one-handreaths ty-four one-handreaths ty-four one-handreaths ty-four one-handreaths (65) nation Lene Cleim in section the *illemette merician, ming and following the North ath twenty-five (2) degree it; thence Touth twenty four trelve one-handreaths (75. rees one (01) minute west tr the center of McNulty Creek; (6) degrees twenty-seven (27, (75.36) feet; thence North ty-two and no-tenths (42.0) minutes best one-manered mity-nine (79) degrees thirty (115.0) feet; thence South thirty-three and no tenths in source of Chilon, excepting through its State Highway
Beginning at the point of intersection of the center limited and the point of intersection of the center limited and the point of the lower Columbia giver Highway being South One Thousand five hundred ninety-one and for (1591.49) feet and West six hundred eighty-five and thirfeet from the Northwest corner of the Thomas H. Smith Loweight (8) Township four (4) North Honge one (1) west of Columbia County, Oregon; thence from this place of begins westerly boundary of the said Columbia giver Highway, confifteen (15) minutes West eighty and no tenths (80.0) feet (24) degrees thirteen (13) minutes west seventy-five and feet; thence leaving highways, North sixty-nine (69) deginhundred five and eight one-hundredths (205.08) feet to the thence down the center of McNulty Creek North sixteen (16 minutes west seventy-five and thirty-six one-hundredths twenty-nine (29) degrees fifty-one (51) minutes East for feet; thence North eighty-nine (89) degrees twenty (20) twenty-one and no tenths (121.0) feet; thence south seventy-furce (2) degrees thirty-turee (3) minutes East (33.0) feet to the place of beginning, County of Columbia that portion thereof conveyed to state of Oregon by and Commission in deed recorded July 29, 1940 in Book 66, Page	try nine one-handreaths ty-four one-handreaths ty-four one-handreaths ty-four one-handreaths ty-four one-handreaths to-four one-handreaths the *illemette merician, aing and following the Bort ath twenty-five (2) degree to thence Touth twenty four trelve one-handreaths (75. rees one (01) minute west to the center of Mchulty Creek; 6) degrees twenty-seven (27 (75.36) feet; thence North ty-two and no-tenths (42.0) minutes less one-handrea ty-nine (79) degrees thirt; (115.0) feet; thence South thirty-three may no tenths thirty-three may no tenths thirty-three four no tenths thirty-three
Beginning at the point of intersection of the center liminorthwesterly boundary of the lower Columbia giver Highweight South One Thousand five hundred ninety-one and for (1591.49) feet and West six hundred eighty-five and thirrfeet from the Northwest corner of the Thomas H. Smith Loweight (8) Township four (4) North hange one (1) west of Columbia County, Oregon; thence from this place of begins westerly boundary of the said Columbia giver Highway, confifteen (15) minutes West eighty and no tenths (30.0) feet (24) degrees thirteen (13) minutes west seventy-five and feet; thence leaving highways, North sixty-nine (09) degrees thundred five and eight one-hundredths (205.08) feet to the thence down the center of McNulty Creek North sixteen (16 minutes west seventy-five and thirty-six one-hundredths twenty-nine (29) degrees fifty-one (51) minutes East for feet; thence North eighty-nine (89) degrees twenty (20) is twenty-one and no tenths (121.0) feet; thence south sevents (33.0) feet to the place of beginning, County of Communication thereof conveyed to state of Oregon by and Commission in deed recorded July 29, 1940 in Book 66, Page	try nine one-handreaths ty-four one-handreaths ty-four one-handreaths ty-four one-handreaths ty-four one-handreaths to-four one-handreaths the *illemette merician, aing and following the Bort ath twenty-five (2) degree to thence Touth twenty four trelve one-handreaths (75. rees one (01) minute west to the center of Mchulty Creek; 6) degrees twenty-seven (27 (75.36) feet; thence North ty-two and no-tenths (42.0) minutes less one-handrea ty-nine (79) degrees thirt; (115.0) feet; thence South thirty-three may no tenths thirty-three may no tenths thirty-three four no tenths thirty-three

maps and data, and return the same for

.... day of

tions on or before
WITNESS my hand this

In order to retain its priority, this application must be returned to the State Engineer, with correc-

STATE ENGINEER

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of u	vater which can be applied to bene	ficial use
nd shall not exceed 0.01 cubic feet per second	measured at the point of diversion	from the
tream, or its equivalent in case of rotation with other water	r users, from McMilty Creek	
<i>d</i>		
The use to which this water is to be applied is 1rr:		
	·	
If for irrigation, this appropriation shall be limited to	1/80 of one cubi	
f not to exceed 2 acre feet per acre for each		
eason of each year,		
3		2.1
	•	
	*	
,		
·		
nd shall be subject to such reasonable rotation system as ma	ny be ordered by the proper state of	ficer.
The priority date of this permit is	August 23, 1949	
Actual construction work shall begin on or before	March 16, 1960	and shall
hereafter be prosecuted with reasonable diligence and be co	ompleted on or before October 1, 19	10 .
Complete application of the water to the proposed use	shall be made on or before October	1, 19 01
WITNESS my hand this 16th day of	March 19 59	
	· · · · · · · · · · · · · · · · · · ·	
	STATE	ENGINEER

Application No. 2. 4046

Permit No. 25977

PERMIT

TO APPROPRIATE THE PUBLIC WA"ERS OF THE STATE

OF OREGON

This instrument was first received in the

office of the State Engineer at Salem, Oregon, on the 23 th day of August

P. M. 19 89, at . (. 50 o'clock

Returned to applicant:

March 16, 1959

Approved:

Recorded in book No. 70

Permits on page 25917

LEUIS A. STANLET STATE ENGINEER

4B

Druinage Basin No. Fees State Printing 98137