

## To Appropriate the Public Waters of the State of Oregon

I There or a Free (Name of applicant)
1919 North Middle t. Sortlen. 77 resen
Siete of Procon do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is annually the source of the proposed appropriation is
(Name of stream)  a tributary of
2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second.  (If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is (trigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located ft. and 110 - ft. from the from the
COTNET of
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the
R. W. M., in the county of
5. The inc inc (Main ditch, canal or pipe line) to be 750 F4
in length, terminating in the
R
DESCRIPTION OF WORKS  On the partition
6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction  (Loose rock, concrete, majorary
rock and brush, tumber crib, etc., wasteway over or around dam)
(b) Description of headgate
(Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general description
(Size and type of pump)
(Size and type of engine or motor to be used total head water is to be lifted sets :
No. of the contract of the con

eadgate, At head	igate: width on t	top (at water li	ne)	feet; width on bottom
ousand feet.	fect; depth of w	ater	feet; grade	feet fall per one
		miles from head	igate: width on top (at water	line)
energia de la composição de la composição La composição de la compo	feet; width on be	ottom	feet; depth of we	iter . fect
rade "	feet fall	per one thousa	nd feet.	
(c) Length	of pipe,		ze at intake	in.; size at ft
om intake		size at place of	use in.; diff	erence in elevation between
itake and place	of use, 30st t	2	grade uniform?	Estimated capacity
	o∕ sec. ft.			
8. Location	n of area to be in	rigated, or plac	re of use AMATA IN A	
Township North or South	Range E or W. of Williamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
// 6				opposition to the stay and consequent as a second
			nacka skyt	<u>ornatio</u>
	•			
<u> </u>				· ·
				<i>*</i>
				*
	-			
<del></del>			3	
(a) Ch	arrator of soil		quired, attach separate sheet)	
	• '	i laname,		
Power or Mining	•	mer to be devel	oped	theoretical houses
				•
			ower sec	. f <b>t.</b>
(c) To	tal fall to be util	ized	(Head)	4.4
(d) Th	e nature of the u	vorks by means	of which the power is to be o	leveloped
	,		k	
(e) Su	ch works to be lo	ocated in	(Legal subdivision)	of Sec.
				· · · · · · · · · · · · · · · · · · ·
	, R. (No. 1			•
			am?(Yes or No)	•
			it of return	
		, Sec	, Tp(No. N. or S.)	, R,, W. I
			plied is	
	e nature of the r		•	

PECEIVED

STATE ENGINEER
SALEM, CREGON

TRUTTS A STANTEY

STATE ENGINEER

James W. Carver, Jr.

ASSISTANT

SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

and shall not exceed 0.06	ed to the amount of water which can be applied to beneficial use
	rubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rote	tion with other water users, from an unnamed creek
-	
	······································
The use to which this water is to	be applied is domestic and stock and irrigation,
being O.Ol c.f.s. for domestic s	nd stock and 0.05 c.f.s. for irrigation
	-
•	n shall be limited to 1/80 of one cubic foot per
second or its equivalent for each acre in	rigated and shall be further limited to a diversion of
not to exceed 2 acre feet per a	cre for each acre irrigated during the irrigation
	······································
	rotation system as may be ordered by the proper state officer.
and shall be subject to such reasonable	b and b and b and a significant
	December 10, 1058
The priority date of this permit is	December 19, 1958
The priority date of this permit is  Actual construction work shall b	egin on or before March 16, 1960 and shall
The priority date of this permit is  Actual construction work shall b	
The priority date of this permit is  Actual construction work shall be thereafter be prosecuted with reasonab	egin on or before March 16, 1960 and shall
The priority date of this permit is  Actual construction work shall be thereafter be prosecuted with reasonabe Complete application of the water	egin on or before March 16, 1960 and shall le diligence and be completed on or before October 1, 1960
The priority date of this permit is  Actual construction work shall be thereafter be prosecuted with reasonabe Complete application of the water	egin on or before Narch 16, 1960 and shall  le diligence and be completed on or before October 1, 1960  r to the proposed use shall be made on or before October 1, 1961.

32820 Application No.

Permit No. 235 940

PERMIT

This instrument was first received in th TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

office of the State Engineer at Salem, Oregor

on the 12 day of Min. 1958, at 8 20'clock A. M.

Returned to applicant:

Approved

Marroh 16, 1959

Recorded in hook No. 70 Permits on page

LEGILS A. STANLET STATE ENGINEER 70/ about N Drainage Basin No.

Fres

State Printing 38135