*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

State of Oxegon
do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is a tributary of 2. The amount of water which the applicant intends to apply to beneficial use is 1.38 cubic feet per second. (It water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is Irrigation (trigation, power, mining, manufacturing, dogments supplies, etc. 4. The point of diversion is located 880 ft. Na and 398 ft. From the 32 corner of Sec. 20, T. 13.5., R. 30 E. N.M. (Scotton or subdivision) Point of diversion from John Day Fiver = S. 72° E. 2,705 ft. From reaction corner common to Sections 23, 24, 25 & 26, (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described Use separate sheet if necessary) being within the SE SE. (Cive smallest legal subdivision) R. 30 E. W. M., in the country of Grant.
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is a tributary of 2. The amount of water which the applicant intends to apply to beneficial use is 1.38 cubic feet per second. (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is Irrigation (trugation, power, mining, manufacturing, domestic supplies etc.) 4. The point of diversion is located 880 ft. No. and 398 ft. from the 32 corner of Sac. 20, T. 13. So., R. 30 E. W.M. (Nors) Corner of Sac. 20, T. 13. So., R. 30 E. W.M. (Section or subdivision) Point of diversion from John Day Fiver - So. 72° E. 2,705 ft. from need than corner common to Sections 23, 24, 25 & 26, (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. The separate wheel if necessary) being within the SE SE (Give smallest legal subdivision) R. 30. E. W.M., in the county of Sacnt.
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is 3. The amount of water which the applicant intends to apply to beneficial use is 1.38 4. The point of diversion is located 880 ft. No. and 398 ft. from the 32 4. The point of diversion is located 880 ft. No. and 398 ft. from the 32 4. The point of diversion is located 880 ft. No. and 398 ft. from the 32 6. The sections 23, 24, 25 & 26, ft. from canal common to Sections 23, 24, 25 & 26, ft. from the 32 (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary being within the SE SE (Cive smallest legal subdivision) R. 30 E. W. M., in the country of Grant.
1. The source of the proposed appropriation is John Day river via Fanama Dich (Name of stream) a tributary of 2. The amount of water which the applicant intends to apply to beneficial use is 1.38 cubic feet per second. (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is Irrigation (trustion, power, mining, manufacturing, domestic supplies etc. 4. The point of diversion is located 880 ft. Na and 398 ft. Tom the 32 corner of Sea. 20, T. 13.5., R. 30 E. NaM. (From canal) (Section or subdivision) Point of diversion from John Day Fiver = S. 72 R. 2,705 ft. From section corner common to Sections 23, 24, 25 & 26, (If there is more than one point of diversion, each must be described. The separate sheet if necessary) being within the SE. SE (Give smallest legal subdivision) R. 30 Es. W. M., in the county of Grant.
.a tributary of 2. The amount of water which the applicant intends to apply to beneficial use is 1.38 cubic feet per second. (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied isixingation (trugstion, power, mining, manufacturing, domestic supplies etc.) 4. The point of diversion is located880ft. N_aand _398ft from the2 corner ofSec 20, T13S R_s30E N_M (K.ors) (K.ors)
2. The amount of water which the applicant intends to apply to beneficial use is 1.38 cubic feet per second. (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied isirigation_ (trugstion, power, mining, manufacturing, domestic supplies etc. 4. The point of diversion is located880ft. N_aand398ft
2. The amount of water which the applicant intends to apply to beneficial use is 1.38 cubic feet per second. (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies etc.) 4. The point of diversion is located
cubic feet per second. (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is
**3. The use to which the water is to be applied is
4. The point of diversion is located 880 ft. No. and 398 ft. from the 32 corner of Sec. 20, T. 13.5., R. 30 E. W.M. (Scatton or subdivision) Point of diversion from John Day Fiver = S. 72° E. 2,705 ft. From section corner common to Sections 23, 24, 25 & 26, (If there is more than one point of diversion, each must be described Use separate sheet if necessary) being within the SE SE (Give smallest legal subdivision) R. 30 E. W.M., in the county of Grant
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion)
corner of Sec. 20, T. 13 S., R. 30 E. W.M. (from canal) (Section or subdivision) Point of diversion from John Day Fiver = S. 72° E. 2,705 ft. from section corner common to Sections 23, 21, 25 & 26, (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described Use separate sheet if necessary) being within the SE SE of Sec. 20 . Tp. 13 J. (Norse
corner of Sec. 20, T. 13 S., R. 30 E. W.M. (from canal) (Section or subdivision) Point of diversion from John Day Fiver - S. 72° E. 2,705 ft. from section corner common to Sections 23, 24, 25 & 26, (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described Use separate sheet if necessary) being within the SE SE (Give smallest legal subdivision) R. 30 E. W. M., in the county of Grant
Point of diversion from John Day Fiver = S. 72° E. 2,705 ft. From section corner common to Sections 23, 24, 25 & 26. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE SE of Sec. 20 . Tp. 13 3. (Give smallest legal subdivision) R. 30 E. W. M., in the county of Grant
Point of diversion from John Day Fiver = S. 72° E. 2,705 ft. from section corner common to Sections 23, 24, 25 & 26. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary: being within the SE SE Office smallest legal subdivision) (Over smallest legal subdivision) R. 30 Ea. W. M., in the county of Scant
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE SE of Sec. 20 Tp. 13 3. (Give smallest legal subdivision) (N or S: R. 30 Ea. W. M., in the county of Grant
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE SE of Sec. 20 Tp. 13 3. (Give smallest legal subdivision) R. 30 Ea. W. M., in the county of Grant
being within the SE SE Officers and the country of Grant Sec. 20 Tp. 13 3. (Nors.)
being within the SE SE Office smallest legal subdivision) of Sec. 20 . Tp. 13 3. (Sec. 20 . Tp. 13 3. (Nors.)
R. 30 E. W. M., in the county of Grant
R. 30 E. W. M., in the county of Grant
5. The Main ditch to be 5930 ft. Sec. 21 (Miles or feet)
in length, terminating in the NW SE of Sec. 36c. 20 Tp. 13 3. (Smallest legal subdivision)
R30 Ka, W. M., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of dam feet, length on top feet, length at bott
feet; material to be used and character of construction
(Loose rock, concrete, mass
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate
· · · · · · · · · · · · · · · · · · ·
(c) If water is to be pumped give general description 6" centrifued. (Size and type of pump)
45 hp. John Deers Deisel 100ft. head (Size and type of engine or motor to be used, total head water is to be lifted vic.)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

[&]quot;A distrement form or application is provided where storage works are contemplated.

"Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Rodroelectric Commissions. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem

Canal System or F	-	each point of	canal where materially chang	ged in size, stating miles from
		- ' '	line)	feet: width on horrow
	feet; depth of w	ater 1		feet fall per one
	feet; width on b			•
grade	feet fall	per one thou	isand feet.	· •
(c) Length	of pipe. 1040	ft.	; size at intake, 6° througho	utin.; size at
from intake	; in.;	size at place	of usein.; d	ifference in elevation between
intake and place	of use, 100		Is grade uniform? Yes	Estimated capacity.
1.4 8. Location	sec.ft. n of area to be i	rrigated, or p	place of use	
Township North or South	Range R or W, or Willemette Meridian	Section	Forty-acre Tract	Number Acres To Be Impared
13 S.	30 E.	20	NE SE	20.3
•			nw se	21.2
		`**	SW SE .	18.5
-	•		SE SE	- 15.4
		21	nw sw	5.0
		#	SW SW -	24.5
*			.	10.5
				· manager was some as
			**	
		e and a second s		2
o				
(a) Ch	aracter of soil		ce required, attach separate sheet) DAM.	•.
		d Hay	· · · · · · · · · · · · · · · · · · ·	
Power or Mining 9. (a) To		ower to be de	eveloped	theoretical horsepower.
			r power	
			(Head)	
		-	ans of which the power is to l	be developed
(e) Si	uch works to be		(Leggal subdivision)	of Sec.
_			•	, of sec
(No. N. or	, R			•
£	The same of the		point of return	
			, Tp	•
			e applied is	(No E or W
~			served	

	County, having a	present popula	tion of		
(then of)	wiletion of			•	
	domestic me stele num	•		·d	•
7. T			.*		
3.	•	4 500 00			
	cost of proposed works, \$				
	m work will begin on o	.		e est eque e e	•
13. Construction	on work will be complet	ted on or before	July 1,	1959	1
14. The water	will be completely appli	ed to the propos	sed use on or	before July 1,	.1959
				(gnature of applicant)	
	• • • • • • • • • • • • • • • • • • • •			ignature of applicant)	
Remarks:	•			•	
			<u></u>		······································
<u></u>					
	-		•	· · · · · · · · · · · · · · · · · · ·	
	a				
			······································		
	f .	•••••		······································	
<u> </u>			ý		
		····································		>· ',	
County of Mari	SS.	.*			
This is to ce	ertify that I have exami	ined the foregoi	ing applicatio	n, together with	the accompanying
maps and data, an	d return the same for				
In order to	retain its priority, this	application mus	t be returned	to the State Eng	ineer, with correc-
tions on or before		19			
WITNESS 1	my hand this	day of			19
			•	•	
		•	•		

to certify that I have examined the foregoing application and do EXISTING RIGHTS and the following limitations and conditions

•	The right herein granted is limited to the amount of water which can be applied to beneficial use
ınd ı	hall not exceed 1.36 cubic feet per second measured at the point of diversion from the
rtrea	m, or its equivalent in case of rotation with other water users, from John Day River
······································	
	The use to which this water is to be applied is irrigation and supplemental irrigation
	If for irrigation, this appropriation shall be limited to
ecor	d or its equivalent for each acre irrigated and shall be further limited to a diversion of
not	to exceed 5 acre feet per acre for each acre irrigated during the irrigation
808	son of each year; provided further that the amount of water allowed herein, to-
getl	ner with the amount secured under any other right existing for the same lands
sha]	l not exceed the limitation allowed herein,
•	
•	
and .	shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
	The priority date of this permit is January 20, 1959
	Actual construction work shall begin on or before March 16, 1960 and shall
ther	eafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 60
	Complete application of the water to the proposed use shall be made on or before October 1, 1961
	WITNESS my hand this 16th day of March , 19 594
	STATE ENGINEER
	STATE ENGINEER

office of the State Engineer at Salem, Oregon, This instrument was first received in the

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

PERMIT

Application No. 32.857

Permit No. 23755

on the 26 th day of Asthuding

19.59, at 6 (1 o'clock: 1) M.

Returned to applicant:

LEWIS A. STANLEY

March 16, 1959

Approved:

Recorded in book No.

Permits on page

8 %/ dind ... Dramage Basin No.

State Prinfing pent