## APPLICATION FOR PERMIT

## .To Appropriate the Public Waters of the State of Oregon

1, Robert L Coats
of 1270- Trenton Ave, Bend, Chegan
State of Or 69 11, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
<u>.</u>
1. The source of the proposed appropriation is
a tributary of Deschartes
2. The amount of water which the applicant intends to apply to heneficial use is
cubic feet per second. 3 C4 T SCC.  (It water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is    Dom C. S. f. C.   T.   (Prigation, power, mining, manufacturing, domestic supplies, etc.)
(Brigation, power, mining, manufacturing, domestic supplies, etc.)
4 The point of diversion is located \$65 to N and 720 to E
4. The point of diversion is located 665 ft. N. and 739 ft. E from the N. W. corner of Section 19 To 17 S. R. 12 E.W. M.
(Section or subdivision)
*
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SW 5 W 5 W of Sec. 18 Tp. 17 S
R. 12 E, W. M., in the county of Deschutes
5. The Pipe Jine to be 800 feet (Main ditch, canal or pipe line) to be (Make or feet)
in length, terminating in the SW & SW & of Sec. 18 Tp. 175
R. 12 E, W. M., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS .
Diversion Works
6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction Roin forced Concrete
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate Concrete One opening 2'x 4'
(b) Description of headgate Concrete to One opening 2' x 4'
(Timber, concrete etc., number and size of openings)
(c) If water is to be pumped give general description 3"  Centrifugal  (Suz and type of pump)
(Timber, concrete etc., number and size of openings)

<sup>\*\*</sup>Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Rydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer. Salem

Canal System or F 7. (a) Give			canal where materially change	ed in size, stating miles from
headgate. At head	gate: width on t	top (åt water	line)	feet; width on bottom
thousand feet.			eadgate: width on top (at wate	
			feet; depth of u	pater ; feet;
grade	1 L	·		
	•		; size at intake, 3	
from intake	<i>3</i> in.,	size at place	of use in.; dif	ference in elevation between
intake and place	of use. 20	ft i	Is grade uniform? yes	Estimated capacity.
.22 8. Location	sec. ft. "o n of area to be i	rrigated, or p	lace of use	
Township North or South	Range  E or W. of  Willemette Meridian	Section	Forty-scre Tract	Number Actes To Be Irrigated
175	12 E ·	18	swf swf	5 Acres
_	i I			et due west of
Springs	1 1			
	700 4778		•	
· · · · · · · · · · · · · · · · · · ·				
The state of the s		manus be a more annual and and a second		
***************************************				
c (a) Ch			required, attach separate sheet)	
		_	Sandy	
	· -	d Gras	<b>S</b>	9
Power or Mining 9. (a) To	•	ower to be de	veloped	theoretical horsepower.
			r power se	
			•	
			(Head)	
. (d) Th	e nature of the	works by med	ins of which the power is to be	developed
***** *** *** *** *** ***				
(e) Su	ch works to be l	ocated in	(Legal subdivision)	of Sec.
	, R(No.		· ·	**
' (f) Is	water to be retu	rned to any s	stream?(Yes or No.)	
:	so, name stream			
		, Sec	, Tp	, R , W. M.,
(h) Ti			applied is	
		•	erved	**

STATE OF OREGON,
County of Marion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before March 30 , 19 50 .

WITNESS my hand this 22th day of January

. 19 📑 .

V IGSIVED BY

James W. Carres J.

LENGS A. STANDAY

ASSISTANT

and shall i	not exceed 0.	ted is limited to the a  Lh cubic feet p  case of rotation with a	er second	measured a	t the po	int of di	irersion j	
The	was to enhigh this	water is to be applied				ion ha		
		C.f.s. for irrigat			Trigat			T gere:
If fo	or irrigation, this o	appropriation shall be	limited to	1/lı0		of a	one cubic	foot per
		each acre irrigated and	•			•		-
not to e	xceed h acre f	eet per acre for a	ach acre	irrigate	d duri	ig the	irrigat	ion
season o	f each year; p	rovided further th	nat no di	version s	shall be	made	for irr	ที่ อี <b>ล</b> –
tion whe	n the flow of	the Deschutes Rive	er is les	s than 50	c.f.s.	at th	me point	ਅਮਿਉਸਵ
v. s. H	ghway 20 cross	es the river immed	ilately s	outh of t	he Town	of T	malo,	
•••••	••••					***		
:	<u> </u>		······································	s				
	•				······································			
		ár -						
· · · · · ·		reasonable potation sy				proper	state offi	.cer.
*		his permit is Jan						2 -1-17
		vork shall begin on or th reasonable diligenc						and shall 60
•	•	of the water to the pro-		•	•			
	•	his 16th day	•			•	•	,
	<b>,</b>	, ,	********	. A	ر الأساعيك		*****	
		•					STATE E	NGINEER :
Application No. 3285.8. Permit No. 25956	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th, day of Tancack, 1959, at 11:550 clock:	Returned to applicant:	Approved:	Marrot 16, 1959	25956	C LEWIS A. STANLET STATE ENGINERA	Drainage Basin No. 5 page 18B Proc

No. 32858	25956
tion	t No.
Application	Permit