*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

We, Lawrence L. As ley and Volum as ley can and and and and and and and and and a
of Antelone (Malling address)
State of Oregon. , do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is Autologe (Name of stream)
a tributary of 2000 2000
2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second.
(If water is to be used from more than one source, give quantity from each:
**3. The use to which the water is to be applied is (Irrigation, power, mining, manufacturing, domestic outplies, etc.)
4. The point of diversion is located ft. ft. and ft. from the from the
corner of Sections 19 and 30, T. S. South, But 1
(If preferable, give distance and bearing to section corner)
(If there is more then one point of diversion, each must be described. Use separate sheet if necessary
being within the Start SE2 . Tp. S
R. 16 E. W. M., in the county of
5. The pipe line (pertable) to be (Miles or feet)
in length, terminating in the S. S. (Smallest legal subdivision) (Smallest legal subdivision)
R 18 B W. M., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of dam no lan feet, length on top feet, length at bottom
feet; material to be used and character of construction
(Loose rock, concrete maken)
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate
(c) If water is to be pumped give general description
72 Horse Power, Electric r,
(Size and type of engine or motor to be used, total head water is to be lifted vic)

"A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities must be made to the droelectric Commission. Either of the shows forms may be secured, without cost, together with instructions by addressing the State Engineer. Salem

ousand feet. (b) At feet ade (c) Length of om intake	: width on bot	tom	feet; grade adgate: width on top (at wat	feet fall per on ter line)
(b) At feet ade	: width on bot	tom		er line)
(c) Length of	: width on bot	tom		
(c) Length of	feet fall 1			water feet
(c) Length of om intake			and fact	
om intake	pine. \$000		* :	
•	•	- 7	size at intake, $\frac{4}{\circ}$	in.; size at
	4 in.; s	5.7	•	lifference in elevation between
itake and place of i	use. 15	ft. Is	grade uniform?	Estimated capacit
d	sec. ft.		ace of use SQ tables to	onero oneto e
8. Location of		agarea, or po	rece of use 100, and according	er eng ma ndrasian kanada n manada da anta da a
Township North or South W	Range E or W. of Homette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrusted
8 South	16 East	19	S 1SE1	70
				•
	•			
			The state of the s	
				
		· · · · · · · · · · · · · · · · · · ·		
			•	
		necessaria e communica e conquer escribiros.		
				1
	<u> </u>	(If more space	required, attach separate sheet)	
(a) Chara	cter of soil	clay and	100.:	· · · · · · · · · · · · · · · · · · ·
(b) Kind	of crops raised	ralfalia	anligeslaneati pers	Na t ion of the second
Power or Mining Po	•			
9. (a) Total	amount of po-	wer to be der	veloped	theoretical horsepou
(b) Quan	tity of water t	o be used for	power	sec. ft.
(c) Total	fall to be util	iz ed	(Head)	
(d) The r	ature of the u	oorks by mea	ns of which the power is to	be developed
the control of the co				
(e) Such			(Legal subdivision)	of Sec.
				oj sec.
	, R. (No. II			
(f) Is wo	iter to be retui	rned to any s	tream? (Yes or No)	
. (g) If $so,$	name stream	and locate p	oint of return	*****

(i) The nature of the mines to be served

i an estimated population	of	in 19	شو		*
(b) If for domestic				-	
(o) i) joi doinezta	. Les sière nember	of Jumilies to be	supplied	****	:
		is \$1, 18, 13, and 14 in all co	Hee)	•	
11. Estimated cost of pr	roposed works, \$1.8	.00			
12. Construction work	will begin on or be	efore October	1, 1959,		
13. Construction work	will be completed	on or before Lat	ober 1. 1	.60.	
14. The water will be o					
	empleacey applied	o the proposed use	: Un or bejore	San	
		ر آب	······································		,
		بلعال السيا	. Tra	Cohlicents Alexander	£
		Sacar	me f	17016	1
Remarks:		. Antelo p			
		A			
		1 -			•
•					
· · · · · · · · · · · · · · · · · · ·	······································				
		. ,			

	·····				
		. • .	*** * *********************************		
			y		*****
			*		****
			•		*********

		***	***************************************		******
_			***************************************		***************************************
ATE OF OREGON.					•
County of Marion, " \ss	•		• .		
This is to certify that	I have examined	the foregoing appl	ication, togeth	er with the acco	mnanni
ps and data, and return t		•			
po ana aata, ana retarie e	ine sume joi	en eren eresterandur.			
In order to retain its	priority, this appli	cation must be reti	irned to the St	ate Engineer, wi	ith corre
ns on or before		., 19		-a	s ·
		•			
WITNESS may bond at	is day o	f			

STATE	OF	OREGON,		,
Cour	tu o	1 Marion	٠	22.

SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:	
The right herein granted is limited to the amount of water which can be applied to	
and shall not exceed 0.38 cubic feet per second measured at the point of div	ersion from the
stream, or its equivalent in case of rotation with other water users, from Antelope Cre	ek
	•
The use to which this water is to be applied is irrigation	
If for irrigation, this appropriation shall be limited to	e cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a	diversion of
not to exceed 3 acre feet per acre for each acre irrigated during the i	rrigation
season of each year,	
	,
<u></u>	
to the second se	
and shall be subject to such reasonable rotation system as may be ordered by the proper st	ate officer.
The priority date of this permit is January 21, 1959	
Actual construction work shall begin on or before March 16, 1960	and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October	1, 19 60
Complete application of the water to the proposed use shall be made on or before O	ctober 1, 19 61
WITNESS my hand this 16th day of March 19.59.	
	· · · · · · · · · · · · · · · · · · ·
	STATE ENGINEER
	•

Application No. 32863 Permit No. 25858

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON PERMIT

office of the State Engineer at Salem, Oregon, This instrument was first received in the on the Shin siday of a Consider 1985 y, at Lice o'clock () M.

March 16, 1959 Approved:

Returned to applicant:

25958 Recorded in book No. 70 Permits on page

LENIS A. STANKET

STATE ENGINEER

Drawings Rash No.

, about