

STATE ENGINEER SALEM, CREGON To Appropriate the Public Waters of the State of Oregon

I, Gordon Hayne	
of Pt. 2 Box 302 B.	McWinnville
State of Oregon	
•	rs of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
•	
if the appacant is a corpo	ration, give date and place of incorporation
1 The source of the ground	psed appropriation is waste water from City of McMin-
	Pond to be constructed times Application
	ervoir./************************************
	thich the applicant intends to apply to beneficial use is
	Ource only. See No. 2 under remarks. (If water is to be used from more than one source, give quantity from each)
**3. The use to which the u	pater is to be applied is
4. The point of diversion	is located 1452 ft. N and 642 ft. N from the S.E.
	W in Yamhill County, Oregon.
•	(Description on Bulletty Model)

	(If preferable, give distance and bearing to section corner)
	one point of diversion, each must be described. Use separate sheet if necessary)
	LE 1 of Sec. 12 , Tp. 4 S (N or S)
(E. er W.)	unty ofYambill
5. Theditch	to be 65 feet (Miles or feet)
in length, terminating in theS	in 1 of SE 1 of Sec. 12 , Tp. 4 S (N or S)
R5. W. M., the	proposed location being shown throughout on the accompanying map.
	DESCRIPTION OF WORKS
Diversion Works— 6 (a) Height of dam	9½ feet, length on top 268 feet, length at bottom
	to be used and character of construction compacted eseth fill
	(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over	rr or around dam)
•	rite If this means conel headgate; there is none. (Timber, concrete, etc. number and size of openings)
There will be one 2 f	Concrete appons & ways with 2x6 gate boards. 't. onening. ped give general description Pacific Pumping Co. 12 JV2144 (Size and type of pump)
SIK 3056 C Powered wi	th Gen. Elec. 2 HP 3450 PPM 115-230 V. motor, type of engine or motor to be used, total head water is to be lifted, etc.)
"ill use 10 sprinkler	Suction head 4 feet. Dischance head, 25-30 ft, s, but their size as to ".n.m. is unknown.
**Application for permits to appropr	late water for the generation of electricity, with the exception of municipalities, must be made to the seforms may be secured, without cost, together with instructions by addressing the State Engineer, Salem,

7. (a) GH	re dimensions at	each point of c	canal where materially chan	ged in size, stating miles fro
lgate. At hos	dgute: width on	top (at water	line)	feet; width on botto
sand feet.	feet; depth of u	eter	feet; grade	feet fall per or
(b) At		miles from he	adgate: width on top (at wa	ter line)
			d i	water fee
le	feet fall	per one thou	and feet.	
(c) Lengt	h of pipe,800	ft.:	size at intake	in.; size at 500
		•	· · · · · · · · ·	lifference in elevation betwee
			•	Estimated capacit
e half	,	mon.j ji. 11	grade watjorm:1.9.2	Estimatea capaci
		rrigated, or pl	sce of use	
Township	Range 2. or V. of	Section	Furty-scre Tract	Number Acres To Be Irrigated
North or South	Will motte Mutdien			
4 5	5 W	13	SE ½ of SE ½	Max of 7
4.5	5 ₩	13	NE 3 of SE 3	Max of 3
•	•		, , , , , , , , , , , , , , , , , , , ,	71
		· · · · · · · · · · · · · · · · · · ·		
		2		
				· · · · · · · · · · · · · · · · · · ·
	<u> </u>			
				-
		(If more space	Fequired, attach separate sheet)	
(a) Cl	haracter of soil		oam	
(b) K	ind of crops raise	d Vegeta	bles, fruits and na	esture.
ver or Minin	g Purposes	Does not	apply.	
9. (a) To	otal amount of po	wer to be dev	eloped	theoretical horsepow
(b) Q	uantity of water	to be used for 1	power	sec. ft.
(c) To	otal fall to be uti	lized	(Head)	
			us of which the power is to b	e developed
	•			
(a) S	uch marks to be I			
			(Legal subdivision)	: of Sec.
	, R(No.			
(f) Is	water to be retu	rned to any st	ream?(Yes or No)	
(g) Ij	so, name stream	and locate po	oint of return	
			, Tp(No. N. or 5	

The same of the sa	ees not annly.	25985
2. (a) To simply the only of		***************************************
County, he	ving a present population of	*******************
of an estimated population of	ta 10	·
(b) If for domestic use state	number of families to be supplied	٠.
	or or other H. H. H. and M in all cares	
11. Estimated cost of proposed wo		
12. Construction work will begin	on or before May 1, 1959.	•••••••••••••••••••••••••••••••••••••••
13. Construction work will be co	empleted on or beforeAug. 1, 19	59.
14. The water will be completely	applied to the proposed use on or before	Aug. 15, 1959.

	Sorden Clay	n.o/
	(Manture of the	plicant)
	low water originally went int	
· · ·	ago the City of McMinnville i	
ake line into their reser	rvoir. Upon completion of th	is they diverted
he overflow from the one	n ditch to the original intek	e line. This
riginal intake line is a	12" welded steel nipe which	runs across my
roperty and empties into	Baker Creek. This pipe muns	under my rronos
8	Baker Creek. This nine runs	
oond as is shown by the s	ttached sketch.	
ond as is shown by the sond. The amount of water w	ttached sketch.	nond will be con
and as is shown by the s	ttached sketch.	nond will be cor
and as is shown by the some the sount of water w	ttached sketch.	nond will be con
and as is shown by the s	ttached sketch.	nond will be con
and as is shown by the some the sount of water w	ttached sketch.	nond will be con
ond as is shown by the a	ttached sketch. which can enter this proposed es installed in this 12" welf	nond will be cor
ond as is shown by the a cond as is shown by the accordance to the cond as is shown by the accordance to the cond as is shown by the accordance to the cond as is shown by the accordance to the cond as is shown by the accordance to the cond as is shown by the accordance to the cond as is shown by the accordance to the cond as is shown by the accordance to the cond as is shown by the accordance to the cond as is shown by the accordance to the cond as is shown by the accordance to the cond as is shown by the accordance to the cond as is shown by the accordance to the cond accord	ttached sketch.	nond will be cor
ond as is shown by the account of water we crolled 99.93 by two walv	ttached sketch. which can enter this proposed es installed in this 12" welf	nond will be cor
ond as is shown by the account of water we crolled 99.93 by two walv	ttached sketch. which can enter this proposed es installed in this 12" welf	nond will be cor
ond as is shown by the account of water we crolled 99.93 by two walv	ttached sketch. which can enter this proposed es installed in this 12" welf	nond will be cor
TATE OF OREGON, County of Marion,	ttached sketch. thich can enter this proposed tes installed in this 12" welf	nond will be cor
TATE OF OREGON, County of Marion, This is to certify that I have ea	ttached sketch. Thich can enter this proposed Tes installed in this 12" welf	nond will be cored steel mine.
The amount of water we rolled 99.9% by two valves TATE OF OREGON, County of Marion, This is to certify that I have expanses and data, and return the same for	ttached sketch. Thich can enter this proposed Tes installed in this 12" welf Tes installed in this 12" welf	rend will be cored steel rine.
The amount of water we rolled 99.9% by two valves TATE OF OREGON, County of Marion, This is to certify that I have expanses and data, and return the same for	ttached sketch. Thich can enter this proposed Tes installed in this 12" welf	rend will be cored steel rine.
The amount of water water waterlied 99.9% by two walves of	ttached sketch. Thich can enter this proposed Tes installed in this 12" welf Tes installed in this 12" welf	nond will be cored steel wine.
The amount of water water waterlied 99.93 by two valves two valves of Marion, This is to certify that I have expressed and data, and return the same for the order to retain its priority, to	ttached sketch. thich can enter this proposed tes installed in this 12" welf tes installed in this 12" welf this application must be returned to the State	nond will be coned steel nine.
STATE OF OREGON, County of Marion, This is to certify that I have example and data, and return the same for	ttached sketch. thich can enter this proposed tes installed in this 12" welf tes installed in this 12" welf this application must be returned to the State	nond will be coned steel nine.

By Japes W. Carver, Jr. Assistant

The use to which this water is to be applied is irrigation and stock, being 0.13 c.f.s.				
fer irrigation and 0.01 c.f.s. for stock.	<u> </u>			
If for irrigation, this appropriation shall be limited to	1/80 of one cubic foot per			
second or its equivalent for each acre irrigated from direct	et flow and shall be further limited			
to a diversion of not to exceed 21 sere feet per	r acre for each acre irrigated during			
the irrigation season of each year from direct i	Now and storage from reservoir to			
be constructed under Permit No. R-2222, and shall	ll also be limited to the water			
available at the proposed point of diversion, as	nd shall not carry with it the right			
to compel the continuance of the overflow,				
-	•			
	<u></u>			
and shall be subject to such reasonable rotation system as m	ay be ordered by the proper state officer.			
The priority date of this permit is	January 27, 1959			
Actual construction work shall begin on or before	April 15, 1960 and shall			
thereafter be prosecuted with reasonable diligence and be c	completed on or before October 1, 19 60			
Complete application of the water to the proposed use	e shall be made on or before October 1, 19 61			
WITNESS my hand this	April 1959			

This instrument was first received in the office of the State Engineer at Salem, Oregon,

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

PERMIT

on the 22 day of Cannary

19 5 9 at 8,00 o'clock A . M.

Returned to applicant:

Permits on page 25985

20

Recorded in book No.

April 15, 1959

Approved:

STATE ENGINEER LEMIS A. STANLEY

Drainage Basin No.

2500

Fres

Application No. 25899

Permit No. 25985