

RECEIVED
JULY 1 1959
STATE ENGINEER
SALEM, OREGON

4 422 2446
Permit No. 26(N)3

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

1. Merlin RoyJoin
of North Myrtle Rd - Myrtle Creek,
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is North Myrtle Creek
(Name of stream)

, a tributary of South Umpqua River.

2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 120 ft. S. and E. 1 ft.
(N. or S.) (E. or W.)
corner of Section 22, Township 29
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the NE 1/4, SE 1/4 of NE 1/4 of Sec. 22, Tp., (N. or S.)
(Give smallest legal subdivision)

R. SW 1/4, W. M., in the county of Douglas
(S. or W.)

5. The Pipe line to be
(Open ditch, canal or pipe line)
in length, terminating in the North Myrtle Creek of Sec., Tp., (N. or S.)
(Smallest legal subdivision)

R. SW 1/4, W. M., the proposed location being shown throughout on the accompanying map.
(S. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction
(Loose rock, concrete, masonry, etc.)

rock and brush, timber crib, etc., wastewater over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 3/4 x 1 1/2
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions, by addressing the State Engineer, Salem, Oregon.

26003

Chemical Systems or Pipe Lines....

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

- (b) At _____ miles from headgate: width on top (at water line) _____
feet; width on bottom _____ feet; depth of water _____ feet;
grade _____ feet fall per one thousand feet.

- (c) Length of pipe, 300 ft.; size at intake, 2 in.; size at 361 ft. from intake 2 1/2 in.; size at place of use 2 1/2 in.; difference in elevation between intake and place of use, 10 ft. Is grade uniform? No. Estimated capacity, _____ sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
29 S.	5 W.	22	58 of NE Quarter	2.46 acres

Legal Description -
 Lots 3, 4, 5 & 6 of North Township
 as per plat recorded 4/16/05 in
 of County Clerk of Douglas County

(If more space required, attach separate sheet)

- (a) Character of soil
(b) Kind of crops raised Pasture only

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in _____ of Sec. _____
(Legal subdivision)

- (f) Is water to be returned to any stream?
(Yes or No)

- (g) If so, name stream and locate point of return

- Sec.* *Tp.* *R.* *W.M.*

(No. N. or S.) (No. E. or W.)

- (h) The use to which power is to be applied is

-

- (i) The nature of the mines to be served

Municipal or Domestic Supply—

19. (a) To supply the city of _____
 _____ County, having a present population of _____
 and an estimated population of _____ in 19_____.
- (b) If for domestic use state number of families to be supplied _____ ONE

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$... 500
12. Construction work will begin on or before 7/1/59
13. Construction work will be completed on or before 7/1/60
14. The water will be completely applied to the proposed use on or before 7/1/60

(Signature of applicant)

Remarks: The legal description on attached
 contract is I gave it to you

I don't understand 7-1- the date
 that will be in the creek will be
 30' long & 2" in take. The outlet
 pipe will be 250' - 2 1/2 in. diameter

The are going down changes which
 will be built right back the
 of creek face down to the bed

STATE OF OREGON, | ss.
 County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 6 1959

WITNESS my hand this 6th day of March 1959

LEWIS A. STANLEY

STATE ENGINEER

By James W. Carver Jr.
 James W. Carver, Jr., Assistant

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following Limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from North Myrtle Creek.

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a
diversion of not to exceed 2½ acre feet per acre for each acre irrigated during the
irrigation season of each year, provided further that the right to the use of water
is limited to the period when the flow of water in the South Umpqua River is 60.0
c.f.s. or more at its mouth.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 19, 1959.

Actual construction work shall begin on or before April 15, 1960 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 15th day of April 1959.

Lewis A. Stanley

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 24, Oregon Laws 1959

Application No. 322847

Permit No. 26003

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 15th day of April, 1959,
1959, at 8 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

April 15, 1959

Recorded in book No. 70 of
26003

Permits on page

Lewis A. STANLEY

STATE ENGINEER

Drainage Basin No. 26003

Fees Paid